



Any Transport over MPLS

Any Transport over MPLS (AToM) transports Layer 2 packets over a Multiprotocol Label Switching (MPLS) backbone. AToM enables service providers to connect customer sites with existing data link layer (Layer 2) networks by using a single, integrated, packet-based network infrastructure—a Cisco MPLS network. Instead of using separate networks with network management environments, service providers can deliver Layer 2 connections over an MPLS backbone. AToM provides a common framework to encapsulate and transport supported Layer 2 traffic types over an MPLS network core.

Configuration Information

Configuration information for AToM on the Cisco 7600 router in Cisco IOS Release 12.2(33)SRA is included in the following documents:

- The “Configuring PFC3BXL and PFC3B Mode Multiprotocol Label Switching” module of the *Cisco 7600 Series Cisco IOS Software Configuration Guide*, 12.2SR at the following URL:
<http://www.cisco.com/univercd/cc/td/doc/product/core/cis7600/software/122sr/swcg/pfc3mpls.htm>
- The “Configuring Multiprotocol Label Switching on the Optical Services Modules” module of the *OSM Configuration Note*, 12.2SR at the following URL:
<http://www.cisco.com/univercd/cc/td/doc/product/core/cis7600/cfgnotes/optical/122sr/mpls.htm>
- The “Configuring Multiprotocol Label Switching on FlexWAN and Enhanced FlexWAN Modules” module of the *FlexWAN and Enhanced FlexWAN Modules Configuration Guide* at the following URL:
<http://www.cisco.com/univercd/cc/td/doc/product/core/cis7600/cfgnotes/flexport/combo/flexmpls.htm>
- The “Configuring Any Transport over MPLS on a SIP” section and the “Configuring AToM VP Cell Mode Relay Support” section of the *Cisco 7600 Series Router SIP, SSC, and SPA Software Configuration Guide* at the following URLs, respectively:
<http://www.cisco.com/univercd/cc/td/doc/product/core/cis7600/76sipspa/sipspasw/76sipssc/76cfgs-ip.htm#wp1162131>
<http://www.cisco.com/univercd/cc/td/doc/product/core/cis7600/76sipspa/sipspasw/76atmspa/76cfg-atm.htm#wp1346992>
- The *Release Notes for Cisco IOS Release 12.2SR for the Cisco 7600 Series Routers* at the following URL:
<http://www.cisco.com/univercd/cc/td/doc/product/software/ios122/122relnt/122srrn.htm>

a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0711R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2006 Cisco Systems, Inc. All rights reserved.