



BGP Support for Fast Peering Session Deactivation

The BGP Support for Fast Peering Session Deactivation feature introduces an event-driven notification system that allows a Border Gateway Protocol (BGP) process to monitor BGP peering sessions on a per-neighbor basis. This feature improves the response time of BGP to adjacency changes by allowing BGP to detect an adjacency change and deactivate the terminated session in between standard BGP scanning intervals. Enabling this feature improves overall BGP convergence.

Configuration Information

Configuration information is included in the “Configuring BGP Neighbor Session Options” chapter of the *Cisco IOS BGP Configuration Guide*, Release 12.4T, at the following URL:

http://www.cisco.com/univercd/cc/td/doc/product/software/ios124/124tcg/tbgp_c/brbpeer.htm

Command Reference Information

Command reference information is included in the *Cisco IOS IP Routing Protocols Command Reference*, Release 12.2SR, at the following URL:

http://www.cisco.com/univercd/cc/td/doc/product/software/ios122sr/cr/sripr_r/index.htm

New or Modified Commands

The following command is modified for this feature:

- **neighbor fall-over**

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2006 Cisco Systems, Inc. All rights reserved.

