



Release Notes for Cisco 3200 Series Mobile Access Routers with Cisco IOS Release 12.4(3)JK3

First Released: May 26, 2008

Last Revised: September 24, 2008

Cisco IOS Release 12.4(3)JK3

OL-16730-02 First Release

These release notes describe new features and significant software components for the Cisco 3200 Series Mobile Access Router that support the Cisco IOS Release 12.4T, up to and including Cisco IOS Release 12.4(3)JK3.

These release notes are updated as needed to describe new memory requirements, new features, new hardware support, software platform deferrals, microcode or modem code changes, related document changes, and any other important changes. Use these release notes with the [Cross-Platform Release Notes for Cisco IOS Release 12.4T](#) [About Cisco IOS Release Notes](#)

For a list of the software caveats that apply to the Cisco IOS Release 12.4(3)JK3 releases, “Caveats” [section on page 4](#), and see the online [Caveats for Cisco IOS Release 12.4T](#)

We recommend that you view the field notices for this release to see if your software or hardware platforms are affected. If you have an account on Cisco.com, you can find field notices at http://www.cisco.com/warp/customer/tech_tips/index/fn.html. If you do not have a Cisco.com login account, you can find field notices at http://www.cisco.com/warp/public/tech_tips/index/fn.html.

Contents

-
-
- [New and Changed Information, page 3](#)
- [Caveats, page 4](#)
- [Additional References, page 6](#)



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2008 Cisco Systems, Inc. All rights reserved.

System Requirements

-
- [Hardware Supported, page 2](#)
- [Determining the Software Version, page 3](#)
[Upgrading to a New Software Release, page 3](#)
[Feature Set Tables, page 3](#)

Memory Requirements

Table 1 *Memory Requirements for Cisco 3200 Series Routers*

Platform	Feature Set	Software Image	Recommended Flash Memory (MB)	Recommended DRAM Memory (MB)
	WIRELESS LAN	c3201-k9w7-tar	8	32
3202-WMIC	Cisco 3202 Series WIRELESS LAN	c3202-k9w7-tar	8	32
3205-WMIC	Cisco 3205 Series WIRELESS LAN	c3205-k9w7-tar	16	64

Hardware Supported

Cisco IOS Release Cisco IOS Release 12.4(3)JK2 supports the 2.4-GHz Wireless Mobile Interface Card (WMIC) for the Cisco 3200 Series Mobile Access Router.

For descriptions of existing hardware features and supported modules, see the configuration guides and additional documents specific to the Cisco 3200 Series Mobile Access Router, which are available on Cisco.com at the following location:

http://www.cisco.com/univercd/cc/td/doc/product/access/mar_3200/index.htm

This URL is subject to change without notice. If it changes, point your web browser to [Cisco.com](http://www.cisco.com), and click the following path:

Technical Documentation > Access Servers & Routers > Mobile Access Router

Determining the Software Version

Upgrading to a New Software Release

Feature Set Tables

New and Changed Information

-
-
-
-
-

New Hardware Features in Cisco IOS Release 12.4(3)JK3

New Software Features in Cisco IOS Release 12.4(3)JK3

New Hardware Features in Cisco IOS Release 12.4(3)JK2

New Software Features in Cisco IOS Release 12.4(3)JK2

New Software Features in Cisco IOS Release 12.4T

Cross-Platform

Release Notes links at: http://www.cisco.com/en/US/products/ps6441/prod_release_notes_list.html

Caveats

-
-
-
-
-
-

Open Caveats - Cisco IOS Release 12.4(3)JK3

Resolved Caveats - Cisco IOS Release 12.4(3)JK3

CSCsm90446 JL4 client unable to associate with 12.4.3JK root with security enabled

Conditions

Workaround

CSCek79762 Block channel frequency 5600 to 5650 for ETSI Outdoor carrier set to satisfy ETSI 1.4.1 DFS regulation

CSCs162609

CSCso82553 Radio hangs frequently, overrun count increase.

The Radio stops working suddenly, client drop the BSSID.

This occurs in a random pattern, overrun count is increasing.

Reload the interface (shutdown / no shutdown)

There are no open caveats in this release.

Resolved Caveats - Cisco IOS Release 12.4(3)JK1

CSCsj85065

CSCsk42759

Additional References

-
-

Release-Specific Documents

- *Cross-Platform Release Notes for Cisco IOS Release 12.4)T*
- *Cisco IOS Software Releases 12.4 Special and Early Deployments Caveats for Cisco IOS Release 12.4(15)T*

Platform-Specific Documents

Cisco IOS Software Documentation Set

Documentation Modules

Use this document in conjunction with the documents listed in the [“Additional References”](#) section.

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco StadiumVision, the Cisco logo, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn is a service mark; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0804R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2008 Cisco Systems, Inc. All rights reserved