



INDEX

HC	Cisco IOS XR Interface and Hardware Component Configuration Guide
IC	Cisco IOS XR IP Addresses and Services Configuration Guide
MCC	Cisco IOS XR Multicast Configuration Guide
MNC	Cisco IOS XR System Monitoring Configuration Guide
MPC	Cisco IOS XR MPLS Configuration Guide
QC	Cisco IOS XR Modular Quality of Service Configuration Guide
RC	Cisco IOS XR Routing Configuration Guide
SC	Cisco IOS XR System Security Configuration Guide
SMC	Cisco IOS XR System Management Configuration Guide
VFC	Cisco IOS XR Virtual Firewall Configuration Guide

A

ABF (ACL-based forwarding)	
filter configuration, IPv4 packets	IC-11
forward a next hop	IC-11
overview	IC-11
pure ACL-based forwarding, how to	IC-32
security ACL, how to	IC-30
access lists	
applying	IC-15
IPv4 or IPv6	IC-12
address conflict resolution	IC-179
address repository manager	IC-179
aggregatable global address	IC-167
aggregatable global address format, figure	IC-168
ARM (Address Repository Manager)	IC-179
ARP (Address Resolution Protocol)	IC-45
address resolution	IC-43
cache entries	IC-44
definition	IC-42
MAC (Media Access Control)	IC-41
proxy ARP	IC-44
RFC 1027	IC-44

RFC 826 [IC-44](#)

B

BGP Attributes Download	IC-59
bgp policy accounting command	IC-66
broadcast addresses, used instead of	IC-171
bundle-hash command	IC-73

C

cache entries, definition	IC-44
CEF (Cisco Express Forwarding)	
benefits	IC-53
BGP policy accounting, classification	IC-54
description	IC-51
exact route, how to verify	IC-73
features	IC-53
FIB (Forwarding Information Base)	IC-53
reverse path forwarding	IC-55
route processor management ethernet forwarding	IC-56
cef load-balancing fields command	IC-57
cef purge delay command	IC-68
CIDR format	
using	IC-6
Cisco inetd	
<i>See</i> host services and applications	
configuring hash algorithm	IC-71
configuring relay agent	IC-103

D

defining preemption [IC-138](#)

DHCP (Dynamic Host Configuration Protocol)

configuring relay agent [IC-103](#)

forwarding UDP broadcasts to DHCP server, figure [IC-97](#)

DHCP relay agent

definition [IC-96](#)

dhcp relay information option command [IC-104](#)

domain command [IC-123](#)

domain name command [IC-122](#)

domain name-server command [IC-122](#)

domain services

See host services and applications

E

extended networks, using IP secondary addresses [IC-187](#)

F

FIB (Forwarding Information Base) [IC-53](#)

file transfer services

See host services and applications

filtering routes by a prefix list [IC-10](#)

flow command [IC-157](#)

forwarding UDP broadcasts to DHCP server, figure [IC-97](#)

FTP (File Transfer Protocol)

configuring a router [IC-126](#)

definition [IC-119](#)

troubleshooting tips [IC-128](#)

ftp client anonymous-password command [IC-127](#)

ftp client passive command [IC-127](#)

ftp client source-interface command [IC-128](#)

H

host services and applications

Cisco inetd [IC-117](#)

description [IC-115](#)

domain services [IC-117, IC-122](#)

configuration [IC-121](#)

file transfer services [IC-117, IC-125, IC-126, IC-129](#)

File Transfer Protocol (FTP) [IC-119](#)

remote copy protocol (RCP) [IC-119](#)

tftp server command [IC-124](#)

Trivial File Transfer Services (TFTP) [IC-119](#)

network connectivity

ping tool [IC-117](#)

prerequisites [IC-116](#)

telnet [IC-120](#)

TFTP server [IC-118](#)

tools [IC-117](#)

HSRP (Hot Standby Router Protocol)

configuring activation delay [IC-147](#)

configuring group attributes [IC-141](#)

description [IC-135](#)

enabling [IC-139](#)

enabling support for ICMP redirect messages [IC-149](#)

groups [IC-137](#)

overview [IC-136](#)

preemption [IC-138](#)

HSRP (Hot Standby Router Protocol), figure [IC-138](#)

hsrp command [IC-139](#)

hsrp redirects command [IC-149](#)

I

ICMP rate limiting [IC-192](#)

IFIB (Internal Forwarding Information Base) [IC-156](#)

inbound connection, telnet [IC-120](#)

interface command [IC-65](#)

interfaces, IP addresses [IC-187](#)

primary, IP address [IC-183](#)

interface submode [IC-66](#)

See also interface command

IP

- addresses
 - multiple, assigning [IC-187](#)
 - primary [IC-183](#)
 - secondary [IC-187](#)
- IPARM conflict resolution [IC-194](#)
- IPv4 and IPv6 protocol stacks, configuring [IC-189](#)
- IPv4-compatible IPv6 address [IC-169](#)
- IPv4-compatible IPv6 address format, figure [IC-169](#)
- IPv4 packet header format, figure [IC-171](#)
- IPv4 virtual addresses [IC-184](#)
- IPv6
 - address argument [IC-185](#)
 - address formats [IC-166](#)
 - address types [IC-170](#)
 - assigning addresses to individual router interfaces [IC-185](#)
 - extension header format, figure [IC-173](#)
 - ICMP packet header [IC-179](#)
 - introduction (IPv6 for Cisco IOS XR) [IC-165](#)
 - multicast address [IC-171](#)
 - multicast address, figure [IC-170](#)
 - multicast groups [IC-185](#)
 - neighbor discovery [IC-175](#)
 - neighbor redirect message [IC-178](#)
 - neighbor redirect message, figure [IC-178](#)
 - neighbor solicitation message, figure [IC-175](#)
 - packet header [IC-171](#)
 - packet header format, figure [IC-172](#)
 - path MTU discovery [IC-174](#)
 - prefix argument [IC-185](#)
 - RFC 2460 [IC-165](#)
 - router advertisement method, figure [IC-177](#)
 - solicited-node multicast address format, figure [IC-171](#)

L

- Layer 3 information (load-balancing) [IC-57](#)
- Layer 4 information (load-balancing) [IC-57](#)
- link-local address [IC-169](#)

- link local address format, figure [IC-169](#)
- load-balancing
 - 7-tuple hash algorithm, configuring [IC-71](#)
 - functions [IC-56](#)
 - Layer 3 information [IC-57](#)
 - Layer 4 information [IC-57](#)
 - overview [IC-56](#)
 - verification, CEF exact route [IC-73](#)
- Local Packet Transport Services (LPTS)
 - components [IC-156](#)
 - policers
 - configuring [IC-156](#)
 - overview [IC-156](#)
- Longest Prefix Resolution [IC-195](#)
- lpts pifib hardware police command [IC-157](#)

M

- MAC (Media Access Control) [IC-41](#)
- MP [IC-192](#)

N

- neighbor, IPv6 [IC-175](#)
- network connectivity [IC-121](#)
 - traceroute [IC-117](#)
- network stack IPv4 and IPv6 [IC-179](#)
- Nonstop Routing (NSR)
 - configuring failover as recovery [IC-203](#)
 - function [IC-202](#)
- nsr process-failures switchover command [IC-203](#)

P

- packet header fields, IPv6 [IC-172](#)
- packet routes, checking [IC-121](#)
- ping
 - host services and applications [IC-121](#)

See host services and applications

tool [IC-117](#)

ping command [IC-121](#)

Preface [IC-xi](#)

prefix list [IC-10](#)

prefix prioritization

OSPFv2 SPF [IC-57](#)

proxy [IC-46](#)

R

RAW protocol [IC-203](#)

rcp (remote copy protocol)

definition [IC-119](#)

troubleshooting tips [IC-126](#)

rcp client-source interface command [IC-126](#)

rcp client- username command [IC-125](#)

rcp copy command [IC-119](#)

RFC

1027 [IC-44](#)

1195, OSI IS-IS usage [IC-191](#)

2373 [IC-185](#)

826 [IC-44](#)

959 [IC-119](#)

route filtering, prefix list [IC-10](#)

route policy command [IC-63](#)

route processor management ethernet forwarding [IC-56](#)

router advertisement message [IC-177](#)

router bgp address family command [IC-64](#)

router bgp address family submode

See also router bgp address family command

router bgp command [IC-64](#)

router bgp table policy command [IC-64](#)

router hsrp command [IC-139](#)

route-tag support for connected routes [IC-181](#)

S

secondary addresses, IP [IC-187](#)

sequence numbering behavior [IC-6](#)

show cinetd services command [IC-124](#)

show lpts pifib hardware police command [IC-157](#)

show mpls forwarding exact-route command [IC-73](#)

show vrrp command [IC-218](#)

simplified IPv6 packet header [IC-171](#)

single LAN, process [IC-43](#)

solicitation message, IPv6 [IC-175](#)

static [IC-194](#)

Stream Control Transmission Protocol (SCTP) [IC-203](#)

T

table policy command [IC-64](#)

tasks

ABF with security ACL [IC-30](#)

access lists, applying [IC-15](#)

DHCP relay agent information [IC-103](#)

domain services [IC-121](#)

enabling HSRP [IC-139](#)

enabling IPv6 forward traffic globally [IC-185](#)

FTP connections [IC-126](#)

HSRP

configuring activation delay [IC-147](#)

configuring group attributes [IC-141](#)

enabling ICMP redirect messages [IC-149](#)

ICMP rate limiting [IC-192](#)

IP address conflict resolution [IC-196](#)

IPv4 and IPv6 protocol stacks [IC-189](#)

IPv6 addresses to individual router interfaces, assigning [IC-185](#)

network connectivity [IC-120](#)

packet routes [IC-121](#)

pure ACL-based forwarding [IC-32](#)

rcp connections [IC-124](#)

router as TFTP server [IC-123](#)

- telnet service [IC-130](#)
- TFTP connections [IC-129](#)
- VRRP
 - verification [IC-218](#)
- TCP (Transmission Control Protocol) [IC-203](#)
- telnet service [IC-130](#)
- TFTP (Trivial File Transfer Protocol) [IC-124](#)
 - definition [IC-119](#)
 - router configuration [IC-129](#)
 - server, router configuration [IC-123](#)
 - troubleshooting tips [IC-130](#)
- tftp server command [IC-124](#)
- traceroute
 - host services and applications
 - network connectivity
 - traceroute command [IC-121](#)
 - See* host services and applications
 - tool [IC-117](#)
- troubleshooting tips
 - FTP [IC-128](#)
 - rcp [IC-126](#)
 - TFTP [IC-130](#)

U

- UDP (User Datagram Protocol) [IC-203](#)
- uRPF (Unicast IPv4 and IPv6 Reverse Path Forwarding) [IC-55](#)
- using rcp connections [IC-124](#)

V

- verify unicast source reachable-via command [IC-70](#)
- VRRP (Virtual Router Redundancy Protocol) [IC-218](#)
 - advertisement [IC-212](#)
 - customizing [IC-213](#)
 - description [IC-210](#)
 - enabling [IC-216](#)
 - IP protocol number [IC-213](#)

