



Unified Configuration Models

Table 1: Feature History Table

| Feature Name | Release Information | Description |
|---|---------------------|--|
| Unified Data Model to map script file to the custom OID | Release 7.5.3 | Use the <code>Cisco-IOS-XR-um-script-server-cfg.yang</code> unified data model to map script file to the custom OID. |
| Transitioning Native Models to Unified Models (UM) | Release 7.4.1 | Unified models are CLI-based YANG models that are designed to replace the native schema-based models. UM models are generated directly from the IOS XR CLIs and mirror them in several ways. This results in improved usability and faster adoption of YANG models. You can access the new unified models from the Github repository. |

The following table lists the unified models supported on Cisco IOS XR routers.

Table 2: Unified Models

| Unified Models | Introduced in Release |
|---|-----------------------|
| Cisco-IOS-XR-um-script-server-cfg | Release 7.5.3 |
| Cisco-IOS-XR-um-script-cfg | Release 7.5.3 |
| Cisco-IOS-XR-um-if-ipsubscriber-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-session-redundancy-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-subscriber-accounting-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-subscriber-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-subscriber-redundancy-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-dyn-tmpl-opendns-cfg | Release 7.5.1 |

| Unified Models | Introduced in Release |
|--|------------------------------|
| Cisco-IOS-XR-um-dynamic-template-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-dynamic-template-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-lpts-profiling-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-ppp-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-pppoe-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-vpdn-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-aaa-subscriber-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-dynamic-template-ipv4-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-dynamic-template-ipv6-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-dynamic-template-vrf-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-mibs-subscriber-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-dyn-tmpl-monitor-session-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-l2tp-class-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-dynamic-template-dhcpv6d-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-dyn-tmpl-service-policy-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-snmp-server mroutemib send-all-cfg | Release 7.5.1 |
| Cisco-IOS-XR-um-aaa-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-aaa-diameter-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-aaa-nacm-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-aaa-tacacs-server-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-aaa-task-user-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-banner-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-bfd-sbfd-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-call-home-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-cdp-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-cef-accounting-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-cfg-mibs-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-cli-alias-cfg | Release 7.4.1 |

| Unified Models | Introduced in Release |
|---|-----------------------|
| Cisco-IOS-XR-um-clock-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-config-hostname-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-cont-breakout-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-cont-optics-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-control-plane-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-crypto-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-domain-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-ethernet-cfm-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-ethernet-oam-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-exception-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-flowspec-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-frequency-synchronization-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-hostname-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-hw-module-port-range-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-hw-module-profile-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-ip-virtual-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-ipsla-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-l2vpn-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-line-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-line-exec-timeout-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-line-general-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-line-timestamp-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-lldp-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-location-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-logging-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-logging-correlator-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-lpts-pifib-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-lpts-pifib-domain-cfg | Release 7.4.1 |

| Unified Models | Introduced in Release |
|--|-----------------------|
| Cisco-IOS-XR-um-lpts-pifib-dynamic-flows-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-mibs-cbqosmib-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-mibs-fabric-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-mibs-ifmib-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-mibs-rfmib-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-mibs-sensormib-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-monitor-session-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-mpls-oam-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-ntp-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-pce-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-pool-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-priority-flow-control-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-rcc-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-router-hsrp-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-router-vrrp-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-service-timestamps-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-ssh-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-tcp-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-telnet-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-tpa-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-bridgemib-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-config-copy-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-entity-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-entity-redundancy-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-entity-state-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-flash-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-fru-ctrl-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-ipsec-cfg | Release 7.4.1 |

| Unified Models | Introduced in Release |
|---|-----------------------|
| Cisco-IOS-XR-um-traps-l2tun-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-otn-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-power-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-selective-vrf-download-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-syslog-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-traps-system-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-udp-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-vty-pool-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-xml-agent-cfg | Release 7.4.1 |
| Cisco-IOS-XR-um-conflict-policy-cfg | Release 7.3.1 |
| Cisco-IOS-XR-um-flow-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-if-access-group-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-if-ipv4-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-if-ipv6-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-if-service-policy-qos-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-ipv4-access-list-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-ipv6-access-list-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-l2-ethernet-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-multicast-routing-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-object-group-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-policymap-classmap-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-router-igmp-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-router-pim-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-statistics-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-ethernet-services-access-list-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-if-l2transport-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-ipv4-prefix-list-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-ipv6-prefix-list-cfg | Release 7.2.1 |

| Unified Models | Introduced in Release |
|--|-----------------------|
| Cisco-IOS-XR-um-router-amt-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-router-mld-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-router-msdp-cfg | Release 7.2.1 |
| Cisco-IOS-XR-um-router-bgp-cfg | Release 7.1.1 |
| Cisco-IOS-XR-um-mpls-te-cfg | Release 7.1.1 |
| Cisco-IOS-XR-um-router-isis-cfg | Release 7.1.1 |
| Cisco-IOS-XR-um-router-ospf-cfg | Release 7.1.1 |
| Cisco-IOS-XR-um-router-ospfv3-cfg | Release 7.1.1 |
| Cisco-IOS-XR-um-grpc-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-if-bundle-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-if-ethernet-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-if-ip-address-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-if-vrf-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-interface-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-mpls-l3vpn-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-netconf-yang-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-router-rib-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-router-static-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-snmp-server-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-telemetry-model-driven-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-vrf-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-arp-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-if-arp-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-if-mpls-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-if-tunnel-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-mpls-ldp-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-mpls-ld-cfg | Release 7.0.1 |
| Cisco-IOS-XR-um-rsvp-cfg | Release 7.0.1 |

| Unified Models | Introduced in Release |
|------------------------------------|-----------------------|
| Cisco-IOS-XR-um-traps-mpls-ldp-cfg | Release 7.0.1 |

