

Release Notes for Cisco NCS 540 Series Routers, Cisco IOS XR Release 24.4.2

First Published: 2024-03-10

Last Modified: 2025-08-04

Network Convergence System 540 Series Routers

What's New in Cisco IOS XR Release 24.4.2

Cisco IOS XR Release 24.4.2 is a maintenance release for Cisco NCS 540 Series routers. There are no new software features or hardware introduced in this release.

For more details on the Cisco IOS XR release model and associated support, see [Software Lifecycle Support Statement - IOS XR](#).

Restrictions and Limitations on the Cisco NCS 540 Series Router

- The statistics collection may time out due to CPU overload during route churn. In such scenarios, statistics collection will resume when the CPU becomes available after the route churn is complete.
- Autonegotiation is disabled by default on the fixed GigE - 0/0/0/0 - 0/0/0/4 copper ports of N540X-16Z4G8Q2C-A/D and N540X-12Z16G-SYS-A/D router variants. It is recommended to enable the Autonegotiation support. To enable autonegotiation, use the **negotiation auto** command.
- If you're migrating from previous XR versions, then you must enable autonegotiation for fixed copper ports using the **negotiation auto** command before performing the software upgrade to avoid any links going down.
- Enabling or disabling frame preemption on the Time Sensitive Networking (TSN) port results in traffic drop for N540-FH-CSR-SYS. The port Twenty Five G0/0/12 is used as the TSN port.
- Fabric multicast queue stats are not supported in N540X-8Z16G-SYS-A/D, N540X-6Z18G-SYS-A/D, N540-6Z14S-SYS-D, N540-6Z18G-SYS-A/D, and N540X-4Z14G2Q-A/D variants.
- Unlabeled BGP PIC EDGE for global prefixes is not supported.
- The interface ports 0/0/0/24 to 0/0/0/31 do not support 1G Copper SFPs on N540-24Z8Q2C-SYS, N540-ACC-SYS, and N540X-ACC-SYS variants. Also, these ports do not support Auto-Negotiation with 1GE optical SFPs and they cannot act as 1GE Synchronous Ethernet sources.
- The interface ports 0/0/0/20 to 0/0/0/27 do not support 1G Copper SFPs on N540X-16Z4G8Q2C-A, N540X-16Z8Q2C-D, and N540X-16Z4G8Q2C-D variants. Also, these ports do not support Auto-Negotiation with 1GE optical SFPs and they cannot act as 1GE Synchronous Ethernet sources.

- The 1G ports on the N540-24Q8L2DD-SYS variant do not support Auto-Negotiation with 1GE optical SFPs.
- Remove the speed settings on the 1G Copper optics when 10M/100M is configured and replaced with 1G SFP optics.
- The **hw-module profile mfib statistics** command is not supported.

Caveats

There are no caveats in this release.

IOS XR Base Images and Optional Packages

For more information on system setup and software installation process, see [System Setup and Software Installation Guide for Cisco NCS 540 Series Routers](#).

For general and ordering information see:

- [Cisco Network Convergence System 540 Fronthaul Routers Data Sheet](#)
- [Cisco Network Convergence System 540 Large Density Router Data Sheet](#)
- [Cisco Network Convergence System 540 Medium Density Routers Data Sheet](#)
- [Cisco Network Convergence System 540 Small Density Router Data Sheet](#)

To install the Cisco NCS 540 Series Routers, see [Cisco NCS 540 Router Hardware Installation Guide](#).

Release 24.4.2 Software

The following tables list the supported base images and optional packages and their corresponding file names.

- The first table lists the supported software for N540-24Z8Q2C-SYS, N540-ACC-SYS, and N540X-ACC-SYS variants.
- The second table lists the supported software for N540-24Q8L2DD-SYS, N540X-16Z4G8Q2C-A/D, N540-28Z4C-SYS-A/D, N540X-12Z16G-SYS-A/D, N540-12Z20G-SYS-A/D, N540-FH-CSR-SYS, N540X-16Z8Q2C-D and N540-FH-AGG-SYS variants.
- The third table lists the supported software for N540X-4Z14G2Q-A/D, N540X-8Z16G-SYS-A/D, N540-6Z14S-SYS-D, N540-6Z18G-SYS-A/D, and N540X-6Z18G-SYS-A/D variants.

Visit the [Cisco Software Download page](#) to download the Cisco IOS XR software images.

Table 1: Release 24.4.2 Software for N540-24Z8Q2C-SYS, N540-ACC-SYS, and N540X-ACC-SYS

Base Image	Filename	Description
IOS XR Base Image	ncs540-mini-x-24.4.2.iso	IOS XR mandatory base image.

USB Boot Package	ncs540-usb_boot-24.4.2.zip	Package required to perform USB Boot. Includes the same packages as the base image.
Optional Packages not included in the base image		
Package	Filename	Description
IOS XR Manageability	ncs540-mgbl-1.0.0.0-r2442.x86_64.rpm	Supports Extensible Markup Language (XML) Parser, Telemetry, Netconf, gRPC and HTTP server
IOS XR MPLS	ncs540-mpls-1.0.0.0-r2442.x86_64.rpm ncs540-mpls-te-rsvp-1.0.0.0-r2442.x86_64.rpm	Supports MPLS and MPLS Traffic Engineering (MPLS-TE)
IOS XR Security	ncs540-k9sec-1.0.0.0-r2442.x86_64.rpm	Supports MACsec and 802.1X
IOS XR ISIS	ncs540-isis-1.0.0.0-r2442.x86_64.rpm	Supports ISIS
IOS XR OSPF	ncs540-ospf-1.0.0.0-r2442.x86_64.rpm	Supports OSPF
IOS XR Lawful Intercept	ncs540-li-1.0.0.0-r2442.x86_64.rpm	Supports Lawful Intercept (LI)
IOS XR Multicast	ncs540-mcast-1.0.0.0-r2442.x86_64.rpm	Supports Multicast
IOS XR EIGRP	ncs540-eigrp-1.0.0.0-r2442.x86_64.rpm	Supports EIGRP
IOS XR LI-CTRL	ncs540-lictrl-1.0.0.0-r2442.x86_64.rpm	Supports LI-CTRL

Table 2: Release 24.4.2 Software for N540-24Q8L2DD-SYS, N540X-16Z4G8Q2C-A/D, N540-28Z4C-SYS-A/D, N540X-12Z16G-SYS-A/D, N540-12Z20G-SYS-A/D, N540-FH-CSR-SYS, N540X-16Z8Q2C-D and N540-FH-AGG-SYS

Base Image	Filename	Description
-------------------	-----------------	--------------------

IOS XR Base Image	ncs540l-x64-24.4.2.iso	IOS XR base image with mandatory packages. The base ISO image also includes the following optional packages: • xr-bgp • xr-cdp • xr-eigrp • xr-ipsla • xr-is-is • xr-k9sec • xr-lictrl • xr-lldp • xr-mcast • xr-mpls-oam • xr-netflow • xr-ospf • xr-perf-meas • xr-perfmgmt • xr-rip • xr-telnet • xr-track These optional packages are also included in NCS540l-iosxr-24.4.2.tar.
USB Boot Package	ncs540l-usb_boot-24.4.2.zip	Package required to perform USB Boot. Includes the same packages as the base image.
Optional Packages not included in the base image		
Package	Filename	Description
IOS XR Telnet (xr-telnet)	NCS540l-iosxr-24.4.2.tar	Supports Telnet
IOS XR EIGRP (xr-eigrp)	NCS540l-iosxr-24.4.2.tar	Supports EIGRP
IOS XR CDP (xr-cdp)	NCS540l-iosxr-24.4.2.tar	Supports CDP
IOS XR k9sec (xr-k9sec)	NCS540l-k9sec-rpms.24.4.2.tar	Supports 802.1X

IOS XR RIP (xr-rip)	NCS540l-iosxr-24.4.2.tar	Supports RIP
---------------------	--------------------------	--------------

Table 3: Release 24.4.2 Software for N540X-4Z14G2Q-A/D, N540X-8Z16G-SYS-A/D, N540-6Z14S-SYS-D, N540-6Z18G-SYS-A/D, and N540X-6Z18G-SYS-A/D

Base Image	Filename	Description
IOS XR Base Image	ncs540l-aarch64-24.4.2.iso	IOS XR base image with mandatory packages. The ISO image also includes the following optional packages: • xr-bgp • xr-cdp • xr-eigrp • xr-ipsla • xr-is-is • xr-k9sec • xr-lictrl • xr-lldp • xr-mcast • xr-mpls-oam • xr-ncs540l-mcast • xr-ncs540l-netflow • xr-netflow • xr-ospf • xr-perf-meas • xr-perfmgmt • xr-rip • xr-telnet • xr-track These optional packages are also included in NCS540l aarch64 iosxr optional rpms-24.4.2.tar.
USB Boot Package	ncs540l-aarch64-usb_boot-24.4.2.zip	Package required to perform USB Boot. Includes the same packages as the base image.

Optional Packages not included in the base image		
Package	Filename	Description
IOS XR Telnet (xr-telnet)	NCS540l-aarch64-iosxr-optional-rpms-24.4.2.tar	Supports Telnet
IOS XR EIGRP (xr-eigrp)	NCS540l-aarch64-iosxr-optional-rpms-24.4.2.tar	Supports EIGRP
IOS XR CDP (xr-cdp)	NCS540l-aarch64-iosxr-optional-rpms-24.4.2.tar	Supports CDP
IOS XR k9sec (xr-k9sec)	NCS540l-aarch64-k9sec-rpms-24.4.2.tar	Supports 802.1X
IOS XR RIP (xr-rip)	NCS540l-aarch64-iosxr-optional-rpms-24.4.2.tar	Supports RIP

Determine Software Version

Log in to the router and enter the **show version** command on the N540-24Z8Q2C-SYS, N540-ACC-SYS, and N540X-ACC-SYS variants:

```
RP/0/RP0/CPU0:Router#show version
Cisco IOS XR Software, Version 24.4.2
Copyright (c) 2013-2024 by Cisco Systems, Inc.

Build Information:
  Built By      : swtools
  Built On     : Thu Mar 20 05:15:16 PDT 2025
  Built Host   : iox-lnx-125
  Workspace    : /auto/srcarchive11/prod/24.4.2/ncs540/ws
  Version      : 24.4.2
  Location     : /opt/cisco/XR/packages/
  Label        : 24.4.2
```

```
cisco NCS-540 () processor
System uptime is 1 hour 5 minutes
```

Log in to the router and enter the **show version** command on the N540X-4Z14G2Q-A/D, N540-6Z18G-SYS-A/D, N540X-8Z16G-SYS-A/D, N540-6Z14S-SYS-D, and N540X-6Z18G-SYS-A/D variants:

```
RP/0/RP0/CPU0:Router#show version
Cisco IOS XR Software, Version 24.4.2 LNT
Copyright (c) 2013-2024 by Cisco Systems, Inc.

Build Information:
  Built By      : cisco
  Built On     : Thu Mar 20 09:13:58 UTC 2025
  Build Host   : iox-lnx-117
  Workspace    : /auto/srcarchive11/prod/24.4.2/ncs540l/ws/
  Version      : 24.4.2
  Label        : 24.4.2
```

```
cisco NCS540L (C3508 @ 1.60GHz)
cisco N540-12Z20G-SYS-A (C3508 @ 1.60GHz) processor with 8GB of memory
NCS540L_ROUTER uptime is 2 hours, 3 minutes
Cisco NCS 540 Series Fixed Router 20 X 1G, 12X10/1G AC Chassis
```

Log in to the router and enter the **show version** command on the N540-24Q8L2DD-SYS variant:

```
RP/0/RP0/CPU0:Router#show version
Cisco IOS XR Software, Version 24.4.2 LNT
Copyright (c) 2013-2024 by Cisco Systems, Inc.
```

Build Information:

```

Built By      : cisco
Built On     : Thu Mar 20 09:13:58 UTC 2025
Build Host   : iox-lnx-119
Workspace    : /auto/srcarchive11/prod/24.4.2/ncs540l-aarch64/ws/
Version      : 24.4.2
Label       : 24.4.2

```

```

cisco NCS540L
cisco N540X-6Z18G-SYS-D processor with 8GB of memory
NCS540L-aarch64_ROUTER uptime is 2 hours, 6 minutes
Cisco NCS 540 Series Fixed Router 18x1G, 6x1/10G, DC

```

Determine Firmware Support

Use the show command in EXEC mode to view the hardware components with their current FPD version and status. The status of the hardware must be “CURRENT”; Running and Programed version must be the same. The Golden FPDs with “NEED UPGD” can be ignored, the Golden FPDs are not upgradable.

Log in to the router and enter the **show fpd package** and **show hw-module fpd** commands on the Cisco N540-24Z8Q2C-SYS, N540X-ACC-SYS, and N540-ACC-SYS variants:



Note If the **Req Reload** field is mentioned as **Yes** in the output, then it indicates the need for a router reboot for the FPD's latest version to take effect.

```
RP/0/RP0/CPU0:Router#show fpd package
```

Field Programmable Device Package					
Card Type	FPD Description	Req Reload	SW Ver	Min Req SW Ver	Min Req Board Ver
N540-24Z8Q2C-M	Bootloader (A)	YES	1.18	1.18	0.0
	CPU-IOFPGA (A)	YES	0.10	0.10	0.0
	MB-IOFPGA (A)	YES	0.28	0.28	0.0
	MB-MIFPGA	YES	0.08	0.08	0.0
	SATA-INTEL_240G (A)	NO	1132.00	1132.00	0.0
	SATA-INTEL_480G (A)	NO	1132.00	1132.00	0.0
	SATA-M1100 (A)	NO	50.00	50.00	0.0
	SATA-M500IT-MC (A)	NO	3.00	3.00	0.0
	SATA-M500IT-MU-A (A)	NO	5.00	5.00	0.0
	SATA-M500IT-MU-B (A)	NO	4.00	4.00	0.0
	SATA-M5100 (A)	NO	75.00	75.00	0.0
	SATA-M600-MCT (A)	NO	5.00	5.00	0.0
	SATA-M600-MU (A)	NO	6.00	6.00	0.0
	SATA-Micron (A)	NO	1.00	1.00	0.0
	SATA-SMART-128G (A)	NO	1535.00	1535.00	0.0
	SATA-SOLIDIGM-240G (A)	NO	130.00	130.00	0.0
	SATA-SOLIDIGM-480G (A)	NO	130.00	130.00	0.0
	SSFP_E1F_0	NO	13.01	13.01	0.0
	SSFP_E1F_1	NO	13.01	13.01	0.0
	SSFP_E1F_10	NO	13.01	13.01	0.0
	SSFP_E1F_11	NO	13.01	13.01	0.0
	SSFP_E1F_12	NO	13.01	13.01	0.0
	SSFP_E1F_13	NO	13.01	13.01	0.0
	SSFP_E1F_14	NO	13.01	13.01	0.0

Determine Firmware Support

SSFP_E1F_15	NO	13.01	13.01	0.0
SSFP_E1F_16	NO	13.01	13.01	0.0
SSFP_E1F_17	NO	13.01	13.01	0.0
SSFP_E1F_18	NO	13.01	13.01	0.0
SSFP_E1F_19	NO	13.01	13.01	0.0
SSFP_E1F_2	NO	13.01	13.01	0.0
SSFP_E1F_20	NO	13.01	13.01	0.0
SSFP_E1F_21	NO	13.01	13.01	0.0
SSFP_E1F_22	NO	13.01	13.01	0.0
SSFP_E1F_23	NO	13.01	13.01	0.0
SSFP_E1F_24	NO	13.01	13.01	0.0
SSFP_E1F_25	NO	13.01	13.01	0.0
SSFP_E1F_26	NO	13.01	13.01	0.0
SSFP_E1F_27	NO	13.01	13.01	0.0
SSFP_E1F_28	NO	13.01	13.01	0.0
SSFP_E1F_29	NO	13.01	13.01	0.0
SSFP_E1F_3	NO	13.01	13.01	0.0
SSFP_E1F_30	NO	13.01	13.01	0.0
SSFP_E1F_31	NO	13.01	13.01	0.0
SSFP_E1F_32	NO	13.01	13.01	0.0
SSFP_E1F_33	NO	13.01	13.01	0.0
SSFP_E1F_34	NO	13.01	13.01	0.0
SSFP_E1F_35	NO	13.01	13.01	0.0
SSFP_E1F_36	NO	13.01	13.01	0.0
SSFP_E1F_37	NO	13.01	13.01	0.0
SSFP_E1F_38	NO	13.01	13.01	0.0
SSFP_E1F_39	NO	13.01	13.01	0.0
SSFP_E1F_4	NO	13.01	13.01	0.0
SSFP_E1F_40	NO	13.01	13.01	0.0
SSFP_E1F_41	NO	13.01	13.01	0.0
SSFP_E1F_42	NO	13.01	13.01	0.0
SSFP_E1F_43	NO	13.01	13.01	0.0
SSFP_E1F_44	NO	13.01	13.01	0.0
SSFP_E1F_45	NO	13.01	13.01	0.0
SSFP_E1F_46	NO	13.01	13.01	0.0
SSFP_E1F_47	NO	13.01	13.01	0.0
SSFP_E1F_5	NO	13.01	13.01	0.0
SSFP_E1F_6	NO	13.01	13.01	0.0
SSFP_E1F_7	NO	13.01	13.01	0.0
SSFP_E1F_8	NO	13.01	13.01	0.0
SSFP_E1F_9	NO	13.01	13.01	0.0
SSFP_OC3_STM1_0	NO	12.01	12.01	0.0
SSFP_OC3_STM1_1	NO	12.01	12.01	0.0
SSFP_OC3_STM1_10	NO	12.01	12.01	0.0
SSFP_OC3_STM1_11	NO	12.01	12.01	0.0
SSFP_OC3_STM1_12	NO	12.01	12.01	0.0
SSFP_OC3_STM1_13	NO	12.01	12.01	0.0
SSFP_OC3_STM1_14	NO	12.01	12.01	0.0
SSFP_OC3_STM1_15	NO	12.01	12.01	0.0
SSFP_OC3_STM1_16	NO	12.01	12.01	0.0
SSFP_OC3_STM1_17	NO	12.01	12.01	0.0
SSFP_OC3_STM1_18	NO	12.01	12.01	0.0
SSFP_OC3_STM1_19	NO	12.01	12.01	0.0
SSFP_OC3_STM1_2	NO	12.01	12.01	0.0
SSFP_OC3_STM1_20	NO	12.01	12.01	0.0
SSFP_OC3_STM1_21	NO	12.01	12.01	0.0
SSFP_OC3_STM1_22	NO	12.01	12.01	0.0
SSFP_OC3_STM1_23	NO	12.01	12.01	0.0
SSFP_OC3_STM1_24	NO	12.01	12.01	0.0
SSFP_OC3_STM1_25	NO	12.01	12.01	0.0
SSFP_OC3_STM1_26	NO	12.01	12.01	0.0
SSFP_OC3_STM1_27	NO	12.01	12.01	0.0
SSFP_OC3_STM1_28	NO	12.01	12.01	0.0
SSFP_OC3_STM1_29	NO	12.01	12.01	0.0

SSFP_OC3_STM1_3	NO	12.01	12.01	0.0
SSFP_OC3_STM1_30	NO	12.01	12.01	0.0
SSFP_OC3_STM1_31	NO	12.01	12.01	0.0
SSFP_OC3_STM1_32	NO	12.01	12.01	0.0
SSFP_OC3_STM1_33	NO	12.01	12.01	0.0
SSFP_OC3_STM1_34	NO	12.01	12.01	0.0
SSFP_OC3_STM1_35	NO	12.01	12.01	0.0
SSFP_OC3_STM1_36	NO	12.01	12.01	0.0
SSFP_OC3_STM1_37	NO	12.01	12.01	0.0
SSFP_OC3_STM1_38	NO	12.01	12.01	0.0
SSFP_OC3_STM1_39	NO	12.01	12.01	0.0
SSFP_OC3_STM1_4	NO	12.01	12.01	0.0
SSFP_OC3_STM1_40	NO	12.01	12.01	0.0
SSFP_OC3_STM1_41	NO	12.01	12.01	0.0
SSFP_OC3_STM1_42	NO	12.01	12.01	0.0
SSFP_OC3_STM1_43	NO	12.01	12.01	0.0
SSFP_OC3_STM1_44	NO	12.01	12.01	0.0
SSFP_OC3_STM1_45	NO	12.01	12.01	0.0
SSFP_OC3_STM1_46	NO	12.01	12.01	0.0
SSFP_OC3_STM1_47	NO	12.01	12.01	0.0
SSFP_OC3_STM1_5	NO	12.01	12.01	0.0
SSFP_OC3_STM1_6	NO	12.01	12.01	0.0
SSFP_OC3_STM1_7	NO	12.01	12.01	0.0
SSFP_OC3_STM1_8	NO	12.01	12.01	0.0
SSFP_OC3_STM1_9	NO	12.01	12.01	0.0
SSFP_STM1_TSOP_0	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_1	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_10	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_11	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_12	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_13	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_14	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_15	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_16	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_17	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_18	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_19	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_2	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_20	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_21	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_22	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_23	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_24	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_25	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_26	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_27	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_28	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_29	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_3	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_30	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_31	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_32	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_33	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_34	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_35	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_36	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_37	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_38	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_39	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_4	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_40	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_41	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_42	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_43	NO	13.00	13.00	0.0

Determine Firmware Support

	SSFP_STM1_TSOP_44	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_45	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_46	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_47	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_5	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_6	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_7	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_8	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_9	NO	13.00	13.00	0.0

N540-ACC-SYS	Bootloader (A)	YES	1.18	1.18	0.0
	CPU-IOFPGA (A)	YES	0.10	0.10	0.0
	MB-IOFPGA (A)	YES	0.28	0.28	0.0
	MB-MIFPGA	YES	0.08	0.08	0.0
	SATA-INTEL_240G (A)	NO	1132.00	1132.00	0.0
	SATA-INTEL_480G (A)	NO	1132.00	1132.00	0.0
	SATA-M1100 (A)	NO	50.00	50.00	0.0
	SATA-M500IT-MC (A)	NO	3.00	3.00	0.0
	SATA-M500IT-MU-A (A)	NO	5.00	5.00	0.0
	SATA-M500IT-MU-B (A)	NO	4.00	4.00	0.0
	SATA-M5100 (A)	NO	75.00	75.00	0.0
	SATA-M600-MCT (A)	NO	5.00	5.00	0.0
	SATA-M600-MU (A)	NO	6.00	6.00	0.0
	SATA-Micron (A)	NO	1.00	1.00	0.0
	SATA-SMART-128G (A)	NO	1535.00	1535.00	0.0
	SATA-SOLIDIGM-240G (A)	NO	130.00	130.00	0.0
	SATA-SOLIDIGM-480G (A)	NO	130.00	130.00	0.0
	SSFP_E1F_0	NO	13.01	13.01	0.0
	SSFP_E1F_1	NO	13.01	13.01	0.0
	SSFP_E1F_10	NO	13.01	13.01	0.0
	SSFP_E1F_11	NO	13.01	13.01	0.0
	SSFP_E1F_12	NO	13.01	13.01	0.0
	SSFP_E1F_13	NO	13.01	13.01	0.0
	SSFP_E1F_14	NO	13.01	13.01	0.0
	SSFP_E1F_15	NO	13.01	13.01	0.0
	SSFP_E1F_16	NO	13.01	13.01	0.0
	SSFP_E1F_17	NO	13.01	13.01	0.0
	SSFP_E1F_18	NO	13.01	13.01	0.0
	SSFP_E1F_19	NO	13.01	13.01	0.0
	SSFP_E1F_2	NO	13.01	13.01	0.0
	SSFP_E1F_20	NO	13.01	13.01	0.0
	SSFP_E1F_21	NO	13.01	13.01	0.0
	SSFP_E1F_22	NO	13.01	13.01	0.0
	SSFP_E1F_23	NO	13.01	13.01	0.0
	SSFP_E1F_24	NO	13.01	13.01	0.0
	SSFP_E1F_25	NO	13.01	13.01	0.0
	SSFP_E1F_26	NO	13.01	13.01	0.0
	SSFP_E1F_27	NO	13.01	13.01	0.0
	SSFP_E1F_28	NO	13.01	13.01	0.0
	SSFP_E1F_29	NO	13.01	13.01	0.0
	SSFP_E1F_3	NO	13.01	13.01	0.0
	SSFP_E1F_30	NO	13.01	13.01	0.0
	SSFP_E1F_31	NO	13.01	13.01	0.0
	SSFP_E1F_32	NO	13.01	13.01	0.0
	SSFP_E1F_33	NO	13.01	13.01	0.0
	SSFP_E1F_34	NO	13.01	13.01	0.0
	SSFP_E1F_35	NO	13.01	13.01	0.0
	SSFP_E1F_36	NO	13.01	13.01	0.0
	SSFP_E1F_37	NO	13.01	13.01	0.0
	SSFP_E1F_38	NO	13.01	13.01	0.0
	SSFP_E1F_39	NO	13.01	13.01	0.0
	SSFP_E1F_4	NO	13.01	13.01	0.0
	SSFP_E1F_40	NO	13.01	13.01	0.0
	SSFP_E1F_41	NO	13.01	13.01	0.0

SSFP_E1F_42	NO	13.01	13.01	0.0
SSFP_E1F_43	NO	13.01	13.01	0.0
SSFP_E1F_44	NO	13.01	13.01	0.0
SSFP_E1F_45	NO	13.01	13.01	0.0
SSFP_E1F_46	NO	13.01	13.01	0.0
SSFP_E1F_47	NO	13.01	13.01	0.0
SSFP_E1F_5	NO	13.01	13.01	0.0
SSFP_E1F_6	NO	13.01	13.01	0.0
SSFP_E1F_7	NO	13.01	13.01	0.0
SSFP_E1F_8	NO	13.01	13.01	0.0
SSFP_E1F_9	NO	13.01	13.01	0.0
SSFP_OC3_STM1_0	NO	12.01	12.01	0.0
SSFP_OC3_STM1_1	NO	12.01	12.01	0.0
SSFP_OC3_STM1_10	NO	12.01	12.01	0.0
SSFP_OC3_STM1_11	NO	12.01	12.01	0.0
SSFP_OC3_STM1_12	NO	12.01	12.01	0.0
SSFP_OC3_STM1_13	NO	12.01	12.01	0.0
SSFP_OC3_STM1_14	NO	12.01	12.01	0.0
SSFP_OC3_STM1_15	NO	12.01	12.01	0.0
SSFP_OC3_STM1_16	NO	12.01	12.01	0.0
SSFP_OC3_STM1_17	NO	12.01	12.01	0.0
SSFP_OC3_STM1_18	NO	12.01	12.01	0.0
SSFP_OC3_STM1_19	NO	12.01	12.01	0.0
SSFP_OC3_STM1_2	NO	12.01	12.01	0.0
SSFP_OC3_STM1_20	NO	12.01	12.01	0.0
SSFP_OC3_STM1_21	NO	12.01	12.01	0.0
SSFP_OC3_STM1_22	NO	12.01	12.01	0.0
SSFP_OC3_STM1_23	NO	12.01	12.01	0.0
SSFP_OC3_STM1_24	NO	12.01	12.01	0.0
SSFP_OC3_STM1_25	NO	12.01	12.01	0.0
SSFP_OC3_STM1_26	NO	12.01	12.01	0.0
SSFP_OC3_STM1_27	NO	12.01	12.01	0.0
SSFP_OC3_STM1_28	NO	12.01	12.01	0.0
SSFP_OC3_STM1_29	NO	12.01	12.01	0.0
SSFP_OC3_STM1_3	NO	12.01	12.01	0.0
SSFP_OC3_STM1_30	NO	12.01	12.01	0.0
SSFP_OC3_STM1_31	NO	12.01	12.01	0.0
SSFP_OC3_STM1_32	NO	12.01	12.01	0.0
SSFP_OC3_STM1_33	NO	12.01	12.01	0.0
SSFP_OC3_STM1_34	NO	12.01	12.01	0.0
SSFP_OC3_STM1_35	NO	12.01	12.01	0.0
SSFP_OC3_STM1_36	NO	12.01	12.01	0.0
SSFP_OC3_STM1_37	NO	12.01	12.01	0.0
SSFP_OC3_STM1_38	NO	12.01	12.01	0.0
SSFP_OC3_STM1_39	NO	12.01	12.01	0.0
SSFP_OC3_STM1_4	NO	12.01	12.01	0.0
SSFP_OC3_STM1_40	NO	12.01	12.01	0.0
SSFP_OC3_STM1_41	NO	12.01	12.01	0.0
SSFP_OC3_STM1_42	NO	12.01	12.01	0.0
SSFP_OC3_STM1_43	NO	12.01	12.01	0.0
SSFP_OC3_STM1_44	NO	12.01	12.01	0.0
SSFP_OC3_STM1_45	NO	12.01	12.01	0.0
SSFP_OC3_STM1_46	NO	12.01	12.01	0.0
SSFP_OC3_STM1_47	NO	12.01	12.01	0.0
SSFP_OC3_STM1_5	NO	12.01	12.01	0.0
SSFP_OC3_STM1_6	NO	12.01	12.01	0.0
SSFP_OC3_STM1_7	NO	12.01	12.01	0.0
SSFP_OC3_STM1_8	NO	12.01	12.01	0.0
SSFP_OC3_STM1_9	NO	12.01	12.01	0.0
SSFP_STM1_TSOP_0	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_1	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_10	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_11	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_12	NO	13.00	13.00	0.0

Determine Firmware Support

	SSFP_STM1_TSOP_13	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_14	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_15	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_16	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_17	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_18	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_19	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_2	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_20	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_21	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_22	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_23	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_24	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_25	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_26	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_27	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_28	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_29	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_3	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_30	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_31	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_32	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_33	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_34	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_35	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_36	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_37	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_38	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_39	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_4	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_40	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_41	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_42	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_43	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_44	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_45	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_46	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_47	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_5	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_6	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_7	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_8	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_9	NO	13.00	13.00	0.0

N540-PWR400-A	LIT-PrimMCU-ACFW (A)	NO	0.04	0.04	0.0
	LIT-SecMCU-ACFW (A)	NO	0.07	0.07	0.0

N540-PWR400-D	LIT-PrimMCU-DCFW (A)	NO	0.04	0.04	0.0
	LIT-SecMCU-DCFW (A)	NO	0.06	0.06	0.0
	SDG-PrimMCU-DCFW (A)	NO	1.03	1.03	0.0
	SDG-SecMCU-DCFW (A)	NO	1.03	1.03	0.0

N540-X-24Z8Q2C-M	Bootloader (A)	YES	1.18	1.18	0.0
	CPU-IOFPGA (A)	YES	0.10	0.10	0.0
	MB-IOFPGA (A)	YES	0.28	0.28	0.0
	MB-MIFPGA	YES	0.08	0.08	0.0
	SATA-INTEL_240G (A)	NO	1132.00	1132.00	0.0
	SATA-INTEL_480G (A)	NO	1132.00	1132.00	0.0
	SATA-M1100 (A)	NO	50.00	50.00	0.0
	SATA-M500IT-MC (A)	NO	3.00	3.00	0.0
	SATA-M500IT-MU-A (A)	NO	5.00	5.00	0.0
	SATA-M500IT-MU-B (A)	NO	4.00	4.00	0.0
	SATA-M5100 (A)	NO	75.00	75.00	0.0
	SATA-M600-MCT (A)	NO	5.00	5.00	0.0

SATA-M600-MU(A)	NO	6.00	6.00	0.0
SATA-Micron(A)	NO	1.00	1.00	0.0
SATA-SMART-128G(A)	NO	1535.00	1535.00	0.0
SATA-SOLIDIGM-240G(A)	NO	130.00	130.00	0.0
SATA-SOLIDIGM-480G(A)	NO	130.00	130.00	0.0
SSFP_E1F_0	NO	13.01	13.01	0.0
SSFP_E1F_1	NO	13.01	13.01	0.0
SSFP_E1F_10	NO	13.01	13.01	0.0
SSFP_E1F_11	NO	13.01	13.01	0.0
SSFP_E1F_12	NO	13.01	13.01	0.0
SSFP_E1F_13	NO	13.01	13.01	0.0
SSFP_E1F_14	NO	13.01	13.01	0.0
SSFP_E1F_15	NO	13.01	13.01	0.0
SSFP_E1F_16	NO	13.01	13.01	0.0
SSFP_E1F_17	NO	13.01	13.01	0.0
SSFP_E1F_18	NO	13.01	13.01	0.0
SSFP_E1F_19	NO	13.01	13.01	0.0
SSFP_E1F_20	NO	13.01	13.01	0.0
SSFP_E1F_21	NO	13.01	13.01	0.0
SSFP_E1F_22	NO	13.01	13.01	0.0
SSFP_E1F_23	NO	13.01	13.01	0.0
SSFP_E1F_24	NO	13.01	13.01	0.0
SSFP_E1F_25	NO	13.01	13.01	0.0
SSFP_E1F_26	NO	13.01	13.01	0.0
SSFP_E1F_27	NO	13.01	13.01	0.0
SSFP_E1F_28	NO	13.01	13.01	0.0
SSFP_E1F_29	NO	13.01	13.01	0.0
SSFP_E1F_3	NO	13.01	13.01	0.0
SSFP_E1F_30	NO	13.01	13.01	0.0
SSFP_E1F_31	NO	13.01	13.01	0.0
SSFP_E1F_32	NO	13.01	13.01	0.0
SSFP_E1F_33	NO	13.01	13.01	0.0
SSFP_E1F_34	NO	13.01	13.01	0.0
SSFP_E1F_35	NO	13.01	13.01	0.0
SSFP_E1F_36	NO	13.01	13.01	0.0
SSFP_E1F_37	NO	13.01	13.01	0.0
SSFP_E1F_38	NO	13.01	13.01	0.0
SSFP_E1F_39	NO	13.01	13.01	0.0
SSFP_E1F_4	NO	13.01	13.01	0.0
SSFP_E1F_40	NO	13.01	13.01	0.0
SSFP_E1F_41	NO	13.01	13.01	0.0
SSFP_E1F_42	NO	13.01	13.01	0.0
SSFP_E1F_43	NO	13.01	13.01	0.0
SSFP_E1F_44	NO	13.01	13.01	0.0
SSFP_E1F_45	NO	13.01	13.01	0.0
SSFP_E1F_46	NO	13.01	13.01	0.0
SSFP_E1F_47	NO	13.01	13.01	0.0
SSFP_E1F_5	NO	13.01	13.01	0.0
SSFP_E1F_6	NO	13.01	13.01	0.0
SSFP_E1F_7	NO	13.01	13.01	0.0
SSFP_E1F_8	NO	13.01	13.01	0.0
SSFP_E1F_9	NO	13.01	13.01	0.0
SSFP_OC3_STM1_0	NO	12.01	12.01	0.0
SSFP_OC3_STM1_1	NO	12.01	12.01	0.0
SSFP_OC3_STM1_10	NO	12.01	12.01	0.0
SSFP_OC3_STM1_11	NO	12.01	12.01	0.0
SSFP_OC3_STM1_12	NO	12.01	12.01	0.0
SSFP_OC3_STM1_13	NO	12.01	12.01	0.0
SSFP_OC3_STM1_14	NO	12.01	12.01	0.0
SSFP_OC3_STM1_15	NO	12.01	12.01	0.0
SSFP_OC3_STM1_16	NO	12.01	12.01	0.0
SSFP_OC3_STM1_17	NO	12.01	12.01	0.0
SSFP_OC3_STM1_18	NO	12.01	12.01	0.0

Determine Firmware Support

SSFP_OC3_STM1_19	NO	12.01	12.01	0.0
SSFP_OC3_STM1_2	NO	12.01	12.01	0.0
SSFP_OC3_STM1_20	NO	12.01	12.01	0.0
SSFP_OC3_STM1_21	NO	12.01	12.01	0.0
SSFP_OC3_STM1_22	NO	12.01	12.01	0.0
SSFP_OC3_STM1_23	NO	12.01	12.01	0.0
SSFP_OC3_STM1_24	NO	12.01	12.01	0.0
SSFP_OC3_STM1_25	NO	12.01	12.01	0.0
SSFP_OC3_STM1_26	NO	12.01	12.01	0.0
SSFP_OC3_STM1_27	NO	12.01	12.01	0.0
SSFP_OC3_STM1_28	NO	12.01	12.01	0.0
SSFP_OC3_STM1_29	NO	12.01	12.01	0.0
SSFP_OC3_STM1_3	NO	12.01	12.01	0.0
SSFP_OC3_STM1_30	NO	12.01	12.01	0.0
SSFP_OC3_STM1_31	NO	12.01	12.01	0.0
SSFP_OC3_STM1_32	NO	12.01	12.01	0.0
SSFP_OC3_STM1_33	NO	12.01	12.01	0.0
SSFP_OC3_STM1_34	NO	12.01	12.01	0.0
SSFP_OC3_STM1_35	NO	12.01	12.01	0.0
SSFP_OC3_STM1_36	NO	12.01	12.01	0.0
SSFP_OC3_STM1_37	NO	12.01	12.01	0.0
SSFP_OC3_STM1_38	NO	12.01	12.01	0.0
SSFP_OC3_STM1_39	NO	12.01	12.01	0.0
SSFP_OC3_STM1_4	NO	12.01	12.01	0.0
SSFP_OC3_STM1_40	NO	12.01	12.01	0.0
SSFP_OC3_STM1_41	NO	12.01	12.01	0.0
SSFP_OC3_STM1_42	NO	12.01	12.01	0.0
SSFP_OC3_STM1_43	NO	12.01	12.01	0.0
SSFP_OC3_STM1_44	NO	12.01	12.01	0.0
SSFP_OC3_STM1_45	NO	12.01	12.01	0.0
SSFP_OC3_STM1_46	NO	12.01	12.01	0.0
SSFP_OC3_STM1_47	NO	12.01	12.01	0.0
SSFP_OC3_STM1_5	NO	12.01	12.01	0.0
SSFP_OC3_STM1_6	NO	12.01	12.01	0.0
SSFP_OC3_STM1_7	NO	12.01	12.01	0.0
SSFP_OC3_STM1_8	NO	12.01	12.01	0.0
SSFP_OC3_STM1_9	NO	12.01	12.01	0.0
SSFP_STM1_TSOP_0	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_1	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_10	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_11	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_12	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_13	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_14	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_15	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_16	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_17	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_18	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_19	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_2	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_20	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_21	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_22	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_23	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_24	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_25	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_26	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_27	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_28	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_29	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_3	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_30	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_31	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_32	NO	13.00	13.00	0.0

	SSFP_STM1_TSOP_33	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_34	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_35	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_36	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_37	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_38	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_39	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_4	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_40	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_41	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_42	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_43	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_44	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_45	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_46	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_47	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_5	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_6	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_7	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_8	NO	13.00	13.00	0.0
	SSFP_STM1_TSOP_9	NO	13.00	13.00	0.0

N540X-ACC-SYS	Bootloader (A)	YES	1.18	1.18	0.0
	CPU-IOFPGA (A)	YES	0.10	0.10	0.0
	MB-IOFPGA (A)	YES	0.28	0.28	0.0
	MB-MIFPGA	YES	0.08	0.08	0.0
	SATA-INTEL_240G (A)	NO	1132.00	1132.00	0.0
	SATA-INTEL_480G (A)	NO	1132.00	1132.00	0.0
	SATA-M1100 (A)	NO	50.00	50.00	0.0
	SATA-M500IT-MC (A)	NO	3.00	3.00	0.0
	SATA-M500IT-MU-A (A)	NO	5.00	5.00	0.0
	SATA-M500IT-MU-B (A)	NO	4.00	4.00	0.0
	SATA-M5100 (A)	NO	75.00	75.00	0.0
	SATA-M600-MCT (A)	NO	5.00	5.00	0.0
	SATA-M600-MU (A)	NO	6.00	6.00	0.0
	SATA-Micron (A)	NO	1.00	1.00	0.0
	SATA-SMART-128G (A)	NO	1535.00	1535.00	0.0
	SATA-SOLIDIGM-240G (A)	NO	130.00	130.00	0.0
	SATA-SOLIDIGM-480G (A)	NO	130.00	130.00	0.0
	SSFP_E1F_0	NO	13.01	13.01	0.0
	SSFP_E1F_1	NO	13.01	13.01	0.0
	SSFP_E1F_10	NO	13.01	13.01	0.0
	SSFP_E1F_11	NO	13.01	13.01	0.0
	SSFP_E1F_12	NO	13.01	13.01	0.0
	SSFP_E1F_13	NO	13.01	13.01	0.0
	SSFP_E1F_14	NO	13.01	13.01	0.0
	SSFP_E1F_15	NO	13.01	13.01	0.0
	SSFP_E1F_16	NO	13.01	13.01	0.0
	SSFP_E1F_17	NO	13.01	13.01	0.0
	SSFP_E1F_18	NO	13.01	13.01	0.0
	SSFP_E1F_19	NO	13.01	13.01	0.0
	SSFP_E1F_2	NO	13.01	13.01	0.0
	SSFP_E1F_20	NO	13.01	13.01	0.0
	SSFP_E1F_21	NO	13.01	13.01	0.0
	SSFP_E1F_22	NO	13.01	13.01	0.0
	SSFP_E1F_23	NO	13.01	13.01	0.0
	SSFP_E1F_24	NO	13.01	13.01	0.0
	SSFP_E1F_25	NO	13.01	13.01	0.0
	SSFP_E1F_26	NO	13.01	13.01	0.0
	SSFP_E1F_27	NO	13.01	13.01	0.0
	SSFP_E1F_28	NO	13.01	13.01	0.0
	SSFP_E1F_29	NO	13.01	13.01	0.0
	SSFP_E1F_3	NO	13.01	13.01	0.0
	SSFP_E1F_30	NO	13.01	13.01	0.0

Determine Firmware Support

SSFP_E1F_31	NO	13.01	13.01	0.0
SSFP_E1F_32	NO	13.01	13.01	0.0
SSFP_E1F_33	NO	13.01	13.01	0.0
SSFP_E1F_34	NO	13.01	13.01	0.0
SSFP_E1F_35	NO	13.01	13.01	0.0
SSFP_E1F_36	NO	13.01	13.01	0.0
SSFP_E1F_37	NO	13.01	13.01	0.0
SSFP_E1F_38	NO	13.01	13.01	0.0
SSFP_E1F_39	NO	13.01	13.01	0.0
SSFP_E1F_4	NO	13.01	13.01	0.0
SSFP_E1F_40	NO	13.01	13.01	0.0
SSFP_E1F_41	NO	13.01	13.01	0.0
SSFP_E1F_42	NO	13.01	13.01	0.0
SSFP_E1F_43	NO	13.01	13.01	0.0
SSFP_E1F_44	NO	13.01	13.01	0.0
SSFP_E1F_45	NO	13.01	13.01	0.0
SSFP_E1F_46	NO	13.01	13.01	0.0
SSFP_E1F_47	NO	13.01	13.01	0.0
SSFP_E1F_5	NO	13.01	13.01	0.0
SSFP_E1F_6	NO	13.01	13.01	0.0
SSFP_E1F_7	NO	13.01	13.01	0.0
SSFP_E1F_8	NO	13.01	13.01	0.0
SSFP_E1F_9	NO	13.01	13.01	0.0
SSFP_OC3_STM1_0	NO	12.01	12.01	0.0
SSFP_OC3_STM1_1	NO	12.01	12.01	0.0
SSFP_OC3_STM1_10	NO	12.01	12.01	0.0
SSFP_OC3_STM1_11	NO	12.01	12.01	0.0
SSFP_OC3_STM1_12	NO	12.01	12.01	0.0
SSFP_OC3_STM1_13	NO	12.01	12.01	0.0
SSFP_OC3_STM1_14	NO	12.01	12.01	0.0
SSFP_OC3_STM1_15	NO	12.01	12.01	0.0
SSFP_OC3_STM1_16	NO	12.01	12.01	0.0
SSFP_OC3_STM1_17	NO	12.01	12.01	0.0
SSFP_OC3_STM1_18	NO	12.01	12.01	0.0
SSFP_OC3_STM1_19	NO	12.01	12.01	0.0
SSFP_OC3_STM1_2	NO	12.01	12.01	0.0
SSFP_OC3_STM1_20	NO	12.01	12.01	0.0
SSFP_OC3_STM1_21	NO	12.01	12.01	0.0
SSFP_OC3_STM1_22	NO	12.01	12.01	0.0
SSFP_OC3_STM1_23	NO	12.01	12.01	0.0
SSFP_OC3_STM1_24	NO	12.01	12.01	0.0
SSFP_OC3_STM1_25	NO	12.01	12.01	0.0
SSFP_OC3_STM1_26	NO	12.01	12.01	0.0
SSFP_OC3_STM1_27	NO	12.01	12.01	0.0
SSFP_OC3_STM1_28	NO	12.01	12.01	0.0
SSFP_OC3_STM1_29	NO	12.01	12.01	0.0
SSFP_OC3_STM1_3	NO	12.01	12.01	0.0
SSFP_OC3_STM1_30	NO	12.01	12.01	0.0
SSFP_OC3_STM1_31	NO	12.01	12.01	0.0
SSFP_OC3_STM1_32	NO	12.01	12.01	0.0
SSFP_OC3_STM1_33	NO	12.01	12.01	0.0
SSFP_OC3_STM1_34	NO	12.01	12.01	0.0
SSFP_OC3_STM1_35	NO	12.01	12.01	0.0
SSFP_OC3_STM1_36	NO	12.01	12.01	0.0
SSFP_OC3_STM1_37	NO	12.01	12.01	0.0
SSFP_OC3_STM1_38	NO	12.01	12.01	0.0
SSFP_OC3_STM1_39	NO	12.01	12.01	0.0
SSFP_OC3_STM1_4	NO	12.01	12.01	0.0
SSFP_OC3_STM1_40	NO	12.01	12.01	0.0
SSFP_OC3_STM1_41	NO	12.01	12.01	0.0
SSFP_OC3_STM1_42	NO	12.01	12.01	0.0
SSFP_OC3_STM1_43	NO	12.01	12.01	0.0
SSFP_OC3_STM1_44	NO	12.01	12.01	0.0
SSFP_OC3_STM1_45	NO	12.01	12.01	0.0

SSFP_OC3_STM1_46	NO	12.01	12.01	0.0
SSFP_OC3_STM1_47	NO	12.01	12.01	0.0
SSFP_OC3_STM1_5	NO	12.01	12.01	0.0
SSFP_OC3_STM1_6	NO	12.01	12.01	0.0
SSFP_OC3_STM1_7	NO	12.01	12.01	0.0
SSFP_OC3_STM1_8	NO	12.01	12.01	0.0
SSFP_OC3_STM1_9	NO	12.01	12.01	0.0
SSFP_STM1_TSOP_0	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_1	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_10	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_11	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_12	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_13	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_14	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_15	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_16	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_17	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_18	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_19	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_2	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_20	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_21	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_22	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_23	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_24	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_25	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_26	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_27	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_28	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_29	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_3	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_30	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_31	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_32	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_33	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_34	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_35	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_36	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_37	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_38	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_39	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_4	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_40	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_41	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_42	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_43	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_44	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_45	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_46	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_47	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_5	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_6	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_7	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_8	NO	13.00	13.00	0.0
SSFP_STM1_TSOP_9	NO	13.00	13.00	0.0

RP/0/RP0/CPU0:Router#show hw-module fpd
Auto-upgrade:Enabled

FPD Versions						
Location	Card type	HWver	FPD device	ATR Status	Running	Programd
0/RP0	N540-ACC-SYS	1.0	MB-MIFPGA	CURRENT	0.08	0.08
0/RP0	N540-ACC-SYS	1.0	Bootloader	CURRENT	1.18	1.18

Determine Firmware Support

0/RP0	N540-ACC-SYS	1.0	CPU-IOFPGA	CURRENT	0.10	0.10
0/RP0	N540-ACC-SYS	1.0	MB-IOFPGA	CURRENT	0.28	0.28
0/RP0	N540-ACC-SYS	1.0	SATA-M500IT-MU-B	CURRENT	4.00	4.00
0/PM1	N540-PWR400-A	1.256	LIT-PrimMCU-ACFW	CURRENT	0.04	0.04
0/PM1	N540-PWR400-A	1.256	LIT-SecMCU-ACFW	CURRENT	0.07	0.07

Log in to the router and enter the **show fpd package** and **show hw-module fpd** commands on the Cisco N540X-4Z14G2Q-A/D, N540-6Z18G-SYS-A/D, N540X-6Z18G-SYS-A/D, N540-6Z14S-SYS-D, and N540X-8Z16G-SYS-A/D variants:

RP/0/RP0/CPU0:Router#**show fpd package**

```
=====
```

Field Programmable Device Package					
Card Type	FPD Description	Req Reload	SW Ver	Min Req SW Ver	Min Req Board Ver
=====					
N540-12Z20G-SYS-A	ADM_FW	YES	14.03	14.03	0.0
	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	StdbyFpga	YES	0.70	0.70	0.0
	StdbyFpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
N540-12Z20G-SYS-D	TamFwGolden	YES	4.13	4.11	0.0
	ADM_FW	YES	14.03	14.03	0.0
	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	StdbyFpga	YES	0.70	0.70	0.0
	StdbyFpgaGolden	YES	0.50	0.40	0.0
N540-24Q8L2DD-SYS	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0
	ADM-DBConfig	NO	2.05	2.05	0.0
	ADM-MBConfig	NO	2.05	2.05	0.0
	IoFpga	YES	2.12	2.12	0.0
	IoFpgaGolden	YES	2.12	2.12	0.0
	Primary-BIOS	YES	4.07	4.07	0.0
	SsdSAMS64G3	YES	12.41	12.41	0.0
	SsdSRM24M2	YES	14.02	14.02	0.0
	StdbyFpga	YES	2.59	2.59	0.0
N540-28Z4C-SYS-A	StdbyFpgaGolden	YES	2.56	2.39	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0
	ADM_FW	YES	14.03	14.03	0.0
	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	JMAC1-Config	YES	3.00	3.00	0.0
	JMAC2-Config	YES	3.00	3.00	0.0
	JMAC3-Config	YES	3.00	3.00	0.0
	JMAC4-Config	YES	3.00	3.00	0.0

```
=====
```

	JMAC5-Config	YES	3.00	3.00	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	Stdbypfpga	YES	0.70	0.70	0.0
	StdbypfpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0

N540-28Z4C-SYS-D	ADM_FW	YES	14.03	14.03	0.0
	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	JMAC1-Config	YES	3.00	3.00	0.0
	JMAC2-Config	YES	3.00	3.00	0.0
	JMAC3-Config	YES	3.00	3.00	0.0
	JMAC4-Config	YES	3.00	3.00	0.0
	JMAC5-Config	YES	3.00	3.00	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	Stdbypfpga	YES	0.70	0.70	0.0
	StdbypfpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0

N540-FH-AGG-SYS	ADM1_Config	NO	1.02	1.02	1.0
	ADM2_Config	NO	1.02	1.02	1.0
	DpFpgaCpri	YES	0.24	0.24	0.0
	DpFpgaEth	YES	1.22	1.22	0.0
	IoFpga	YES	1.30	1.30	0.0
	IoFpgaGolden	YES	1.30	1.30	0.0
	Primary-BIOS	YES	1.49	1.49	0.0
	Stdbypfpga	YES	0.46	0.46	0.0
	StdbypfpgaGolden	YES	0.46	0.46	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0

N540-FH-CSR-SYS	ADM1_Config	NO	0.09	0.09	0.0
	ADM1_Config	NO	1.01	1.01	2.0
	ADM2_Config	NO	0.09	0.09	0.0
	ADM2_Config	NO	1.01	1.01	2.0
	DpFpga	YES	0.23	0.23	0.0
	IoFpga	YES	1.30	1.30	0.0
	IoFpgaGolden	YES	1.30	1.30	0.0
	Primary-BIOS	YES	1.49	1.49	0.0
	Stdbypfpga	YES	0.46	0.46	0.0
	StdbypfpgaGolden	YES	0.46	0.46	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0

N540-PWR400-A	LI-PrimMCU	NO	0.04	0.04	0.0
	LI-SecMCU	NO	0.06	0.06	0.0
	PrimMCU	NO	1.02	1.02	0.0
	SecMCU	NO	1.03	1.03	0.0

N540-PWR400-D	LI-PrimMCU	NO	0.04	0.04	0.0
	LI-SecMCU	NO	0.06	0.06	0.0
	PrimMCU	NO	1.03	1.03	0.0
	SecMCU	NO	1.03	1.03	0.0

N540-PWR750-A	EM-PrimMCU	NO	1.02	1.02	0.0
	EM-SecMCU	NO	1.03	1.03	0.0

N540-PWR750-D	EM-PrimMCU	NO	1.03	1.03	0.0
	EM-SecMCU	NO	3.01	3.01	0.0

N540X-12Z16G-SYS-A	ADM_FW	YES	14.03	14.03	0.0

Determine Firmware Support

	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	StdbbyFpga	YES	0.70	0.70	0.0
	StdbbyFpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0

N540X-12Z16G-SYS-D	ADM_FW	YES	14.03	14.03	0.0
	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	StdbbyFpga	YES	0.70	0.70	0.0
	StdbbyFpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0

N540X-16Z4G8Q2C-A	ADM_FW	YES	14.03	14.03	0.0
	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	StdbbyFpga	YES	0.70	0.70	0.0
	StdbbyFpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0

N540X-16Z4G8Q2C-D	ADM_FW	YES	14.03	14.03	0.0
	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	StdbbyFpga	YES	0.70	0.70	0.0
	StdbbyFpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0

N540X-16Z8Q2C-A	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	StdbbyFpga	YES	0.70	0.70	0.0
	StdbbyFpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0

N540X-16Z8Q2C-D	ADMConfig	NO	1.05	1.05	0.0
	IoFpga	YES	3.13	3.13	0.0
	IoFpgaGolden	YES	2.07	2.03	0.0
	Primary-BIOS	YES	1.51	1.51	0.0
	StdbbyFpga	YES	0.70	0.70	0.0
	StdbbyFpgaGolden	YES	0.50	0.40	0.0
	TamFw	YES	4.16	4.16	0.0
	TamFwGolden	YES	4.13	4.11	0.0

RP/0/RP0/CPU0:Router#show hw-module fpd

Auto-upgrade:Enabled,PM excluded

Attribute codes: B golden, P protect, S secure, A Anti Theft aware

FPD Versions

=====

Location	Card type	HWver	FPD device	ATR Status	Running	Programd
Reload Loc						

0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	ADM_FW		CURRENT	14.03	14.03
NOT REQ						
0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	ADMConfig		CURRENT	1.05	1.05
NOT REQ						
0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	IoFpga		CURRENT	3.13	3.13
0/RP0						
0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	IoFpgaGolden	B	NEED UPGD		1.31
0/RP0						
0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	Primary-BIOS	SA	CURRENT	1.51	1.51
0/RP0						
0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	StdbyFpga	S	CURRENT	0.70	0.70
0/RP0						
0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	StdbyFpgaGolden	BS	NEED UPGD		0.37
0/RP0						
0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	TamFw	S	CURRENT	4.16	4.16
0/RP0						
0/RP0/CPU0 N540-12Z20G-SYS-A	1.0	TamFwGolden	BS	CURRENT		4.11
0/RP0						

Log in to the router and enter the **show fpd package** and **show hw-module fpd** commands on the Cisco N540-24Q8L2DD-SYS variant:

RP/0/RP0/CPU0:Router#**show fpd package**

Field Programmable Device Package					
Card Type	FPD Description	Req Reload	SW Ver	Min Req SW Ver	Min Req Board Ver
N540-6Z14S-SYS-D	ADMConfig	NO	5.03	5.03	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0
	IoFpga	YES	0.17	0.17	0.0
	IoFpgaGolden	YES	0.15	0.15	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbyFpga	YES	2.05	2.05	0.0
	StdbyFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0
N540-6Z18G-SYS-A	ADMConfig	NO	5.03	5.03	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0
	IoFpga	YES	0.08	0.08	0.0
	IoFpgaGolden	YES	0.03	0.03	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbyFpga	YES	2.05	2.05	0.0
	StdbyFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0
N540-6Z18G-SYS-D	ADMConfig	NO	5.03	5.03	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0
	IoFpga	YES	0.08	0.08	0.0
	IoFpgaGolden	YES	0.03	0.03	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbyFpga	YES	2.05	2.05	0.0
	StdbyFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0
N540X-4Z14G2Q-A	ADMConfig	NO	5.00	5.00	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0

Determine Firmware Support

	IoFpga	YES	0.17	0.17	0.0
	IoFpgaGolden	YES	0.15	0.15	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbypFpga	YES	2.05	2.05	0.0
	StdbypFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0

N540X-4Z14G2Q-D	ADMConfig	NO	5.00	5.00	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0
	IoFpga	YES	0.17	0.17	0.0
	IoFpgaGolden	YES	0.15	0.15	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbypFpga	YES	2.05	2.05	0.0
	StdbypFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0

N540X-6Z18G-SYS-A	ADMConfig	NO	5.00	5.00	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0
	IoFpga	YES	0.17	0.17	0.0
	IoFpgaGolden	YES	0.15	0.15	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbypFpga	YES	2.05	2.05	0.0
	StdbypFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0

N540X-6Z18G-SYS-D	ADMConfig	NO	5.00	5.00	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0
	IoFpga	YES	0.17	0.17	0.0
	IoFpgaGolden	YES	0.15	0.15	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbypFpga	YES	2.05	2.05	0.0
	StdbypFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0

N540X-8Z16G-SYS-A	ADMConfig	NO	5.00	5.00	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0
	IoFpga	YES	0.17	0.17	0.0
	IoFpgaGolden	YES	0.15	0.15	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbypFpga	YES	2.05	2.05	0.0
	StdbypFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0

N540X-8Z16G-SYS-D	ADMConfig	NO	5.00	5.00	0.0
	BckUp-BootLoader	YES	20.08	20.08	0.0
	IoFpga	YES	0.17	0.17	0.0
	IoFpgaGolden	YES	0.15	0.15	0.0
	Prim-BootLoader	YES	20.08	20.08	0.0
	StdbypFpga	YES	2.05	2.05	0.0
	StdbypFpgaGolden	YES	0.33	0.33	0.0
	TamFw	YES	6.05	6.05	0.0
	TamFwGolden	YES	6.05	6.05	0.0

RP/0/RP0/CPU0:Router#show hw-module fpd

Auto-upgrade:Enabled,PM excluded

Attribute codes: B golden, P protect, S secure, A Anti Theft aware

				FPD Versions	
				Running	Programd
Location	Card type	HWver	FPD device	ATR Status	
Reload Loc					

0/RP0/CPU0 N540X-6Z18G-SYS-D NOT REQ	0.2	ADMConfig	NEED UPGD	1.02	1.02
0/RP0/CPU0 N540X-6Z18G-SYS-D 0/RP0	0.2	IoFpga	CURRENT	0.17	0.17
0/RP0/CPU0 N540X-6Z18G-SYS-D 0/RP0	0.2	IoFpgaGolden	B CURRENT		0.15
0/RP0/CPU0 N540X-6Z18G-SYS-D 0/RP0	0.2	Prim-BootLoader	A CURRENT	20.08	20.08
0/RP0/CPU0 N540X-6Z18G-SYS-D 0/RP0	0.2	StdbyFpga	S CURRENT	2.05	2.05
0/RP0/CPU0 N540X-6Z18G-SYS-D 0/RP0	0.2	StdbyFpgaGolden	BS NEED UPGD		0.18
0/RP0/CPU0 N540X-6Z18G-SYS-D 0/RP0	0.2	TamFw	S CURRENT	6.05	6.05
0/RP0/CPU0 N540X-6Z18G-SYS-D 0/RP0	0.2	TamFwGolden	BS NEED UPGD		5.06

Important Notes

Licensing

Starting with Cisco IOS XR Release 24.1.1, Smart Licensing Using Policy (SLP) is the default Licensing model. When you upgrade to the Cisco IOS XR Release 24.1.1 release or later, the Smart Licensing Using Policy is enabled by default.

You can migrate your devices to Smart Licensing with Policy model, see *Migrating from Smart Licensing to Smart Licensing Using Policy*, [Smart Licensing Using Policy on Cisco IOS XR Routers](#).

We recommend that you update to the latest version of [SSM On-Prem](#) or [Cisco Smart Licensing Utility](#).



Note SSM On-Prem and CSSM both support SLP devices and SL devices. SLP devices and SL devices can coexist in a network. The Smart Licensing (SL) model is available in releases Cisco IOS XR Release 7.11.1 and earlier.

Supported Transceiver Modules

For more information on the supported transceiver modules, see [Transceiver Module Group \(TMG\) Compatibility Matrix](#). In the **Begin your Search** search box, enter the keyword NCS540 and click **Enter**.

Upgrading Cisco IOS XR Software



Note For software installation and upgrades, refer to the respective upgrade/downgrade docs .tar files based on your [540 router variant](#).

Cisco IOS XR Software is installed and activated from modular packages, allowing specific features or software patches to be installed, upgraded, or downgraded without affecting unrelated processes.

The upgrade document for N540-24Z8Q2C-SYS, N540X-ACC-SYS, and N540-ACC-SYS variants is available along with the software image in *NCS540-docs-24.4.2.tar* file.

The upgrade document for N540-28Z4C-SYS-A/D, N540-12Z20G-SYS-A/D, N540X-12Z16G-SYS-A/D, N540X-16Z4G8Q2C-A/D, N540-24Q8L2DD-SYS, N540-FH-AGG-SYS, N540X-16Z8Q2C-D, and N540-FH-CSR-SYS variants is available along with the software image in *NCS540l-docs-24.4.2.tar* file.

The upgrade document for N540X-4Z14G2Q-A/D, N540X-8Z16G-SYS-A/D, N540-6Z14S-SYS-D, N540-6Z18G-SYS-A/D, and N540X-6Z18G-SYS-A/D variants is available along with the software image in *NCS540l-aarch64-docs-24.4.2.tar* file.



Note Quad configurations will be lost when you perform a software downgrade on Cisco NCS 540 Routers that support quad configurations from IOS XR Release 7.5.1 onwards to a release prior to IOS XR Release 7.5.1 due to a non-backward compatibility change. The lost configuration can be applied manually after the downgrade.

Production Software Maintenance Updates (SMUs)

A production SMU is a SMU that is formally requested, developed, tested, and released. Production SMUs are intended for use in a live network environment and are formally supported by the Cisco TAC and the relevant development teams. Software bugs identified through software recommendations or Bug Search Tools are not a basis for production SMU requests.

For information on production SMU types, refer the [Production SMU Types](#) section of the *IOS XR Software Maintenance Updates (SMUs)* guide.

Cisco IOS XR Error messages

To view, search, compare, and download Cisco IOS XR Error Messages, refer to the [Cisco IOS XR Error messages](#) tool.

Cisco IOS XR MIBs

To determine the MIBs supported by platform and release, refer to the [Cisco IOS XR MIBs](#) tool.

Related Documentation

The most current Cisco NCS 540 router documentation is located at the following URL:

<https://www.cisco.com/c/en/us/td/docs/iosxr/ncs-540-series-routers.html>

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2025 Cisco Systems, Inc. All rights reserved.