



INDEX

A

ACS

definition [GL-1](#)

URL, configuring [3-9](#)

URL, discovery [2-5](#)

administrator user interface

accessing [15-2](#)

ACS URL, configuring [3-9](#)

BAC architecture, and [9-3](#)

configuring [15-1](#)

connection request [12-5](#)

device's provisioning group, correcting [14-7](#)

device faults, viewing [8-7](#)

device history, configuring [8-4](#)

icons (table) [15-5](#)

logging in [15-2](#)

 HTTP transport [15-3](#)

 SSL transport [15-3](#)

logging out [15-5](#)

parameter dictionaries, managing [7-5](#)

 adding [7-5](#)

 deleting [7-6](#)

 replacing [7-7](#)

 viewing [7-6](#)

performance statistics, collecting

 enabling, disabling [11-14](#)

server, monitoring [11-12](#)

advanced concepts

 See tools and advanced concepts

agent, SNMP

 BAC architecture, and [9-4](#)

 MIB support [11-6](#)

alert messages [11-1 to 11-4](#)

 alerts, definition [GL-1](#)

 message format [11-1](#)

 relating to

 DPE [11-2](#)

 RDU [11-2](#)

 watchdog process [11-4](#)

API, definition [GL-1](#)

architecture [2-1 to 2-6](#)

 about DPEs [2-3](#)

 about provisioning groups [2-4](#)

 about RDU [2-3](#)

 administrator user interface [9-3](#)

 agents

 SNMP [9-4](#)

 watchdog process agent [9-2](#)

 command line interface [9-3](#)

 deployment [2-1](#)

 logging [20-2 to 20-3](#)

 overview [2-2 to 2-3](#)

 watchdog process [2-5](#)

audit logs, definition [GL-1](#)

authentication

 about [13-13](#)

 available options [13-16](#)

 client certificate, configuring [13-15](#)

 external client certificate, configuring [13-16](#)

autoconfiguration server

 See ACS

B

backup and recovery of database [10-4 to 10-6](#)

C

caching, definition [GL-1](#)

cautions

regarding

custom properties, deleting [17-5](#)

disk space requirement figures [10-3](#)

network deployment with an evaluation license key [17-18](#)

template files, deleting [17-17](#)

troubleshooting devices [8-10](#)

cipher suites

definition [GL-1](#)

classes of service

about [4-3](#)

configuring

adding [17-3](#)

deleting [17-4](#)

modifying [17-3](#)

client certificate authentication

configuring [13-15](#)

command line interface

DPE, accessing [9-3](#)

configuration history

See device history

configuration template

about [5-1](#)

administrator user interface, using [17-13 to 17-17](#)

authoring [5-12](#)

conditionals, using [5-17](#)

includes, using [5-15](#)

parameter substitution, using [5-14](#)

configuration utility

about [5-20](#)

template, adding [5-21](#)

template processing, testing [5-23, 5-24, 5-25](#)

template syntax, validating [5-22, 5-23](#)

using [5-21](#)

features [5-3](#)

access control [5-8](#)

notification [5-7](#)

parameters [5-5 to 5-6](#)

parameters, schema (figure) [5-5](#)

prerequisites [5-8 to 5-12](#)

prerequisites, schema (figure) [5-9](#)

schema (figure) [5-3](#)

template processing files (table) [5-2, 6-3](#)

configuration workflows and checklists

component workflows

DPE checklist (table) [3-2](#)

RDU checklist (table) [3-1](#)

technology workflows

DPE configuration (tables) [3-5](#)

provisioning group configuration [3-8, 3-9](#)

RDU configuration (table) [3-3](#)

RDU configuration, preregistering device data [3-4](#)

configuring BAC

class of service

adding [17-3](#)

deleting [17-4](#)

modifying [17-3](#)

connection requests [12-2](#)

authentication [12-3](#)

disabling [12-8](#)

methods, discovered [12-5](#)

methods, use FQDN [12-5](#)

methods, use IP [12-5, 12-6](#)

reachability [12-8](#)

custom properties [17-5 to 17-6](#)

CWMP service

DPE ports [12-2](#)

defaults

configuration options, selecting [17-6](#)

CWMP [17-7](#)

RDU [17-9](#)

system [17-10](#)

device history

- enabling, disabling [8-4](#)
- number of entries [8-5](#)
- viewing [8-4](#)
- discovering device data
 - about [12-9](#)
 - parameters [12-9 to 12-10](#)
- files, managing
 - adding [17-15](#)
 - deleting [17-17](#)
 - exporting [17-17](#)
 - replacing [17-16](#)
 - viewing [17-16](#)
- license keys [17-18 to 17-19](#)
 - adding a license [17-19](#)
 - modifying a license [17-19](#)
- provisioning data, publishing
 - Datastore changes [17-21](#)
 - plug-in settings, modifying [17-21](#)
- RDU extensions, managing
 - custom extension points, installing [17-20](#)
 - new class, writing [17-19](#)
 - viewing [17-20](#)
- connection request service
 - about [12-2](#)
 - authentication [12-3](#)
 - disabling [12-8](#)
 - methods [12-5 to 12-7](#)
 - discovered [12-5](#)
 - use FQDN [12-5](#)
 - use IP [12-6](#)
 - reachability [12-8](#)
 - workflow (figure) [12-3](#)
- CPE management
 - authentication [13-13](#)
 - available options [13-16](#)
 - client certificate, configuring [13-15](#)
 - external load balancer, configuring [13-16](#)
 - device assignment to provisioning groups [4-11](#)
 - automatic [4-12](#)
 - explicit [4-11](#)
 - explicit and automatic approach [4-12](#)
 - device configuration synchronization [4-7](#)
 - device deployment options [4-8](#)
 - preregistered [4-8](#)
 - unregistered [4-8](#)
 - discovering CPE parameters [4-4](#)
 - default parameters (table) [4-5](#)
 - instruction generation, and [4-5](#)
 - overview [4-1](#)
- customer premises equipment, definition [GL-1](#)
- custom properties
 - configuring [17-5](#)
 - overview [5-13](#)
- CWMP
 - about [1-3](#)
 - definition [GL-1](#)
- CWMP service, configuring
 - connection request [12-2](#)
 - authentication [12-3](#)
 - disabling [12-8](#)
 - method, discovered [12-5](#)
 - method, use FQDN [12-5](#)
 - method, use IP [12-5, 12-6](#)
 - reachability [12-8](#)
 - discovering device data
 - about [12-9](#)
 - parameters [12-9 to 12-10](#)
 - troubleshooting [12-11](#)
- DPE keystore, using keytool [13-3](#)
 - certificates for client authentication, importing [13-10](#)
 - certificate signing request, generating [13-7](#)
 - existing signed server certificate, importing [13-4](#)
 - keytool commands [13-5](#)
 - self-signed certificate, displaying [13-7](#)
 - server certificate and private key, generating [13-6](#)
 - signed certificate, verifying [13-8](#)

signed certificate into server certificate,
importing [13-9](#)

signing authority certificate into cacerts,
importing [13-8](#)

DPE ports [12-2](#)

security

about [13-1](#)

key and certificate management [13-2](#)

SSL, configuring [13-3](#)

D

database management

backup and recovery

backing up [10-4](#)

recovering [10-5](#)

restoring [10-6](#)

disk space requirements [10-3 to 10-4](#)

caution regarding [10-3](#)

handling out [10-3](#)

failure resiliency, understanding [10-1 to 10-2](#)

files [10-2 to 10-3](#)

automatic log management [10-3](#)

DB_VERSION [10-3](#)

history log [10-3](#)

storage [10-2](#)

transaction log [10-2](#)

location, changing [10-6 to 10-7](#)

defaults, configuring

CWMP [17-7](#)

RDU [17-9](#)

system [17-10](#)

device diagnostics

configuration history, viewing [8-4](#)

overview [4-12](#)

performance statistics, monitoring [11-14](#)

runStatAnalyzer.sh tool, using [11-15](#)

Device Export

deviceExport.sh tool, using [19-1](#)

device faults

about [8-6](#)

device history

about [8-1](#)

enabling, disabling [8-4](#)

number of entries, configuring [8-5](#)

records, logging [8-5](#)

supported records (table) [8-1](#)

viewing [8-4](#)

device management

about [16-11](#)

administrator user interface, using

adding [16-12](#)

deleting [16-13](#)

devices menu [16-4](#)

displaying live data [16-17](#)

forcing configuration synchronization [16-18](#)

forcing firmware upgrade [16-18](#)

modifying [16-12](#)

performing a Ping test [16-17](#)

rebooting [16-16](#)

regenerating instructions [16-13](#)

relating, unrelating [16-14](#)

requesting a connection [16-16](#)

resetting to factory settings [16-17](#)

searches supported (table) [16-6](#)

setting operations timeout [16-19](#)

controls [16-7](#)

device details, viewing [16-7](#)

Manage Devices page [16-4](#)

searching for devices [16-7](#)

See also CPE management

device object model

overview [4-1](#)

relationships (figure) [4-2](#)

relationships (table) [4-3](#)

device operations

about [14-1](#)

conditional execution [14-5](#)

- connection modes
 - immediate [14-3](#)
 - immediate workflow (figure) [14-3](#)
 - on-connect [14-4](#)
 - on-connect workflow (figure) [14-4](#)
- device's provisioning group, managing [14-5](#)
 - correcting [14-7](#)
- sample files, accessing [14-1](#)
- supported operations (table) [14-2](#)
- device troubleshooting
 - about [8-9](#)
 - configuring [8-10](#)
 - disabling [8-11](#)
 - enabling [8-10](#)
 - troubleshooting log, viewing [8-12](#)
 - viewing devices in troubleshooting mode [8-11](#)
- log entries [8-12](#)
- discovered connection request [12-5](#)
- disk space, monitoring
- disk space monitoring
 - disk_monitor.sh tool, using [19-4](#)
- documentation
 - audience [2-xiii](#)
 - related to this product [2-xvi](#)
- DPE (Device Provisioning Engine)
 - about [2-3](#)
 - alert messages [11-2](#)
 - command line interface [9-3](#)
 - component workflow checklist (table) [3-2](#)
 - definition [GL-2](#)
 - dpe.log file, viewing [20-8](#)
 - keystore configuring, using keytool [13-3](#)
 - certificates for client authentication, importing [13-10](#)
 - certificate signing request, generating [13-7](#)
 - existing signed server certificate, importing [13-4](#)
 - self-signed certificate, displaying [13-7](#)
 - server certificate and private key, generating [13-6](#)
 - signed authority certificate into cacerts, importing [13-8](#)
 - signed certificate into server certificate, importing [13-9](#)
 - license keys [2-4](#)
 - load balancing
 - DNS round robin, using [12-13](#)
 - hardware load balancer, using [12-14](#)
 - performance statistics, collecting [11-14, 11-18](#)
 - runStatAnalyzer.sh tool, using [11-15](#)
 - ports, configuring [12-2](#)
 - RDU synchronization [18-3](#)
 - SSL
 - about [13-10](#)
 - authentication options [13-16](#)
 - configuring [13-11](#)
 - configuring CWMP service, example [13-11](#)
 - configuring HTTP file service, example [13-12](#)
 - defaults (table) [13-11](#)
 - device authentication, configuring [13-13](#)
 - states [18-4](#)
 - technology workflow checklist
 - CWMP service (table) [3-6](#)
 - HTTP file service (table) [3-7](#)
 - viewing
 - currently registered DPEs [16-23](#)

F

- firmware
 - about [6-1](#)
 - files, managing
 - administrator user interface, using [17-13 to 17-17](#)
 - file service [6-4](#)
 - firmware image [6-4](#)
 - firmware rules template [6-4](#)
 - firmware rules template
 - authoring [6-6](#)
 - constructs [6-11 to 6-13](#)

- expressions [6-7](#)
- internal, external files [6-9](#)
- sample [6-10](#)
- management mechanisms [6-1 to 6-4](#)
 - direct firmware [6-4](#)
 - policy based [6-2](#)
- upgrade
 - bypassing, example [6-13](#)
 - forcing [16-18](#)

FQDN

- definition [GL-2](#)
- use FQDN, connection request [12-5](#)

G

- group, managing
 - group types
 - deleting [16-21](#)
- groups, managing
 - about [16-21](#)
 - adding [16-21](#)
 - deleting [16-22](#)
 - details, viewing [16-23](#)
 - group types [16-19](#)
 - adding [16-20](#)
 - modifying [16-21](#)
 - modifying [16-22](#)
 - relating, unrelating groups [16-23](#)
- GUI (see administrator user interface)

I

- icons, administrator user interface (table) [15-5](#)
- instructions
 - generation, definition [GL-2](#)
 - generation and processing overview [4-5](#)
- IP address
 - definition [GL-2](#)

- use IP, connection request [12-6](#)

K

- key, certificate management [13-2](#)
- keystore
 - about cacerts [13-2](#)
 - about server certificates [13-2](#)
 - configuring, using keytool [13-3](#)
 - certificates for client authentication, importing [13-10](#)
 - certificate signing request, generating [13-7](#)
 - self-signed certificate, displaying [13-7](#)
 - server certificate and private key, generating [13-6](#)
 - signed certificate, verifying [13-8](#)
 - signed certificate into server certificate, importing [13-9](#)
 - signing authority certificate into cacerts, importing [13-8](#)
 - keytool commands, using [13-5](#)
 - sample server certificates [13-3](#)

L

- license keys, managing [17-18 to 17-19](#)
 - adding a license [17-19](#)
 - DPE licensing [2-4](#)
 - modifying a license [17-19](#)
- logging
 - about [2-6](#)
 - BAC architecture, and [20-2 to 20-3](#)
 - log file, sample [20-3](#)
 - log files, rotating [20-4](#)
 - log levels, configuring [20-4](#)
 - log levels and structures [20-3](#)
 - log level tool [20-5](#)
 - current log level, viewing [20-7](#)
 - setting [20-6](#)
 - using [20-6](#)

viewing log files

audit.log 20-5

dpe.log 20-8

perfstat.log 11-14

rdu.log 20-5

troubleshooting.log 8-12

logging into BAC 15-2

N

NAT, definition GL-2

network address translation

See NAT

Network Time Protocol, definition GL-2

O

overview

configuration management 1-1

device diagnostics and troubleshooting 4-12

features and benefits 1-1

firmware management 1-2

scalability 1-2

security 1-2

technology supported 1-3

P

parameter dictionary

administrator user interface, using 7-5

adding 7-5

deleting 7-6

replacing 7-7

viewing 7-6

custom 7-3

default 7-2

overview 7-1

schema (figure) 7-2

syntax 7-3

preregistered devices 4-8

preregistering device data 3-4

property hierarchy 4-4

provisioning API, definition GL-3

provisioning data, publishing

Datastore changes 17-21

plug-in settings, modifying 17-21

provisioning flows

initial configuration

preregistered devices 4-10

unregistered devices 4-11

initial configuration (figure) 4-10

provisioning groups

about 2-4

ACS URL, configuring 3-9

adding a DPE 12-14

definition GL-3

device faults, viewing 8-7

devices, assigning 4-11

automatic 4-12

explicit 4-11

explicit and automatic 4-12

redundancy 12-12

DNS round robin, using 12-13

hardware load balancer, using 12-14

local 12-13

regional 12-13

technology workflow 3-8, 3-9

publishing, definition GL-3

R

RDU (Regional Distribution Unit)

about 2-3

alerts 11-2

component workflow checklist (table) 3-1

definition GL-3

details, viewing 16-28

- extensions, managing
 - custom extension points, installing [17-20](#)
 - new class, writing [17-19](#)
 - viewing [17-20](#)
- log level tool [20-5 to 20-7](#)
 - current log level, viewing [20-7](#)
 - setting [20-6](#)
 - using [20-6](#)
- performance statistics, collecting [11-14, 11-18](#)
 - runStatAnalyzer.sh tool, using [11-15](#)
- server, monitoring [11-12](#)
- technology workflow checklist (table) [3-3](#)
- redundancy
 - local [12-13](#)
 - regional [12-13](#)
- redundancy, definition [GL-3](#)

S

- schema (figures)
 - configuration [5-3](#)
 - parameter [5-5](#)
 - parameter dictionary [7-2](#)
 - prerequisite [5-9](#)
- Secure Sockets Layer
 - See [SSL](#)
- security
 - See [CWMP service, configuring](#)
- server, monitoring
 - DPE
 - administrator user interface, using [11-12](#)
 - CLI, using [11-12](#)
 - performance statistics collection
 - monitoring [11-14](#)
 - perfstat.log, understanding [11-14](#)
 - runStatAnalyzer.sh tool, using [11-15](#)
 - RDU
 - administrator user interface, using [11-12](#)
 - SNMP agent [11-5](#)

- servers, viewing [16-23 to 16-31](#)
 - DPEs [16-23](#)
 - RDU details [16-28](#)
- service classes
 - See [classes of service](#)
- shared secret
 - configuring
 - device password, changing [13-14](#)
 - device password, correcting [13-15](#)
 - definition [GL-3](#)
- SNMP agent
 - about [2-6](#)
 - MIB support [11-5](#)
 - snmpAgentCfgUtil.sh tool
 - community, adding [11-8](#)
 - community, deleting [11-8](#)
 - contacts, setting up [11-10](#)
 - hosts, adding [11-7](#)
 - hosts, deleting [11-7](#)
 - listening port, identifying [11-10](#)
 - location, changing [11-10](#)
 - notification types, specifying [11-11](#)
 - settings, displaying [11-11](#)
 - starting [11-9](#)
 - stopping [11-9](#)
- SSL
 - configuring [13-3, 13-11](#)
 - CWMP service, example [13-11](#)
 - DPE keystore, keytool commands (table) [13-5](#)
 - DPE keystore, using keytool [13-3 to 13-10](#)
 - HTTP file service, example [13-12](#)
 - definition [GL-3](#)
- synchronization
 - configuration synchronization instruction [4-6](#)
 - data synchronization instruction [4-6](#)
 - device configuration [4-7](#)
 - DPE-RDU [18-3](#)

T

template files, developing

template file definition [GL-3](#)

templates

configuration [5-1 to 5-12](#)

configuration utility

running [5-21](#)

template, adding [5-21](#)

template processing, testing [5-23, 5-24, 5-25](#)

template syntax, validating [5-22, 5-23](#)

constructs

conditionals [5-18](#)

firmware rules [6-2 to 6-4](#)

authoring [6-6 to 6-11](#)

constructs [6-11 to 6-13](#)

TLS

definition [GL-3](#)

See SSL

tools and advanced concepts

configuration utility

adding template file [5-21](#)

running [5-21](#)

testing template processing [5-23, 5-24, 5-25](#)

validating template file [5-22, 5-23](#)

deviceExport.sh tool [19-1](#)

disk_monitor.sh tool [19-4](#)

keytool utility [13-3](#)

list of tools [9-4](#)

RDU log level tool [20-5 to 20-7](#)

current log level, viewing [20-7](#)

setting [20-6](#)

using [20-6](#)

snmpAgentCfgUtil.sh tool

SNMP agent, starting [11-9](#)

SNMP agent, stopping [11-9](#)

SNMP agent community, adding [11-8](#)

SNMP agent community, deleting [11-8](#)

SNMP agent hosts, adding [11-7](#)

SNMP agent hosts, deleting [11-7](#)

SNMP agent location, changing [11-10](#)

SNMP agent settings, displaying [11-11](#)

SNMP contacts, setting up [11-10](#)

SNMP listening port, identifying [11-10](#)

SNMP notification types, specifying [11-11](#)

watchdog agent tool [9-2](#)

TR-069, definition [GL-3](#)

Transport Layer Security

See TLS

troubleshooting

alert messages

DPE [11-2](#)

message format [11-1](#)

RDU alerts [11-2](#)

syslog [11-1 to 11-4](#)

watchdog process [11-4](#)

devices

configuration history, viewing [8-4](#)

data discovery [12-11](#)

in troubleshooting mode [8-9](#)

recurring faults, viewing [8-7](#)

performance statistics collection

monitoring [11-14](#)

perfstat.log [11-14](#)

runStatAnalyzer.sh tool, using [11-15](#)

U

unregistered devices [4-8](#)

users

about [16-1](#)

administrator [16-1](#)

managing

adding [16-2](#)

deleting [16-4](#)

modifying [16-3](#)

read-only user [16-2](#)

read-write user [16-2](#)

- users, managing [16-1 to 16-4](#)
- using BAC
 - devices, managing
 - about [16-11](#)
 - adding [16-12](#)
 - controls [16-7](#)
 - deleting [16-13](#)
 - details, viewing [16-7](#)
 - modifying [16-12](#)
 - regenerating instructions [16-13](#)
 - relating, unrelating [16-14](#)
 - groups, managing
 - adding [16-21](#)
 - deleting [16-22](#)
 - details, viewing [16-23](#)
 - modifying [16-22](#)
 - relating, unrelating [16-23](#)
 - servers, viewing
 - DPEs details [16-23](#)
 - provisioning groups details [16-27](#)
 - RDU details [16-28](#)
 - user management
 - adding a new user [16-2](#)
 - deleting users [16-4](#)
 - modifying users [16-3](#)

V

- VoIP, definition [GL-4](#)

W

- watchdog process
 - about [2-5, 9-1](#)
 - agent, definition [GL-4](#)
 - alerts [11-4](#)
 - command line, using [9-2](#)