



Troubleshooting Cisco Container Platform

This appendix describes the problems that may occur during the installation and operation of Cisco Container Platform and the possible ways of resolving these problems.

It contains the following topics:

- [Unable to Deploy NGINX Ingress Controller Using Helm, on page 1](#)
- [Unable to Start NGINX Ingress Controller Pod, on page 2](#)
- [Unable to Power on Worker VMs after a Shutdown, on page 2](#)
- [Application Pods Crash When Using Contiv CNI in Tenant Clusters, on page 3](#)

Unable to Deploy NGINX Ingress Controller Using Helm

Description	Error Message	Recommended Solution
Deploying the NGINX Ingress controller using Helm fails as RBAC is not configured in Helm.	It seems the cluster it is running with Authorization enabled (like RBAC) and there is no permissions for the ingress controller. Please check the configuration	As Cisco Container Platform uses RBAC for authentication, Helm also needs to be configured to use RBAC. Enable the RBAC parameter in Helm using the following command: <code>--set rbac.create=true</code>

Unable to Start NGINX Ingress Controller Pod

Description	Error Message	Recommended Solution
<p>When kube-proxy is used, setting both the <code>controller.service.externalIPs</code> and <code>controller.hostNetwork</code> variables to true for the NGINX-Ingress chart results in an invalid configuration.</p> <p>Both kube-proxy and NGINX uses port 80 for communication, causing a port conflict, and the NGINX Ingress controller pod is set to the <code>CrashLoopBackOff</code> state.</p>	<p>Port 80 is already in use. Please check the flag <code>--http-port</code></p>	<p>Ensure that both the <code>controller.service.externalIPs</code> and <code>controller.hostNetwork</code> variables are not set to true at the same time.</p>

Unable to Power on Worker VMs after a Shutdown

Description	Error Message	Recommended Solution
<p>Worker VMs may fail to power on after a shutdown.</p>	<p>File system specific implementation of <code>LookupAndOpen[file]</code> failed.</p>	<p>Follow these steps to resolve the problem:</p> <ol style="list-style-type: none"> 1. In the left pane, click the VM that you want to power on. 2. In the right pane, from the Actions drop-down list, choose Edit Settings. The Edit Settings window displays the multiple hard disks of the VM. 3. Except for the primary hard disk (Hard disk 1), click each hard disk, and then click the Remove icon. Note Ensure that the Delete files from datastore check box is not checked. 4. Click OK.

Application Pods Crash When Using Contiv CNI in Tenant Clusters

When you use Contiv as the CNI for a tenant cluster, you need to ensure that the application pods that need HugePages must have the following section in the pod manifest. Otherwise, the pods may crash.

```
resources:
  limits:
    hugepages-2Mi: 512Mi
    memory: 512Mi
```

The preceding section in the pod manifest limits 512 MB in memory for HugePages for the pod. It allocates 256 HugePages, with each HugePage having 2MB size.

HugePages are allocated to the pods only if you have enabled HugePages on the host. Otherwise, the HugePage allocation in the pod manifest is ignored by Kubernetes. The following table shows the Cisco Container Platform CNIs that use HugePages.

Cisco Container Platform CNI	Use HugePages
Contiv	Yes
ACI	No
Calico	No

Example of Allocating HugePages for Applications

Step 1 Check the total and free HugePages on the worker nodes. Each HugePage is 2048 KB in size.

```
$ grep -i huge /proc/meminfo
AnonHugePages: 0 kB
ShmemHugePages: 0 kB
HugePages_Total: 1024
HugePages_Free: 972
HugePages_Rsvd: 0
HugePages_Surp: 0
Hugepagesize: 2048 kB

$ sudo sysctl -a | grep -i huge
vm.hugepages_treat_as_movable = 0
vm.hugetlb_shm_group = 0
vm.nr_hugepages = 1024
vm.nr_hugepages_mempolicy = 1024
vm.nr_overcommit_hugepages = 0
```

Step 2 If the host has less HugePages, increase the HugePages allocation.

```
sudo su
echo 2048 > /proc/sys/vm/nr_hugepages

# Check the increased number of HugePages
cat /proc/sys/vm/nr_hugepages
grep -i huge /proc/meminfo
sudo sysctl -a | grep -i huge
```

Note You need to perform these steps on all the hosts.

Step 3 Create the `bookinfo.yaml` file that allocates HugePages to the `reviews-v1` pod.

```
apiVersion: extensions/v1beta1
kind: Deployment
metadata:
  name: reviews-v1
spec:
  template:
    metadata:
      labels:
        app: reviews
        version: v1
    spec:
      containers:
      - name: reviews
        image: istio/examples-bookinfo-reviews-v1:1.5.0
        imagePullPolicy: IfNotPresent
        resources:
          limits:
            hugepages-2Mi: 512Mi
            memory: 512Mi
        ports:
        - containerPort: 9080
```

Step 4 Deploy `bookinfo.yaml` and check usage of HugePages.

```
$ kubectl create -f istio-${ISTIO_VERSION}/samples/bookinfo/kube/bookinfo.yaml
deployment.extensions "reviews-v1" created

$ kubectl get pods | grep reviews
reviews-v1-6f56455f68-t6phs          1/1      Running    0          3m

# Check usage of HugePages by the pods
$ kubectl describe pod reviews-v1-6f56455f68-t6phs | grep -i '^Name:||Image:||huge|mem'
Name:                reviews-v1-6f56455f68-t6phs
Image:               istio/examples-bookinfo-reviews-v1:1.5.0
hugepages-2Mi:      512Mi
memory:             512Mi
hugepages-2Mi:      512Mi
memory:             512Mi

# Check usage of HugePages on each host
$ grep -i huge /proc/meminfo
AnonHugePages:      0 kB
ShmemHugePages:     0 kB
HugePages_Total:    1024
HugePages_Free:     972
HugePages_Rsvd:     0
HugePages_Surp:     0
Hugepagesize:       2048 kB

$ sudo sysctl -a | grep -i huge
vm.hugepages_treat_as_movable = 0
vm.hugetlb_shm_group = 0
vm.nr_hugepages = 1024
vm.nr_hugepages_mempolicy = 1024
vm.nr_overcommit_hugepages = 0
```

Step 5 Check the decrease of the `HugePages_Free` field in the output when the `reviews-v1` pod is using HugePages.

```
grep -i huge /proc/meminfo
```



