



# Working With Reports


## Overview

Reports are HTML-based and viewed via your system's default browser.

## Sample Reports


## Session Reporting

Figure 9-1 Session Report Example



# Invalid Mapping Reporting


Figure 9-2 Invalid Mapping Report Example



363542

# Mapping Report


**Figure 9-3 Mapping Report Example**



363543

## Last Activity Report

Figure 9-4 Last Activity Report Example



## Logging

### Session Logs

Session logs are created with a *.sess* extension and saved to your **transporter** home directory under a subdirectory called sessions, by default.

The session log directory is configured via the **Configuration Options** dialog under **General Options>Log Directory**.

- Windows example:

C:\Documents and Settings\<user>\.transporter\session\transporter-20100506025113898.sess

**Note**

A user's home directory is different on different platforms. The examples provided are specific to internal Windows XP systems and intended for demonstration only. Your configuration will be different. Following are examples of user home locations by platform:

Microsoft Windows NT: <root>\WINNT\Profiles\<user> %UserProfile%

Microsoft Windows 2000, XP and 2003: <root>\Documents and Settings\<user>

Microsoft Windows Vista and 7: <root>\Users\<user>

## Diagnostic Logs

New diagnostics logs are created with a *.log* extension and saved to your **transporter** home directory under a subdirectory called **logs**:

- Windows example:

**C:\Documents and Settings\<user>\.transporter\log\Transporter-20100506093221628.log**

**Note**

Diagnostic logging levels may be controlled via transporter.props. There is no corresponding option for session logs, which only contains information about data transport for a given session. See [“transporter.props Configuration”](#) for further information regarding logging options configurable via transporter.props.

**Note**

A user's home directory is different on different platforms. The examples provided are specific to internal Windows XP systems and intended for demonstration only. Your configuration will be different.

Following are examples of user home locations by platform:

Microsoft Windows NT: <root>\WINNT\Profiles\<user> %UserProfile%

Microsoft Windows 2000, XP and 2003: <root>\Documents and Settings\<user>

Microsoft Windows Vista and 7: <root>\Users\<user>

