



## INDEX

---

### A

- access policies, setting in ACS 5.x [5-19](#)
- access policy configuration, ACS v5.x [5-19](#)
- administration (see system administration) [5-1](#)
- alarm thresholds, setting
  - NAM thresholds [2-47](#)
    - deleting [2-56](#)
    - editing [2-55](#)
  - switch thresholds [2-56](#)
  - syslog, setting up [5-9](#)
- ART [3-24, 3-27](#)
- Audit trail [5-12](#)

---

### C

- capture
  - error scan [4-21](#)
- Capture buffer
  - maximum buffer size [4-6](#)
- capture files
  - about [4-19](#)
  - analyze [4-21](#)
  - Drill-Down button [4-21](#)
- capture sessions
  - about [4-2](#)
  - configuring [4-4](#)
  - viewing [4-3](#)
- capturing data [1-9, 4-1](#)
  - capture buffer
    - downloading to a file [4-19](#)
  - capture settings, configuring [4-4](#)
  - custom display filters

- creating [4-30](#)
- custom display filters, setting up [4-30](#)
  - deleting [4-33](#)
  - editing [4-33](#)
- packet decode information, viewing [4-27](#)
- protocol decode information, viewing [4-29](#)
- cautions
  - regarding
    - NAM community strings, deleting [5-5](#)
    - switch string and read-write community string matching [5-5](#)
- Cisco Prime Network Analysis Module User Guide, 5.1 [i-i](#)
- community switch strings, setting and viewing [5-5](#)
- configuring NAM
  - community switch strings, setting and viewing [5-5](#)
  - data collection, setting up
    - voice data, collecting [2-84](#)
  - data sources, setting up [2-13](#)
  - traffic, directing for spanning [2-13](#)
    - creating a SPAN session [2-10](#)
    - deleting a SPAN session [2-13](#)
    - editing a SPAN session [2-12](#)
    - NetFlow, configuring on devices [2-25](#)
    - NetFlow records, understanding [2-24](#)
    - SPAN sources (table) [2-8](#)
    - traffic directing methods (table) [2-8](#)
    - VACL, configuring on LAN VLANs [2-22](#)
    - VACL, configuring on WAN interfaces [2-22](#)
- Consecutive Packets Loss threshold [2-6](#)
- Console
  - external reporting [2-62](#)
- Continuous capture [4-6](#)
- creating

- custom display filters [4-30](#)
- NAM traps [5-10](#)
- protocol [2-75](#)
- SPAN sessions [2-10](#)

custom display filters, managing

- creating [4-30](#)
- deleting [4-33](#)
- editing [4-33](#)
- setting up [4-30](#)

---

## D

### dashboards

- Alarm Summary [3-6](#)
- Performance Overview [3-5](#)
- Response Time Summary [3-5](#)
- Traffic Analysis [3-4](#)

### data collection

- setting up
  - voice data [2-84](#)

data export from NAM [2-57](#)

data export to NAM [1-9](#)

data sources, setting up [2-13](#)

data storage [4-23](#)

### deleting

- custom display filters [4-33](#)
- DiffServ profiles [2-73, 2-78](#)
- NAM thresholds [2-56](#)
- NAM traps [5-11](#)
- protocols [2-77](#)
- SPAN sessions [2-13](#)

diagnostics, generating [5-11](#)

- configuration information, monitoring and capturing [5-12](#)

- system alerts, capturing [5-12](#)

- system alerts, viewing [5-11](#)

DiffServ profile, managing

- creating [2-72, 2-77](#)
- deleting [2-73, 2-78](#)

- editing [2-73, 2-78](#)

directing traffic for spanning [2-13](#)

methods (table) [2-8](#)

NetFlow, configuring on devices [2-25](#)

- devices running Cisco IOS [2-25](#)

- devices supporting multi-layer switching cache [2-25](#)

- devices supporting NDE export [2-26](#)

- devices supporting NDE v8 aggregations [2-26](#)

- devices supporting vi aggregations [2-26](#)

- NAMs in a device slot [2-26](#)

NetFlow devices, managing

- testing [2-33](#)

SPAN session

- creating [2-10](#)

- deleting [2-13](#)

- editing [2-12](#)

SPAN sources (table) [2-8](#)

VACL, configuring on LAN VLANs [2-22](#)

VACL, configuring on WAN interfaces [2-22](#)

DSCP groups, managing

- setting up [2-71](#)

---

## E

### editing

- custom display filters [4-33](#)

- DiffServ profiles [2-73, 2-78](#)

- NAM thresholds [2-55](#)

- NAM traps [5-10](#)

- protocols [2-76](#)

- SPAN sessions [2-12](#)

Email alarms [2-45](#)

### Enabling

- voice monitoring [2-84](#)

Encapsulation [2-81](#)

Encapsulation Configuration [2-81](#)

ERSPAN [2-21](#)

- configuring as datasource [2-15](#)

sending data directly to NAM [2-21](#)

External reporting console [2-62](#)

external storage

about [4-23](#)

capturing [4-24](#)

LUNs [4-24](#)

## F

Filtering

audit trail [5-12](#)

IP [4-18](#)

IP and Payload Data [4-18](#)

IP and TCP/UDP [4-18](#)

Payload data [4-19](#)

VLAN and IP [4-17](#)

Filter Response Time for all Data Sources by Monitored Servers [2-88](#)

## G

GPRS (General Packet Radio Service) Tunneling Protocol [2-81](#)

GREIP [2-81](#)

GTP [2-81](#)

## H

hardware filter

configuring [4-12](#)

logic [4-11](#)

hardware filters

about [4-16](#)

configuring [4-16](#)

help

(see also troubleshooting) [A-1](#)

diagnostics, generating for technical assistance [5-11](#)

configuration information, monitoring and capturing [5-12](#)

system alerts, capturing [5-12](#)

system alerts, viewing [5-11](#)

## I

IGMP [1-11](#)

interface data, viewing

detail [3-11, 3-30](#)

IPESP [2-81](#)

IPIP4 [2-81](#)

IP tunnel encapsulations [2-81](#)

## M

Monitored servers filters [2-88](#)

Monitoring

Application response times [3-27](#)

monitoring

port traffic [1-11](#)

traffic [1-9](#)

monitoring data

voice [3-14](#)

Multiple WAAS segments

viewing response time [3-18](#)

## N

NAM

alarm thresholds

deleting [2-56](#)

editing [2-55](#)

setting [2-47](#)

community strings, working with [5-4](#)

creating [5-4](#)

deleting [5-5](#)

SNMP system groups, setting and viewing [5-3](#)

system time, setting [5-6](#)

configuring with an NTP server [5-7](#)

synchronizing with switch or router [5-6, 5-7](#)

#### traps

creating [5-10](#)

deleting [5-11](#)

editing [5-10](#)

setting [5-10](#)

navigation and control elements [1-3](#)

#### NetFlow

configuring on devices [2-25](#)

Cisco IOS [2-25](#)

multi-layer switching cache [2-25](#)

NAMs in a device slot [2-26](#)

NDE export [2-26](#)

NDE v8 aggregations [2-26](#)

devices, managing

testing [2-33](#)

exporting data [1-11](#)

interfaces, understanding [2-23](#)

records, understanding [2-24](#)

NetFlow Data Export from NAM [2-57](#)

NetFlow Data Export to NAM [2-8](#)

network parameters, setting and viewing [5-2](#)

---

## O

overview of NAM

navigation and control elements [1-3](#)

---

## P

Packet Loss threshold [2-6](#)

passwords, recovering [5-14](#)

Performance Agent

aggregation [1-12, 2-40](#)

port traffic

monitoring [1-11](#)

protocol directory

managing

creating protocols [2-75](#)

deleting protocols [2-77](#)

editing protocols [2-76](#)

---

## R

recovering passwords [5-14](#)

Refresh button

Creating SPAN session [2-12](#)

response time

application [3-22](#)

client [3-23](#)

client-server [3-23](#)

network [3-22](#)

server [3-22](#)

response time data, viewing

reports

server [3-25](#)

RTP Stream Monitoring [2-6](#)

---

## S

SCCP traffic [4-29](#)

Server Response Time table, using

reports [3-25](#)

sessions

SPAN [1-10, 2-7, 2-14](#)

setting

alarm thresholds

NAM thresholds [2-47](#)

switch thresholds [2-56](#)

syslog [5-9](#)

community switch strings [5-5](#)

NAM SNMP system groups [5-3](#)

network parameters [5-2](#)

Single WAAS segment

viewing response time [3-18](#)

sites

- defining [2-68](#)
- definition rules [2-66](#)
- editing [2-70](#)
- SPAN
  - sessions [1-10, 2-7, 2-14](#)
    - creating [2-10](#)
    - deleting [2-13](#)
    - editing [2-12](#)
- spanning, directing traffic for [2-13](#)
  - methods (table) [2-8](#)
- NetFlow, configuring on devices [2-25](#)
  - Cisco IOS [2-25](#)
  - multi-layer switching cache [2-25](#)
  - NAMs in a device slot [2-26](#)
  - NDE export [2-26](#)
  - NDE v8 aggregations [2-26](#)
- NetFlow devices, managing
  - testing [2-33](#)
- SPAN session
  - creating [2-10](#)
  - deleting [2-13](#)
  - editing [2-12](#)
- SPAN sources (table) [2-8](#)
- VACL, configuring
  - on LAN VLANs [2-22](#)
  - on WAN interfaces [2-22](#)
- SPAN states [2-10](#)
- switch
  - alarm thresholds
    - setting [2-56](#)
- Switch Remote SPAN [2-8](#)
- Switch SPAN [2-8](#)
- syslog alarm threshold, setting up [5-9](#)
- system administration [5-1](#)
  - diagnostics, generating for technical assistance [5-11](#)
  - overview of system administration tasks [5-1](#)
    - NAM community strings, working with [5-4](#)
    - NAM SNMP system group, setting and viewing [5-3](#)
    - NAM system time, setting [5-6](#)
    - network parameters, setting and viewing [5-2](#)
    - system resources, viewing [5-2](#)
  - overview of user administration tasks [5-13](#)
    - passwords, recovering [5-14](#)
    - predefined NAM user accounts, changing [5-14](#)
    - TACACS+ authentication and authorization, establishing [5-16](#)
    - TACACS+ server, configuring to support NAM [5-17](#)
    - user privileges (table) [5-13](#)
    - users, creating new [5-14](#)
    - users, deleting [5-15](#)
    - users, editing [5-15](#)
    - user sessions table, viewing [5-21](#)
  - system resources, viewing [5-2](#)
- system alerts
  - capturing [5-12](#)
  - viewing [5-11](#)

---

**T**

- TAC (Technical Assistance Center)
  - (see also troubleshooting) [A-1](#)
- TACACS+
  - authentication and authorization, establishing [5-16](#)
  - server, configuring to support NAM [5-17](#)
    - secret key, requirements for in v4.2 [5-17](#)
    - secret key, requirements for in v5.x [5-19](#)
    - version 4.2 [5-17](#)
    - version 5.x [5-18](#)
- technical assistance, obtaining
  - (see also troubleshooting) [A-1](#)
  - diagnostics, generating for [5-11](#)
    - configuration information, monitoring and capturing [5-12](#)
    - system alerts, capturing [5-12](#)
    - system alerts, viewing [5-11](#)
- testing NetFlow devices [2-33](#)

traffic analysis [1-9](#)  
 traffic sources  
     monitoring [1-9](#)  
 troubleshooting [A-1](#)  
     switch, cannot communicate with [5-5](#)

---

## U

user  
     administration (see system administration) [5-1](#)  
     privileges (table) [5-13](#)  
     sessions table, viewing [5-21](#)

---

## V

VACL [1-10, 2-22](#)  
     VLAN access control list [1-10, 2-22](#)  
 VACL, configuring  
     on LAN VLANs [2-22](#)  
     on WAN interfaces [2-22](#)  
 viewing  
     community switch strings [5-5](#)  
     DiffServ data [3-12](#)  
     NAM SNMP system groups [5-3](#)  
     network parameters [5-2](#)  
     response time data  
         server [3-25](#)  
     system alerts [5-11](#)  
     system resources [5-2](#)  
     user sessions table [5-21](#)  
     voice data [3-14](#)  
 Viewing audit trail [5-12](#)  
 Virtual Switch Software (VSS) [2-65](#)  
 VLAN access control list  
     VACL [1-10, 2-22](#)  
 voice data  
     collecting [2-84](#)  
     viewing [3-14](#)

Voice signaling thresholds [2-54](#)  
 VSS  
     see Virtual Switch Software [2-7](#)

---

## W

WAAS  
     about [2-33](#)  
     adding data sources [2-38](#)  
     ART calculations [2-34](#)  
     configuring a device [2-37](#)  
 WAAS Central Manager [2-36](#)  
 WAAS data sources [3-18](#)