



INDEX

A

- access policies, setting in ACS 5.x [5-19](#)
- access policy configuration, ACS v5.x [5-19](#)
- administration (see system administration) [5-1](#)
- alarm thresholds, setting
 - NAM thresholds [2-47](#)
 - deleting [2-56](#)
 - editing [2-55](#)
 - switch thresholds [2-56](#)
 - syslog, setting up [5-9](#)
- ART [3-24, 3-27](#)
- Audit trail [5-11](#)

C

- capture
 - error scan [4-26](#)
 - Global Capture Settings [4-8](#)
 - configuring [4-9](#)
- Capture buffer
 - maximum buffer size [4-7](#)
- capture files
 - about [4-24](#)
 - analyze [4-25](#)
 - Drill-Down button [4-25](#)
- capture sessions
 - about [4-2](#)
 - configuring [4-5](#)
 - viewing [4-4](#)
- capturing data [1-10, 4-1](#)
 - capture buffer
 - downloading to a file [4-24](#)

- capture settings, configuring [4-5](#)
- custom display filters
 - creating [4-35](#)
- custom display filters, setting up [4-34](#)
 - deleting [4-38](#)
 - editing [4-37](#)
- packet decode information, viewing [4-31](#)
- protocol decode information, viewing [4-33](#)
- cautions
 - regarding
 - NAM community strings, deleting [5-5](#)
 - switch string and read-write community string matching [5-5](#)
- Cisco Prime Network Analysis Module User Guide, 5.1 [i-i](#)
- community switch strings, setting and viewing [5-5](#)
- configuring NAM
 - community switch strings, setting and viewing [5-5](#)
 - data collection, setting up
 - voice data, collecting [2-83](#)
 - data sources, setting up [2-13](#)
 - traffic, directing for spanning [2-13](#)
 - creating a SPAN session [2-10](#)
 - deleting a SPAN session [2-13](#)
 - editing a SPAN session [2-12](#)
 - NetFlow, configuring on devices [2-24](#)
 - NetFlow records, understanding [2-23](#)
 - SPAN sources (table) [2-8](#)
 - traffic directing methods (table) [2-8](#)
 - VACL, configuring on LAN VLANs [2-22](#)
 - VACL, configuring on WAN interfaces [2-21](#)
- Consecutive Packets Loss threshold [2-6](#)
- Console
 - external reporting [2-61](#)

Continuous capture [4-7](#)

creating

 custom display filters [4-35](#)

 NAM traps [5-10](#)

 protocol [2-75](#)

 SPAN sessions [2-10](#)

custom display filters, managing

 creating [4-35](#)

 deleting [4-38](#)

 editing [4-37](#)

 setting up [4-34](#)

D

dashboards

 Alarm Summary [3-6](#)

 Performance Overview [3-5](#)

 Response Time Summary [3-5](#)

 Traffic Analysis [3-4](#)

data collection

 setting up

 voice data [2-83](#)

data export from NAM [2-57](#)

data export to NAM [1-10](#)

data sources, setting up [2-13](#)

data storage [4-28](#)

deleting

 custom display filters [4-38](#)

 DiffServ profiles [2-73, 2-77](#)

 NAM thresholds [2-56](#)

 NAM traps [5-10](#)

 protocols [2-76](#)

 SPAN sessions [2-13](#)

diagnostics, generating [5-11](#)

 configuration information, monitoring and capturing [5-12](#)

 system alerts, capturing [5-12](#)

 system alerts, viewing [5-11](#)

DiffServ profile, managing

 creating [2-71, 2-77](#)

 deleting [2-73, 2-77](#)

 editing [2-72, 2-77](#)

directing traffic for spanning [2-13](#)

 methods (table) [2-8](#)

NetFlow, configuring on devices [2-24](#)

 devices running Cisco IOS [2-25](#)

 devices supporting multi-layer switching cache [2-25](#)

 devices supporting NDE export [2-26](#)

 devices supporting NDE v8 aggregations [2-25](#)

 devices supporting vi aggregations [2-25](#)

 NAMs in a device slot [2-26](#)

NetFlow devices, managing

 testing [2-32](#)

SPAN session

 creating [2-10](#)

 deleting [2-13](#)

 editing [2-12](#)

SPAN sources (table) [2-8](#)

VACL, configuring on LAN VLANs [2-22](#)

VACL, configuring on WAN interfaces [2-21](#)

DSCP groups, managing

 setting up [2-70](#)

E

editing

 custom display filters [4-37](#)

 DiffServ profiles [2-72, 2-77](#)

 NAM thresholds [2-55](#)

 NAM traps [5-10](#)

 protocols [2-76](#)

 SPAN sessions [2-12](#)

Email alarms [2-45](#)

Enabling

 voice monitoring [2-83](#)

Encapsulation [2-80](#)

Encapsulation Configuration [2-80](#)

ERSPAN 2-21

- configuring as datasource 2-14
- sending data directly to NAM 2-21

External reporting console 2-61**external storage**

- about 4-28
- capturing 4-29
- LUNs 4-29

F**Filtering**

- audit trail 5-12
- IP 4-22
- IP and Payload Data 4-23
- IP and TCP/UDP 4-22
- Payload data 4-23
- VLAN and IP 4-22

Filter Response Time for all Data Sources by Monitored Servers 2-87**G****GPRS (General Packet Radio Service) Tunneling Protocol 2-80****GREIP 2-80****GTP 2-80****H****hardware filter**

- configuring 4-16
- logic 4-15

hardware filters

- about 4-21
- configuring 4-21

help

- (see also troubleshooting) A-1
- diagnostics, generating for technical assistance 5-11

configuration information, monitoring and capturing 5-12

system alerts, capturing 5-12

system alerts, viewing 5-11

I**IGMP 1-12****interface data, viewing**

detail 3-11, 3-30

IPESP 2-80**IPIP4 2-80****IP tunnel encapsulations 2-80****M****Monitored servers filters 2-87****Monitoring**

Application response times 3-27

monitoring

port traffic 1-13

traffic 1-10

monitoring data

voice 3-14

Multiple WAAS segments

viewing response time 3-18

N**NAM****alarm thresholds**

deleting 2-56

editing 2-55

setting 2-47

community strings, working with 5-4

creating 5-4

deleting 5-5

SNMP system groups, setting and viewing 5-3

system time, setting 5-5

- configuring with an NTP server [5-7](#)
- synchronizing with switch or router [5-6](#)
- traps
 - creating [5-10](#)
 - deleting [5-10](#)
 - editing [5-10](#)
 - setting [5-9](#)
- navigation and control elements [1-4](#)
- NetFlow
 - configuring on devices [2-24](#)
 - Cisco IOS [2-25](#)
 - multi-layer switching cache [2-25](#)
 - NAMs in a device slot [2-26](#)
 - NDE export [2-26](#)
 - NDE v8 aggregations [2-25](#)
 - devices, managing
 - testing [2-32](#)
 - exporting data [1-13](#)
 - interfaces, understanding [2-23](#)
 - records, understanding [2-23](#)
- NetFlow Data Export from NAM [2-57](#)
- NetFlow Data Export to NAM [2-8](#)
- network parameters, setting and viewing [5-2](#)

O

- overview of NAM
 - navigation and control elements [1-4](#)

P

- Packet Loss threshold [2-6](#)
- passwords, recovering [5-14](#)
- Performance Agent
 - aggregation [1-14, 2-40](#)
- port traffic
 - monitoring [1-13](#)
- protocol directory

- managing
 - creating protocols [2-75](#)
 - deleting protocols [2-76](#)
 - editing protocols [2-76](#)

R

- recovering passwords [5-14](#)
- Refresh button
 - Creating SPAN session [2-11](#)
- response time
 - application [3-22](#)
 - client [3-23](#)
 - client-server [3-23](#)
 - network [3-22](#)
 - server [3-22](#)
- response time data, viewing
 - reports
 - server [3-25](#)
- RTP Stream Monitoring [2-6](#)

S

- SCCP traffic [4-34](#)
- Server Response Time table, using
 - reports [3-25](#)
- sessions
 - SPAN [1-11, 2-7, 2-14](#)
- setting
 - alarm thresholds
 - NAM thresholds [2-47](#)
 - switch thresholds [2-56](#)
 - syslog [5-9](#)
 - community switch strings [5-5](#)
 - NAM SNMP system groups [5-3](#)
 - network parameters [5-2](#)
- Single WAAS segment
 - viewing response time [3-18](#)

- sites
 - defining [2-68](#)
 - definition rules [2-66](#)
 - editing [2-69](#)
 - SPAN
 - sessions [1-11, 2-7, 2-14](#)
 - creating [2-10](#)
 - deleting [2-13](#)
 - editing [2-12](#)
 - spanning, directing traffic for [2-13](#)
 - methods (table) [2-8](#)
 - NetFlow, configuring on devices [2-24](#)
 - Cisco IOS [2-25](#)
 - multi-layer switching cache [2-25](#)
 - NAMs in a device slot [2-26](#)
 - NDE export [2-26](#)
 - NDE v8 aggregations [2-25](#)
 - NetFlow devices, managing
 - testing [2-32](#)
 - SPAN session
 - creating [2-10](#)
 - deleting [2-13](#)
 - editing [2-12](#)
 - SPAN sources (table) [2-8](#)
 - VACL, configuring
 - on LAN VLANs [2-22](#)
 - on WAN interfaces [2-21](#)
 - SPAN states [2-9](#)
 - switch
 - alarm thresholds
 - setting [2-56](#)
 - Switch Remote SPAN [2-8](#)
 - Switch SPAN [2-8](#)
 - syslog alarm threshold, setting up [5-9](#)
 - system administration [5-1](#)
 - diagnostics, generating for technical assistance [5-11](#)
 - overview of system administration tasks [5-1](#)
 - NAM community strings, working with [5-4](#)
 - NAM SNMP system group, setting and viewing [5-3](#)
 - NAM system time, setting [5-5](#)
 - network parameters, setting and viewing [5-2](#)
 - system resources, viewing [5-2](#)
 - overview of user administration tasks [5-13](#)
 - passwords, recovering [5-14](#)
 - predefined NAM user accounts, changing [5-14](#)
 - TACACS+ authentication and authorization, establishing [5-16](#)
 - TACACS+ server, configuring to support NAM [5-17](#)
 - user privileges (table) [5-13](#)
 - users, creating new [5-14](#)
 - users, deleting [5-15](#)
 - users, editing [5-15](#)
 - user sessions table, viewing [5-21](#)
 - system resources, viewing [5-2](#)
 - system alerts
 - capturing [5-12](#)
 - viewing [5-11](#)
-
- ## T
- TAC (Technical Assistance Center)
 - (see also troubleshooting) [A-1](#)
 - TACACS+
 - authentication and authorization, establishing [5-16](#)
 - server, configuring to support NAM [5-17](#)
 - secret key, requirements for in v4.2 [5-17](#)
 - secret key, requirements for in v5.x [5-19](#)
 - version 4.2 [5-17](#)
 - version 5.x [5-18](#)
 - technical assistance, obtaining
 - (see also troubleshooting) [A-1](#)
 - diagnostics, generating for [5-11](#)
 - configuration information, monitoring and capturing [5-12](#)
 - system alerts, capturing [5-12](#)
 - system alerts, viewing [5-11](#)

testing NetFlow devices [2-32](#)

traffic analysis [1-10](#)

traffic sources

monitoring [1-10](#)

troubleshooting [A-1](#)

switch, cannot communicate with [5-5](#)

U

user

administration (see system administration) [5-1](#)

privileges (table) [5-13](#)

sessions table, viewing [5-21](#)

V

VACL [1-11, 2-21](#)

VLAN access control list [1-11, 2-21](#)

VACL, configuring

on LAN VLANs [2-22](#)

on WAN interfaces [2-21](#)

viewing

community switch strings [5-5](#)

DiffServ data [3-12](#)

NAM SNMP system groups [5-3](#)

network parameters [5-2](#)

response time data

server [3-25](#)

system alerts [5-11](#)

system resources [5-2](#)

user sessions table [5-21](#)

voice data [3-14](#)

Viewing audit trail [5-11](#)

Virtual Switch Software (VSS) [2-65](#)

VLAN access control list

VACL [1-11, 2-21](#)

voice data

collecting [2-83](#)

viewing [3-14](#)

Voice signaling thresholds [2-54](#)

VSS

see Virtual Switch Software [2-7](#)

W

WAAS

about [2-33](#)

adding data sources [2-38](#)

ART calculations [2-34](#)

configuring a device [2-37](#)

WAAS Central Manager [2-36](#)

WAAS data sources [3-18](#)