



# APPENDIX **B**

## Pages and Activation Metadata Schema

---

This appendix provides the Network Activation pages and activation metadata schema. Topics include:

- [Pages XSD, page B-1](#)
- [Activation XSD, page B-9](#)



### Note

---

For information about the Network Activation pages and activation metadata files, see [Pages Metadata, page 2-8](#) and [Activation Metadata, page 2-19](#).

---

## Pages XSD

```
<xs:element name="Hidden">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:boolean">
        <xs:attribute name="type" type="xs:string" use="required" fixed="Boolean"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="NotHideIfDisabled">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:boolean">
        <xs:attribute name="type" type="xs:string" use="required" fixed="Boolean"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="ActivationName">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="AttributeDisplayName">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
```

```

</xs:element><xs:element name="AttributeName">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="AttributeNames">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IGenericImo" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="AttributeNamesID">
    <xs:selector xpath="IGenericImo"/>
    <xs:field xpath="ID"/>
  </xs:unique>
  <xs:unique name="AttributenamesStringValue">
    <xs:selector xpath="IGenericImo"/>
    <xs:field xpath="StringValue"/>
  </xs:unique>
</xs:element><xs:element name="Attributes">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IMetaDataAttribute" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="AttributesOrder">
    <xs:selector xpath="IMetaDataAttribute"/>
    <xs:field xpath="Order"/>
  </xs:unique>
  <xs:unique name="AttributesID">
    <xs:selector xpath="IMetaDataAttribute"/>
    <xs:field xpath="ID"/>
  </xs:unique>
</xs:element><xs:element name="ComboAttributeProperties">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IMetaDataComboGroup" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
</xs:element><xs:element name="ComboValues">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IGenericImo" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="ComboValuesID">
    <xs:selector xpath="IGenericImo"/>
    <xs:field xpath="ID"/>
  </xs:unique>
  <xs:unique name="ComboValuesStringValue">
    <xs:selector xpath="IGenericImo"/>
    <xs:field xpath="StringValue"/>
  </xs:unique>
</xs:element><xs:element name="ComboValueMacro">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">

```

```

        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
    </xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element><xs:element name="ComboValueParameters">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="IGenericImo" maxOccurs="unbounded" minOccurs="0"/>
        </xs:sequence>
        <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
    </xs:complexType>
    <xs:unique name="ComboValueParametersID">
        <xs:selector xpath="IGenericImo"/>
        <xs:field xpath="ID"/>
    </xs:unique>
</xs:element><xs:element name="DefaultDisabledValue">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="DefaultValue">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="DefaultValueMacro">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="DefaultValueParameters">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="IGenericImo" maxOccurs="unbounded"/>
        </xs:sequence>
        <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
    </xs:complexType>
    <xs:unique name="DefaultValueParametersID">
        <xs:selector xpath="IGenericImo"/>
        <xs:field xpath="ID"/>
    </xs:unique>
</xs:element><xs:element name="DependentSelectionAttribute">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="DependentSelectionValue">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>

```

```

    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="GroupData">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IMetaDataGroup" maxOccurs="unbounded" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="GroupDataID">
    <xs:selector xpath="IMetaDataGroup"/>
    <xs:field xpath="ID"/>
  </xs:unique>
</xs:element><xs:element name="ID">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="OidSimpleType">
        <xs:attribute name="type" type="xs:string" use="required" fixed="Oid"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="IGenericImo">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="StringValue"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IMetaDataComboPairValue">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="ComboLabel"/>
      <xs:element ref="ComboValue"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IMOPropertyNames">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IGenericImo" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" use="required" fixed="IMObjects_Array">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          </xs:restriction>
        </xs:simpleType>
      </xs:attribute>
    </xs:complexType>
    <xs:unique name="IMOPropertyNamesID">
      <xs:selector xpath="IGenericImo"/>
      <xs:field xpath="ID"/>
    </xs:unique>
  </xs:element><xs:simpleType name="IMOTypeSimpleType">
    <xs:restriction base="xs:string">
      <xs:pattern value="com\.sheer\.imo\. .*"/>
    </xs:restriction>
  </xs:simpleType><xs:element name="IMOType">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="IMOTypeSimpleType">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="IMetaDataAttribute">

```

```

<xs:complexType>
  <xs:all>
    <xs:element ref="ID"/>
    <xs:element ref="AttributeDisplayName"/>
    <xs:element ref="Required"/>
    <xs:element ref="Type"/>
    <xs:element ref="Order"/>
    <xs:element ref="AttributeName" minOccurs="0"/>
    <xs:element ref="SelectionType" minOccurs="0"/>
    <xs:element ref="IMOType" minOccurs="0"/>
    <xs:element ref="ComboValueMacro" minOccurs="0"/>
    <xs:element ref="ComboValueParameters" minOccurs="0"/>
    <xs:element ref="StaticComboValues" minOccurs="0"/>
    <xs:element ref="StaticComboPairValues" minOccurs="0"/>
    <xs:element ref="DefaultValue" minOccurs="0"/>
    <xs:element ref="DefaultDisabledValue" minOccurs="0"/>
    <xs:element ref="DefaultValueMacro" minOccurs="0"/>
    <xs:element ref="DefaultValueParameters" minOccurs="0"/>
    <xs:element ref="IMOPropertyNames" minOccurs="0"/>
    <xs:element ref="Validation" minOccurs="0"/>
    <xs:element ref="ToolTipText" minOccurs="0"/>
    <xs:element ref="ExampleValue" minOccurs="0"/>
    <xs:element ref="NotHideIfDisabled" minOccurs="0"/>
    <xs:element ref="Hidden" minOccurs="0"/>
  </xs:all>
</xs:complexType>
</xs:element><xs:element name="IMetaDataComboGroup">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="TargetComboAttribute"/>
      <xs:element ref="ComboValues" minOccurs="0"/>
      <xs:element ref="StaticComboPairValues" minOccurs="0"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IMetaDataGroup">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="DependentSelectionAttribute"/>
      <xs:element ref="DependentSelectionValue"/>
      <xs:element ref="Name" minOccurs="0"/>
      <xs:element ref="AttributeNames" minOccurs="0"/>
      <xs:element ref="ComboAttributeProperties" minOccurs="0"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IMetaDataIteration">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="Name" minOccurs="0"/>
      <xs:element ref="Required" minOccurs="0"/>
      <xs:element ref="IterationNames"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:simpleType name="OidSimpleType">
  <xs:restriction base="xs:string">
    <xs:pattern value="\{[\.\+\(\.\+\)\]\}" />
  </xs:restriction>
</xs:simpleType><xs:element name="IMetaDataPages">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="Pages"/>
    </xs:all>
  </xs:complexType>

```

```

        <xs:element ref="ActivationName" minOccurs="0"/>
        <xs:element ref="IterationData" minOccurs="0"/>
        <xs:element ref="GroupData" minOccurs="0"/>
        <xs:element ref="Version" minOccurs="0"/>
    </xs:all>
</xs:complexType>
</xs:element><xs:element name="IMetaDataStep">
    <xs:complexType>
        <xs:all>
            <xs:element ref="ID"/>
            <xs:element ref="Attributes"/>
            <xs:element ref="StepDisplayName"/>
            <xs:element ref="Order"/>
            <xs:element ref="StepName" minOccurs="0"/>
        </xs:all>
    </xs:complexType>
</xs:element><xs:element name="IterationData">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="IMetaDataIteration" maxOccurs="unbounded" minOccurs="0"/>
        </xs:sequence>
        <xs:attribute name="type" type="xs:string" use="required"/>
    </xs:complexType>
    <xs:unique name="IterationDataID">
        <xs:selector xpath="IMetaDataIteration"/>
        <xs:field xpath="ID"/>
    </xs:unique>
</xs:element><xs:element name="IterationNames">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="IGenericImo" maxOccurs="unbounded"/>
        </xs:sequence>
        <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
    </xs:complexType>
    <xs:unique name="IterationNamesID">
        <xs:selector xpath="IGenericImo"/>
        <xs:field xpath="ID"/>
    </xs:unique>
    <xs:unique name="IterationNamesStringValue">
        <xs:selector xpath="IGenericImo"/>
        <xs:field xpath="StringValue"/>
    </xs:unique>
</xs:element><xs:element name="Name">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="Order">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:integer">
                <xs:attribute name="type" type="xs:string" use="required" fixed="Integer"/>
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="Pages">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="IMetaDataStep" maxOccurs="unbounded"/>
        </xs:sequence>
        <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>

```

```

</xs:complexType>
<xs:unique name="PageOrder">
  <xs:selector xpath="IMetaDataStep"/>
  <xs:field xpath="Order"/>
</xs:unique>
<xs:unique name="PageID">
  <xs:selector xpath="IMetaDataStep"/>
  <xs:field xpath="ID"/>
</xs:unique>
</xs:element><xs:element name="Required">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:boolean">
        <xs:attribute name="type" type="xs:string" use="required" fixed="Boolean"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="SelectionType">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="SelectionTypeSimpleType">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:simpleType name="SelectionTypeSimpleType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Dynamic"/>
    <xs:enumeration value="Static"/>
  </xs:restriction>
</xs:simpleType><xs:element name="StaticComboValues">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IGenericImo" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="StaticComboValuesID">
    <xs:selector xpath="IGenericImo"/>
    <xs:field xpath="ID"/>
  </xs:unique>
  <xs:unique name="StaticComboValuesStringValue">
    <xs:selector xpath="IGenericImo"/>
    <xs:field xpath="StringValue"/>
  </xs:unique>
</xs:element><xs:element name="StaticComboPairValues">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IMetaDataComboPairValue" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="StaticComboPairValuesID">
    <xs:selector xpath="IMetaDataComboPairValue"/>
    <xs:field xpath="ID"/>
  </xs:unique>
  <xs:unique name="StaticComboPairValuesComboLabel">
    <xs:selector xpath="IMetaDataComboPairValue"/>
    <xs:field xpath="ComboLabel"/>
  </xs:unique>
</xs:element><xs:element name="StepDisplayName">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">

```

```

        <xs:attribute name="type" type="xs:string" use="required" fixed="String" />
    </xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element><xs:element name="StepName">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String" />
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="StringValue">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String" />
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="TargetComboAttribute">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String" />
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="ToolTipText">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String" />
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="Type">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="TypeSimpleType">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String" />
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:simpleType name="TypeSimpleType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="IPAddress" />
        <xs:enumeration value="Integer" />
        <xs:enumeration value="String" />
        <xs:enumeration value="Boolean" />
        <xs:enumeration value="combo" />
        <xs:enumeration value="IPSubnet" />
        <xs:enumeration value="Float" />
        <xs:enumeration value="Long" />
    </xs:restriction>
</xs:simpleType><xs:element name="Validation">
    <xs:complexType>
        <xs:simpleContent>
            <xs:extension base="xs:string">
                <xs:attribute name="type" type="xs:string" use="required" fixed="String" />
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:element><xs:element name="ExampleValue">

```



```

<xs:complexType>
  <xs:simpleContent>
    <xs:extension base="xs:string">
      <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
</xs:element><xs:element name="ComboLabel">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="ComboValue">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="Version">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element>

```

## Activation XSD

```

<xs:element name="ActivationName">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="AttributeName">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="Attributes">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IMetaDataAttribute" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="AttributesID">
    <xs:selector xpath="IMetaDataAttribute"/>
    <xs:field xpath="ID"/>
  </xs:unique>

```

```

</xs:unique>
</xs:element><xs:element name="ID">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="OidSimpleType">
        <xs:attribute name="type" type="xs:string" use="required" fixed="Oid"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="IGenericImo">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="StringValue"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IMetaDataActivation">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="WorkflowTemplateName"/>
      <xs:element ref="Steps"/>
      <xs:element ref="RepeatSteps" minOccurs="0"/>
      <xs:element ref="ActivationName" minOccurs="0"/>
      <xs:element ref="Version" minOccurs="0"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IMetaDataAttribute">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="Value"/>
      <xs:element ref="AttributeName" minOccurs="0"/>
      <xs:element ref="Required" minOccurs="0"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IMetaDataIteration">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="IterationNames"/>
      <xs:element ref="Name" minOccurs="0"/>
      <xs:element ref="Required" minOccurs="0"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IMetaDataStep">
  <xs:complexType>
    <xs:all>
      <xs:element ref="ID"/>
      <xs:element ref="Attributes"/>
      <xs:element ref="StepName" minOccurs="0"/>
    </xs:all>
  </xs:complexType>
</xs:element><xs:element name="IterationNames">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IGenericImo"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="IterationNamesID">
    <xs:selector xpath="IGenericImo"/>
    <xs:field xpath="ID"/>
  </xs:unique>

```

```

<xs:unique name="IterationNamesStringValue">
  <xs:selector xpath="IGenericImo"/>
  <xs:field xpath="StringValue"/>
</xs:unique>
</xs:element><xs:element name="Name">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="RepeatSteps">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IMetaDataIteration" maxOccurs="unbounded" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="RepeateStepsID">
    <xs:selector xpath="IMetaDataIteration"/>
    <xs:field xpath="ID"/>
  </xs:unique>
</xs:element><xs:element name="Required">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:boolean">
        <xs:attribute name="type" type="xs:string" use="required" fixed="Boolean"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="StepName">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="Steps">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="IMetaDataStep" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="type" type="xs:string" use="required" fixed="IMObjects_Array"/>
  </xs:complexType>
  <xs:unique name="StepsID">
    <xs:selector xpath="IMetaDataStep"/>
    <xs:field xpath="ID"/>
  </xs:unique>
</xs:element><xs:element name="StringValue">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element><xs:element name="Value">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="type" type="xs:string" use="required" fixed="String"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>

```

