



INDEX

A

Add License page, web UI [2-14](#)
archive directories [2-7](#)
archiving [2-7](#)

C

certificate file, importing [2-4](#)
checklist, installation [2-1](#)
ciphers
 adjusting [D-1](#)
CLI [1-1](#)
 license set key command [2-14](#)
 requirements [1-3](#)
 starting [2-13](#)
client-only installation [2-7](#)
clusters
 local [2-5](#)
 modes [2-5](#)
 regional [2-5](#)
cnr_status utility [2-9, 2-15](#)
command line interface [1-1](#)
connection type [2-8](#)

D

database status [2-7](#)
debug_install script [2-16](#)
DHCP servers [1-1](#)
disk space requirements [1-3](#)
DNS servers [1-1](#)

E

error logging [1-6](#)
excluding directories for virus scanning [1-5](#)

G

gtar utility [2-4](#)
gzip utility [2-4](#)

H

HTTP connection [2-8](#)
HTTPS connection [2-8](#)

I

install_cnr_log file [2-16](#)
install_cnr utility [2-5, A-3](#)
installation [2-1](#)
 CD [2-4](#)
 checklist [2-1](#)
 cluster mode [2-5](#)
 connection type [2-8](#)
 directory [2-5](#)
 JAVA_HOME setting [2-3](#)
 Java directory [2-8](#)
 JRE/JDK requirements [2-3](#)
 lab evaluation [B-1](#)
 license keys [2-1](#)
 log files
 install_cnr_log [2-16](#)
 lease_upgrade_log [2-16](#)

modes

- new [1-4](#)
- upgrade with data migration [1-4](#)
- upgrade without data migration [1-4](#)

network distribution [2-4](#)

noninteractive [A-1](#)

overview [1-1](#)

process [2-3](#)

processing messages [2-8](#)

secure login [2-3](#)

silent [A-1](#)

system privileges [2-3](#)

troubleshooting [2-16](#)

types [2-7](#)

Web UI port [2-8](#)

J

Java

- directory [2-8](#)
- requirements [1-2](#)

JAVA_HOME setting [2-3](#)

Java Development Kit (JDK) [2-3](#)

Java Runtime Environment (JRE) [2-3](#)

K

keystore file [2-3](#)

keytool utility [2-3, 2-4](#)

L

lab evaluation installations [B-1](#)

lease_upgrade_log file [2-16](#)

license keys [1-4, 2-1, 2-13](#)

license set key command (CLI) [2-14](#)

license types [1-4](#)

Linux

- cnr_status [2-9, 2-15](#)
- gtar [2-4](#)
- gzip [2-4](#)
- install_cnr [2-5, A-3](#)
- requirements [1-3](#)
- superuser/root accounts [2-3](#)
- uninstall_cnr [2-18](#)
- uninstallation [2-18](#)
- variable declaration file [A-2](#)

Local.sav directory [2-7](#)

Local directory [2-5](#)

local mode [2-5](#)

log files [2-16](#)

logging

- server events [1-6](#)
- startups [1-6](#)
- Windows [1-6](#)

N

Network Registrar, about [1-1](#)

noninteractive installations [A-1](#)

nwreg2 package [2-5](#)

nwreglocal utility [2-15](#)

nwregregion utility [2-15](#)

O

operating system

- requirements [1-2](#)
- versions [1-3](#)

overview [1-1](#)

OVF [3-1](#)

P

pkgadd utility [2-5, A-3](#)

pkgask utility [A-1](#)
 pkgadm utility [2-17, A-3](#)
 processing messages [2-8](#)

R

RAM requirements [1-3](#)
 Regional.sav directory [2-7](#)
 Regional directory [2-5](#)
 regional mode [2-5](#)
 RIC servers [1-2](#)
 root accounts [2-3](#)
 router interface configuration servers [1-2](#)

S

sdk [C-1](#)
 compatibility considerations [C-2](#)
 installing [C-1](#)
 secure login [2-3](#)
 self-extracting executable [2-4](#)
 self-signed certificates [2-3](#)
 server agents, checking status [2-9](#)
 server-client installation [2-7](#)
 servers
 DHCP [1-1](#)
 DNS [1-1](#)
 logging events [1-6](#)
 RIC [1-2](#)
 running with other [1-7](#)
 starting/stopping [2-14](#)
 setup.exe file [2-4](#)
 silent installations [A-1](#)
 Solaris
 cnr_status [2-9, 2-15](#)
 gtar [2-4](#)
 gzip [2-4](#)
 nwreg2 [2-5](#)

nwreglocal and nwregregion [2-15](#)
 pkgadd [2-5, A-1, A-3](#)
 pkgadm [2-17, A-3](#)
 superuser/root accounts [2-3](#)
 uninstallation [2-17](#)

starting

CLI [2-13](#)
 logging when [1-6](#)
 servers [2-14](#)
 Web UI [2-13](#)

Start menu

access [2-13](#)
 setup [2-5](#)

status of server agents [2-9](#)

stopping servers [2-14](#)

superuser accounts [2-3](#)

system privileges [2-3](#)

T

tail command [1-6](#)
 troubleshooting [2-16](#)

U

uncompressing the media [2-4](#)
 uninst.exe utility [A-3](#)
 uninstall_cnr utility [2-18](#)
 uninstallation [2-16](#)
 lab evaluation [B-2](#)
 Linux [2-18](#)
 Solaris [2-17](#)
 Windows [2-17](#)
 unpacking the media [2-4](#)
 upgrade [2-1](#)
 archive directories [2-7](#)
 archiving [2-7](#)
 CD [2-4](#)

checklist [2-1](#)
 cluster mode [2-5](#)
 cnr_mcdexport [2-9, 2-10, 2-11](#)
 connection type [2-8](#)
 database status [2-7](#)
 JAVA_HOME setting [2-3](#)
 Java directory [2-8](#)
 JRE/JDK requirements [2-3](#)
 lab evaluation [B-1](#)
 license keys [2-1](#)
 network distribution [2-4](#)
 noninteractive [A-1](#)
 overview [1-1](#)
 process [2-3](#)
 processing messages [2-8](#)
 secure login [2-3](#)
 silent [A-1](#)
 system privileges [2-3](#)
 types [2-7](#)
 Web UI port [2-8](#)

Web UI [1-1](#)
 Add License page [2-14](#)
 ciphers [D-1](#)
 ports [2-8](#)
 requirements [1-3](#)
 starting [2-13](#)
 Windows
 logging [1-6](#)
 program run location [2-5](#)
 requirements [1-3](#)
 self-extracting executable [2-4](#)
 setup.exe file [2-4](#)
 Start menu [2-5, 2-13](#)
 uninst.exe [A-3](#)
 uninstallation programs [2-17](#)

V

viewing server logs [1-6](#)
 virtual appliance
 automatic power up [3-8](#)
 booting and configuring [3-5](#)
 deploying [3-3](#)
 installing and configuring [3-2](#)
 managing [3-9](#)
 upgrading [3-9](#)
 virus scanning, excluding directories [1-5](#)
 VMWare vCenter [3-3](#)
 VMWare vSphere [3-3](#)

W

web-based user interface [1-1](#)