



Installation Overview

This section contains the following topics:

- [Prime Network Services Controller Overview, page 1](#)
- [Features and Benefits, page 2](#)

Prime Network Services Controller Overview

The dynamic nature of cloud environments requires organizations to apply and enforce frequent changes to networks. These networks can consist of thousands of virtual services elements, such as firewalls, load balancers, routers, and switches. simplifies operations with centralized, automated multi-device and policy management for Cisco network virtual services. For the latest release updates and overview, see the corresponding [data sheet](#).

() is the primary management element for Cisco Nexus 1000V (Nexus 1000V) Switches and Services that can enable a transparent, scalable, and automation-centric network management solution for virtualized data center and hybrid cloud environments. Nexus 1000V switches and services deliver a highly secure multitenant environment by adding virtualization intelligence to the data center network. These virtual switches are built to scale for cloud networks. Support for Virtual Extensible LAN (VXLAN) helps enable a highly scalable LAN segmentation and broader virtual machine (VM) mobility.

enables the centralized management of Cisco virtual services to be performed by an administrator, through its GUI, or programmatically through its XML API. is built on an information-model architecture in which each managed device is represented by its subcomponents (or objects), which are parametrically defined. This model-centric approach enables a flexible and simple mechanism for provisioning and securing virtualized infrastructure using Cisco VSG security services.



Note

Starting with Cisco PNSC Release 3.4.2a, Cisco Adaptive Security Appliance (ASA 1000V), Cisco Cloud Services Router (CSR), Citrix NetScaler VPX, Citrix NetScaler, and KVM Hypervisor, and Microsoft HyperV platforms are not supported.

Features and Benefits

The following table lists the features and benefits of using .

Features	Description	Benefits
Multiple-Device Management	Prime Network Services Controller provides central management of installed VMs (edge routers, edge firewalls, compute firewalls, and load balancers) and Nexus 1000V. Note Citrix NetScaler VPX, CSR 1000V and ASA 1000V are supported in PNSC release 3.4.1d or earlier. Starting with Cisco PNSC release 3.4.2a, only Cisco VSG is supported.	Simplifies provisioning and troubleshooting in a scaled-out data center.
Security Profiles	A security profile represents the VSG security policy configuration in a profile (template).	Simplifies provisioning, reduces administrative errors during security policy changes, reduces audit complexities, and helps enable a highly scaled-out data center environment.
Stateless Device Provisioning	The management agents in VSG are stateless, receiving information from .	<ul style="list-style-type: none"> • Enhances scalability. • Provides robust endpoint failure recovery without loss of configuration state.
Security Policy Management	Security policies are authored, edited, and provisioned centrally.	<ul style="list-style-type: none"> • Simplifies operation and management of security policies. • Helps ensure that security intent is accurately represented in the associated security policies.
Context-Aware Security Policies	obtains virtual machine contexts from VMware vCenter.	Allows a security administrator to institute highly specific policy controls across the entire virtual infrastructure.

Features	Description	Benefits
Support virtual services for DFA environments	Cisco Prime NSC obtains tenant information and allows virtual services to be added to DFA virtual overlay networks.	—
Dynamic Security Policy and Zone Provisioning	interacts with the Nexus 1000V VSM to bind the security profile to the corresponding Nexus 1000V port profile. When virtual machines are dynamically instantiated by server administrators and appropriate port profiles applied, their association with trust zones is also established.	Helps enable security profiles to stay aligned with rapid changes in the virtual data center.
Multi-Tenant (Scale-Out) Management	is designed to manage VSG security policies in a dense multi-tenant environment so that administrators can rapidly add and delete tenants and update tenant-specific configurations and security policies.	Reduces administrative errors, helps ensure segregation of duties in administrative teams, and simplifies audit procedures.
Role-Based Access Control (RBAC)	RBAC simplifies operational tasks across different types of administrators, while allowing subject-matter experts to continue with their normal procedures.	<ul style="list-style-type: none"> • Reduces administrative errors. • Enables detailed control of user privileges. • Simplifies auditing requirements.
XML-Based API	XML API allows external system management and orchestration tools to programmatically provision VSG .	<ul style="list-style-type: none"> • Allows the use of the best-in-class management software. • Offers transparent and scalable operation management.

**Note**

Citrix NetScaler VPX, CSR 1000V, and ASA 1000V are supported in PNSC release 3.4.1d or earlier. Hypervisors Openstack KVM and Microsoft HyperV are supported in PNSC releases up to 3.4.1d.

