



INDEX

A

audience
 document [3-xi](#)

B

backup
 Prime Performance Manager files [3-20](#)
browser
 FAQs [B-4](#)

C

changing
 poller settings [4-1](#)
client, Prime Performance Manager
 access, limiting [3-19](#)
client/server architecture, overview [1-2](#)
command reference [A-1](#)
commands
 general [A-1](#)
conventions
 document [3-xii](#)

D

data
 accessing, from web [5-1](#)
discovering networks
 discovered nodes [2-5](#)
 verifying discovery [2-6](#)
document

audience [3-xi](#)
conventions [3-xii](#)
organization [3-xii](#)

F

FAQs [B-1](#)
 applications, other [B-6](#)
 browser [B-4](#)
 MIBs [B-5](#)
 moving servers [B-2](#)
 polling [B-5](#)
 rebooting [B-3](#)
 requirements [B-2](#)
 SSL, installing [B-3](#)
 Windows [B-6](#)
features
 GUI [1-2](#)
 integration [1-2](#)
 performance [1-2](#)
 security [1-2](#)
 server and network [1-1](#)
 web [1-2](#)

G

General commands
 ppm datadir [A-14](#)
general commands [A-1](#)
 ppm [A-5](#)
 ppm adduser [A-6](#)
 ppm backup [A-7](#)
 ppm backupdir [A-9](#)

- ppm badloginalarm [A-10](#)
- ppm badlogindisable [A-10](#)
- ppm certtool [A-11](#)
- ppm changes [A-12](#)
- ppm checksystem [A-12](#)
- ppm clitimeout [A-12](#)
- ppm cmdlog [A-13](#)
- ppm console [A-14](#)
- ppm countnodes [A-14](#)
- ppm delete [A-15](#)
- ppm deluser [A-16](#)
- ppm disablepass [A-16](#)
- ppm disableuser [A-17](#)
- ppm discover [A-17](#)
- ppm diskmonitor [A-17](#)
- ppm enableuser [A-18](#)
- ppm eventautolog [A-18](#)
- ppm eventconfig [A-19](#)
- ppm eventeditor [A-19](#)
- ppm eventtool [A-19](#)
- ppm evilstop [A-21](#)
- ppm export [A-21](#)
- ppm export cw [A-22](#)
- ppm help [A-22](#)
- ppm inactiveuserdays [A-23](#)
- ppm installlog [A-24](#)
- ppm iosreport [A-24](#)
- ppm ipaccess [A-25](#)
- ppm jspport [A-25](#)
- ppm keytool [A-26](#)
- ppm listusers [A-27](#)
- ppm logger [A-27](#)
- ppm logtimemode [A-29](#)
- ppm maxhtmlrows [A-29](#)
- ppm mldebug [A-29](#)
- ppm motd [A-31](#)
- ppm msglog [A-31](#)
- ppm msglogage [A-32](#)
- ppm msglogdir [A-32](#)
- ppm msglogsize [A-27](#)
- ppm netlog [A-33](#)
- ppm netlogger [A-33](#)
- ppm newlevel [A-33](#)
- ppm osinfo [A-34](#)
- ppm passwordage [A-34](#)
- ppm patchlog [A-35](#)
- ppm poll [A-35](#)
- ppm print [A-35](#)
- ppm props [A-36](#)
- ppm purgedb [A-36](#)
- ppm readme [A-36](#)
- ppm reboot [A-36](#)
- ppm rephelp [A-37](#)
- ppm restart [A-37](#)
- ppm restore [A-38](#)
- ppm restoreprops [A-39](#)
- ppm rootvars [A-39](#)
- ppm sechelp [A-39](#)
- ppm seclogppm seclog [A-39](#)
- ppm servername [A-41](#)
- ppm setpath [A-41](#)
- ppm snmpcomm [A-43](#)
- ppm snmpconf [A-43](#)
- ppm snmpget [A-43](#)
- ppm snmphelp [A-45](#)
- ppm snmpnext [A-46](#)
- ppm snmpwalk [A-49](#)
- ppm ssl [A-51](#)
- ppm sslstatus [A-51](#)
- ppm start [A-52](#)
- ppm start jsp [A-52](#)
- ppm start pm [A-52](#)
- ppm start web [A-52](#)
- ppm statreps [A-53](#)
- ppm status [A-54](#)
- ppm stop [A-54](#)
- ppm stop jsp [A-55](#)
- ppm stop pm [A-55](#)

ppm stop web [A-55](#)
 ppm tac [A-55](#)
 ppm traprate limit abate [A-56](#)
 ppm trapratelimit count [A-56](#)
 ppm trapratelimit interval [A-57](#)
 ppm trapratelimit minor [A-57](#)
 ppm uninstall [A-57](#)
 ppm unknownage [A-57](#)
 ppm updateuser [A-58](#)
 ppm useraccess [A-59](#)
 ppm userpass [A-59](#)
 ppm version [A-60](#)
 ppm webport [A-60](#)
 ppm who [A-60](#)

generating

reports [7-3](#)

getting started [2-1](#)

H

home page

Prime Performance Manager web interface [5-10](#)

I

interface content

Prime Performance Manager web interface [5-4](#)

ITP networks

discovery

nodes [2-5](#)

verifying [2-6](#)

M

managing

reports [7-1](#)

messages

display, changing [4-2](#)

log file

age [4-3](#)

dates [4-2](#)

location [4-2](#)

size [4-2](#)

of the day [3-12](#)

MIBs

common [D-1](#)

FAQs [B-5](#)

moving servers

FAQs [B-2](#)

N

navigation tree

Prime Performance Manager web interface [5-3](#)

O

organization

document [3-xii](#)

overview

discovery [2-4](#)

P

poller

settings, changing [4-1](#)

polling

FAQs [B-5](#)

PPM

commands [A-1](#)

ppm addunitconf [A-5](#)

ppm crosslaunch [A-12](#)

ppm deleteunitconf [A-16](#)

ppm exportcustnames [A-21](#)

ppm exportusers [A-22](#)

ppm importcustnames [A-23](#)

ppm inventoryimport [A-24](#)
 ppm modifyunitconf [A-31](#)
 ppm reloadmibs [A-37, A-54](#)
 ppm repdir [A-37](#)
 ppm showunitconf [A-42](#)
 ppm syncunits [A-54](#)

Prime Performance Manager

about [3-xi](#)
 backup [3-20](#)
 client and server communication
 VPN [E-3](#)
 FAQs (see FAQs)
 MIB reference [D-1](#)
 networking options (see Prime Performance Manager,
 client and server communication) [E-1](#)
 restoring [3-20](#)
 troubleshooting (see troubleshooting)

Prime Performance Manager web interface

archived messages [6-6](#)
 home page [5-10](#)
 interface content [5-4](#)
 logs
 command [6-9](#)
 console [6-9](#)
 event automation [6-10](#)
 security [6-10](#)
 navigation tree [5-3](#)

R

rebooting
 FAQs [B-3](#)
 reference
 command [A-1](#)
 reports
 generating [7-3](#)
 managing [7-1](#)
 viewing [7-4](#)
 requirements

FAQs [B-2](#)
 restoring
 Prime Performance Manager files [3-20](#)
 RMI
 how does it work [E-2](#)
 root user, becoming [2-2](#)

S

security [3-1](#)
 client access, limiting [3-19](#)
 logs, system [3-14](#)
 message of the day [3-12](#)
 overview [3-1](#)
 passwords
 changing [3-11](#)
 creating [3-6](#)
 disabling, automatically [3-7](#)
 disabling, manually [3-10](#)
 re-enabling [3-11](#)
 user-based access
 disabling [3-14](#)
 implementing [3-2](#)
 user levels [3-6](#)
 (level 1) basic user [3-7](#)
 (level 3) network operator [3-7](#)
 (level 5) system administrator [3-7](#)
 users
 changing [3-11](#)
 disabling, automatically [3-7](#)
 disabling, manually [3-10](#)
 listing current [3-13](#)
 re-enabling [3-11](#)
 server
 setting up [4-1](#)
 server properties
 viewing [6-13](#)
 starting Prime Performance Manager
 server [2-1](#)

system properties
viewing [6-12](#)

T

troubleshooting
data [C-1](#)
server processes [C-1](#)
web pages [C-2](#)

U

user-based access (see security)
users (see security)

V

viewing
reports [7-4](#)
server properties [6-13](#)
system properties [6-12](#)
web configuration properties [6-13](#)

W

web configuration properties
viewing [6-13](#)
web pages
troubleshooting [C-2](#)
Windows
FAQs [B-6](#)

