



INDEX

A

Audience [1-2](#)

C

Check Connectivity Request [2-40](#)

Choice List for Attribute Requirements [A-9](#)

Client Requirements [1-3](#)

Common Properties [A-10](#)

Common Provisioning Manager NBIs [2-1](#)

Configurable Properties [2-4](#)

Contents of Order Object [2-36](#)

Conventions [iii-vii](#)

createDevice Java Signature [2-13](#)

createDomain Java Signature [2-18](#)

createServiceArea Java Signature [2-21](#)

createSubscriber Java Signature [2-26](#)

createSubscribers Java Signature [2-27](#)

CupmApiFilter Attributes [2-8](#)

CupmApiResponse Object Attributes [2-6](#)

CupmApiStatus Object Attributes [2-7](#)

D

deleteDevice Java Signature [2-16](#)

deleteDomain Java Signature [2-20](#)

deleteServiceArea Java Signature [2-24](#)

deleteSubscriber Java Signature [2-30](#)

Description of the Provisioning Manager NBI [1-1](#)

Device Management Commands and Queries [2-12](#)

Domain Management Commands and Queries [2-18](#)

E

Environment Variables [A-3](#)

Environment Variables [A-4](#)

F

FAQs [B-1](#)

Feature Summary [1-2](#)

Functional Architecture [1-3](#)

G

getApiStatus Java Signature [2-42](#)

getConfiguredInfraProduct Java Signature [2-16](#)

getDevice Java Signature [2-13](#)

getDomain Java Signature [2-18](#)

getInventoryItem Java Signature [2-40](#)

getOrder Java Signature [2-38](#)

getOrderSummary Java Signature [2-45](#)

getServiceArea Java Signature [2-21](#)

getStatus Java Signature [2-48](#)

getSubscriber Java Signature [2-28](#)

getSubscriberService Java Signature [2-33](#)

Getting Started [1-1](#)

H

How to Use the Provisioning Manager NBI SDK [1-4](#)

I

Infrastructure Products Key Attributes [2-8](#)

Infrastructure Key Attributes [2-8](#)
 Installing and Running the Provisioning Manager NBI SDK [A-6](#)
 Introduction [A-1](#)
 Inventory Queries [2-40](#)

K

Keywords Supported by the NBI Perl Client [A-10](#)

L

listApiStatus Java Signature [2-43](#)
 listConfigTemplateKeyword Java Signature [2-46](#)
 listConfiguredInfraProduct Java Signature [2-17](#)
 listDevice Java Signature [2-14](#)
 listDomain Java Signature [2-19](#)
 listInventoryItem Java Signature [2-41](#)
 listOrder Java Signature [2-39](#)
 listProductAttributeChoice Java Signature [2-41](#)
 listServiceArea Java Signature [2-23](#)
 listSrstPhoneInfo Java Signature [2-44](#)
 listSubscriber Java Signature [2-29](#)
 listSubscriberService Java Signature [2-32](#)

M

Managed Objects [2-2](#)
 moveService Java Signature [2-33](#)
 moveSubscriber Java Signature [2-34](#)

N

NBI Prepopulation Requirements [A-9](#)
 Notification Consumer Service [2-49](#)

O

Object Keys [2-3](#)

Obtaining Documentation and Submitting a Service Request [iii-viii](#)
 Overview of NBI Object Metadata [2-35](#)
 Overview of Object Attributes [2-3](#)
 Overview of Provisioning Manager NBI SDK Directory [A-2](#)
 Overview of Request Arguments [2-4](#)
 Overview of Request Names [2-3](#)

P

ping Java Signature [2-40](#)
 Prepopulation [2-41](#)
 Prerequisites [1-4](#)
 Product Documentation [iii-vii](#)
 Provisioning Manager NBI Implementation of WS-Notification [2-49](#)
 Provisioning Manager NBI Objects [2-5](#)
 Provisioning Manager NBI Overview [2-1](#)
 Provisioning Manager NBI Requests [2-12](#)
 Provisioning Manager NBI Status Queries [2-42](#)
 Provisioning Manager Web Services Resources [1-3](#)
 pull Java Signature [2-47](#)

R

release Java Signature [2-48](#)
 renew Java Signature [2-47](#)
 Request Signature Class [2-12](#)
 Requirements [A-9](#)
 resetSubscriberServicePassword Java Signature [2-30](#)
 Running SDK Sample Clients [A-3](#)

S

Sample Clients [A-1](#)
 Sample Session [A-11](#)
 SDK Commands [A-8](#)
 Service Area String Management Commands and Queries [2-21](#)

Setting Up the Perl NBI Client [A-9](#)
Setting Up the Provisioning Manager NBI SDK
Development Environment [A-1](#)
Setting Up the Sample Java Clients [A-2](#)
Specialized Requests [2-44](#)
Status Code ENUMs for CupmApiStatus Attribute [2-7](#)
submitConfigTemplate Java Signature [2-45](#)
submitOrder Java Signature [2-35](#)
Subscriber Key Attributes [2-10](#)
Subscriber Management Commands and Queries [2-26](#)
Subscriber Product Key Attributes [2-10](#)
Supported Requests [A-11](#)
syncDevice Java Signature [2-25](#)
syncDomain Java Signature [2-25](#)
Synchronization Management Commands [2-25](#)

T

Troubleshooting [B-1](#)

U

unlockVoiceMail Java Signature [2-31](#)
updateDevice Java Signature [2-14](#)
updateDomain Java Signature [2-19](#)
updateServiceArea Java Signature [2-22](#)
updateSubscriber Java Signature [2-28](#)
Usage (Sample Session) [A-11](#)

W

Work Order Management Commands and Queries [2-35](#)
WS-Enumeration Requests [2-46](#)

X

XML Sample Files [A-5](#)
XML Schemas Referenced [2-1](#)
XML Template Usage [A-10](#)

