



Plan Files and Patch Files

Plan Files

The WAE Live, WAE Design Archive, and WAE Design applications all have interfaces for viewing the network through a *plan file*. A plan file is comprised of a series of tables that store information about a network, including topology, configuration information, traffic, failure state, and visual layout. Additionally, WAE Design uses plan file information to perform simulations.

Plans files are typically created by the WAE Collector discovery process for use in the applications. Plan files can, however, be created using CLI tools or the WAE Design GUI, and stored locally.

Plan files are comprised of tables, objects such as nodes and sites, properties (shown as column headings), and property values ([Figure 2-1](#)).

Plan File Formats

Each plan file is a uniquely named database of tables that is in one of two formats, both of which are editable by SQL commands.

- The .pln format is compact and thus, can be quickly loaded to and saved in the WAE Design GUI.
- The .txt format contains tab-delimited columns. You can create and edit these directly in a text editor or spreadsheet, such as Excel, thus allowing for quickly applying bulk edits. In these plan files, each table is labeled with angle brackets, such as <Nodes> and <Sites>.

Figure 2-1 **Opened Plan File**
Plan File Opened in Excel

<Nodes>			
Name	Site	Function	Protected
cr1.ams	AMS	core	F
cr1.fra	FRA	core	F
cr1.lon	LON	core	F
cr1.par	PAR	core	F
er1.ams	AMS	edge	T

← **Table Name**
 ← **Column Names**
 ← **Values**

Plan File Opened in the GUI

Nodes			
Name	Site	Function	Protected
cr1.ams	AMS	core	F
cr1.fra	FRA	core	F
cr1.lon	LON	core	F
cr1.par	PAR	core	F
er1.ams	AMS	edge	T

<Sites>			
Name	LocationCode	Longitude	Latitude
AMS	AMS	4.78	52.32
BRU	BRU - Brussels (Belgium)	4.48	50.9
FRA	FRA	8.57	50.03
LON	LON	-0.45	51.47
PAR	PAR	2.55	49.02

Sites			
Name	Location Code	Longitude	Latitude
AMS	AMS	4.78	52.32
BRU	BRU - Brussels (Belgium)	4.48	50.90
FRA	FRA	8.57	50.03
LON	LON	-0.45	51.47
PAR	PAR	2.55	49.02

380662

Access Plan Files

To open a local plan file from the WAE Design GUI, select the File->Open menu or File->Open Recent menu. To save a plan file locally in the .pln format, select the File->Save menu. To save a plan file in a simple .txt or complete .txt format, select the File->Save As menu.

To add a description to the plan file, select the Edit->Plan Description menu.

For instructions on opening and saving plan files on remote servers, see the *WAE Network Visualization Guide*.

Patch Files

A patch file is a compact way to represent differences between plan files. In WAE Design, patch files, which use a .plp format, are created for new LSPs, modified, LSPs, and deleted LSPs. These differences or “patches” can be applied to other plan files or deployed to the network. Note that since they contain LSP deletions, a patch file can remove LSPs from a plan file to which it is applied or from a network when it is deployed.

WAE Design enables you to create and use patch files in the following ways.

- To create patch file of the LSP differences between two plan files, create a comparison report and select the patch file option (Tools->Reports->Compare Plans). For information, see the [Reports](#) chapter. You can also execute this from the CLI using the `compare_plans -out-patch-file` tool. For information, refer to the Help output of the `compare_plans` CLI tool.
- To deploy patch files to the network, use the Save to WAE tool under the File menu. For information, see the *WAE Network Visualization Guide*.
- To apply a patch file to a plan file, the `apply_patch` CLI tool. For information, refer to the Help output of the `apply_patch` CLI tool.

Related Topics

- [Plan Objects](#) chapter
- [Plot Legend for Design Layouts](#) chapter
- *WAE Network Visualization Guide*
- *WAE Design Integration and Development Guide*
- *WAE Plan Table Schema and CLI Reference*

