



# DISC Commands

---

This chapter provides disconnect (DISC) commands for the Cisco ONS 15454 SDH and Cisco ONS 15600 SDH.

## 9.1 DISC-TACC

The Disconnect Test Access (DISC-TACC) command disconnects the TAP and puts the connection back to its original state (no splits). For more information on TACC, refer to the *Cisco ONS SDH and Cisco ONS 15600 SDH TL1 Reference Guide*.

---

### Usage Guidelines

For this command to be applicable, you must first create the TAP using the ED-`<VC_PATH>` or ED-VC12 command.

The following actions will return error messages:

- If you send this command to an already disconnected connection, a SADC error message is returned.
- If the system cannot release TAP, an SRTN error message is returned.



### Note

---

If the test access connection is intrusive, the original state of the facility/path is restored after this command is executed. Test access connections are dropped automatically if the TL1 session is terminated or is timed out.

---

---

### Category

Troubleshooting and Test Access

---

### Security

Maintenance

---

### Input Format

DISC-TACC:[`<TID>`]:`<TAP>`:`<CTAG>`;

---

### Input Example

DISC-TACC:CISCO:8:123;

---

**Input Parameters**

<TAP>      The test access path number. The TAP number must be an integer with a range of 1 to 999. TAP is a string.

**Note**      This command only supports disconnecting one TAP at a time.

---