



# Backup and Restore Cisco ONP Database

---

- [Backup Database, on page 1](#)
- [Restore Database Manually, on page 3](#)
- [Restore Database Using Script, on page 5](#)

## Backup Database

Based on the database backup configuration on the server, as set by the system admins, you can take the backup of the complete database on a daily, weekly, or monthly basis. Only system admins can access the backup folders and restore them. Backup archive is stored on highly durable NFS share. The following backup archives are available:

- Archives for the last 7 days
- Weekly archives for the last 4 weeks
- Monthly archives for the last 6 months



---

**Note** You can change the duration for monthly archives.

---

## Setup Backup

### Before you begin

- Ensure that highly durable 2 TB NFS storage is available to store database archives.
- Ensure that the storage is accessible from the Cisco ONP environment. Set up rules that are defined by the Cisco ONP network and appropriate ACL (Access Control List) to permit or deny access to the storage.

### Procedure

---

- Step 1** Log into the Cisco ONP server, where you have installed Cisco ONP by using the tar archive.

- Step 2** Create a folder for backup. Ideally it should be mounted on a reliable object storage (like NFS).
- 

## Perform Manual Backup

Perform the following steps for the backup operation:

### Procedure

---

- Step 1** Browse to the location, where the backup\_mongo.sh script is stored.

- Step 2** Execute the backup\_mongo.sh script using the following command:

Example:

```
user@server:~/cnp_backups$ bash backup_mongo.sh
```

The backup file gets stored in the daily backup folder (backup.daily) with the current time stamp.

---

## Schedule a Backup

### Schedule a Backup Using Script

Use this task to schedule the backup operation using script:

### Procedure

---

- Step 1** Log in to the Cisco ONP server.

- Step 2** Execute the rotation.sh script using the following command:

```
user@server:~/cnp_backups$ bash rotation.sh
```

This command creates necessary folder structure.

- Step 3** Execute the setup\_backup.sh script using the following command:

Example:

The backup file gets stored in the daily backup folder (backup.daily) with the current time stamp.

- Step 4** Enter the path in the user prompt to store the file.

Backup files are stored in your required file path as following:

```
/user-defined path/backups/backup.daily
```

---

### Schedule a Backup

Use this task to schedule the backup operation using Crontab:

## Procedure

---

- Step 1** Log in to the Cisco ONP server.
- Step 2** Configure the Crontab job using the following command.

```
user@server~/cnp_backups$ sudo crontab -e
```

- Step 3** Modify the Crontab.sh script to schedule the backup.

Example:

The following example shows the scheduling of the backup operation, at 3 a.m daily.

```
0 3 * * * /home/ciscocnp/cnp_backups/backup_mongo.sh
```

---

## Syntax to Schedule the Backup Using Crontab

Use the following syntax to schedule backup in Crontab:

```
m h dom mon dow
```

Where:

- m—Minutes (0–59)
- h—Hours (1–23)
- dom—Day of the month
- mon—Month of the year
- dow—Day of the week

To define the time, you can provide concrete values for minute (m), hour (h), day of the month (dom), month (mon), and day of the week (dow), or use the wildcard, '\*' in these fields (for 'any').



---

**Note** The backup jobs start based on the cron's system daemon's notion of time and time zones.

---

## Restore Database Manually

Use this task to restore the database manually:

### Procedure

---

- Step 1** Check the Cisco ONP Database.

```
$ mongo CnpDB
```

MongoDB shell version: 2.6.10

```

connecting to: CnpDB
Server has startup warnings:
2019-01-31T12:17:39.354+0000 I STORAGE [initandlisten]
2019-01-31T12:17:39.354+0000 I STORAGE [initandlisten] ** WARNING: Using the XFS filesystem is
strongly recommended with the WiredTiger storage engine.
2019-01-31T12:17:39.354+0000 I STORAGE [initandlisten] ** See
http://dochub.mongodb.org/core/prodnotes-filesystem
2019-01-31T12:17:40.013+0000 I CONTROL [initandlisten]
2019-01-31T12:17:40.013+0000 I CONTROL [initandlisten] ** WARNING: Access control is not enabled
for the database.
2019-01-31T12:17:40.013+0000 I CONTROL [initandlisten] ** Read and write access to data and configuration
is unrestricted.
2019-01-31T12:17:40.013+0000 I CONTROL [initandlisten]
> show collections
NetworkEntity
SystemLog
BOM
fs.files
Users
fs.chunks
ErrorInfo
NetworkObject
UserGroups
TaskInfo
ActionGroups
Roles
>
...

```

**Step 2** Remove the Cisco ONP back-end and front-end Docker services,"docker service rm cnp\_cnp cnp\_cnp\_frontend" and check again:

```

...
$ mongo CnpDB
MongoDB shell version: 2.6.10
connecting to: CnpDB
Server has startup warnings:
2019-01-31T12:17:39.354+0000 I STORAGE [initandlisten]

```

```

2019-01-31T12:17:39.354+0000 I STORAGE [initandlisten] ** WARNING: Using the XFS file system is
strongly recommended with the WiredTiger storage engine.
2019-01-31T12:17:39.354+0000 I STORAGE [initandlisten] ** See
http://dochub.mongodb.org/core/prodnotes-filesystem
2019-01-31T12:17:40.013+0000 I CONTROL [initandlisten]
2019-01-31T12:17:40.013+0000 I CONTROL [initandlisten] ** WARNING: Access control is not enabled
for the database.
2019-01-31T12:17:40.013+0000 I CONTROL [initandlisten] ** Read and write access to data and configuration
is unrestricted.
2019-01-31T12:17:40.013+0000 I CONTROL [initandlisten]
> show collections
>
...

```

**Step 3** Copy the database to the folder that is mapped to MongoDB container's volume:

```

$ sudo cp backups/2019-02-01-04-29.archive /var/lib/mongodb_cnp/
...

```

**Step 4** Restore the database and check.

```

$ docker exec -t cnp_mongo.1.$(docker service ps -f 'name=cnp_mongo.1' -f
'desired-state=running' cnp_mongo -q) bash -c "mongorestore -u \$(cat
\${MONGO_INITDB_ROOT_USERNAME_FILE}) -p \$(cat \${MONGO_INITDB_ROOT_PASSWORD_FILE})
--authenticationDatabase admin --port 27017 -h localhost --db CnpDB --gzip
--archive=/data/db/2019-02-01-04-29.archive"

```

## Restore Database Using Script

You can restore the database using script, which is available at the following location:

```
Images/DB_backup/restore_mongo.sh
```

Execute the following command:

```
$ sudo bash restore_mongo.sh DB backup archive file path.
```

For example:

```
$ sudo bash restore_mongo.sh /backups/backup.daily/2019-05-05-23-58.archive
```

Enter `No` to not delete the database and apply only missing data(s) from backup file.

