



A

abort

- an action [4-41](#)
- procedure [4-43](#)

ABORT button [4-42, 4-43](#)

accessing, Cisco Fog Director [3-1](#)

Action History window [4-46](#)

action plan

- creating [4-50](#)
- custom [4-50](#)
- deleting [4-50](#)
- description [4-48](#)

Expired state actions

- description [4-52](#)

FogDirectorDefaultPolicy

- description [4-49](#)
- managing [4-50](#)

guidelines [4-49](#)

maintenance window [4-50](#)

managing [4-50](#)

Outstanding state actions

- description [4-52](#)

Actions History window [4-45, 4-46](#)

Actions page

- accessing [4-53](#)
- description [4-53](#)

action state

- Expired [4-49](#)
 - canceling action [4-55](#)
 - description [4-52](#)
 - managing [4-53](#)
 - retrying action [4-55](#)

- viewing information about [4-55](#)

Outstanding [4-49](#)

- canceling action [4-55, 5-9](#)

- description [4-52](#)

- managing [4-53](#)

- retrying action [4-55](#)

- viewing information about [4-55, 5-9](#)

adding

- action plan [4-50](#)

- app [4-10](#)

- app link [4-40](#)

- cartridge [7-2](#)

- device [5-13](#)

- device profile [5-19](#)

app

- adding [4-10](#)

- available [4-4](#)

- backing up [4-57](#)

- console access [5-13, 5-36](#)

description

- description [4-32](#)

- updating [4-32](#)

- device information about [5-10](#)

- exporting [4-57](#)

icon

- description [4-31](#)

- updating [4-32](#)

- importing [4-57](#)

- installed [4-2](#)

installing

- options [4-14, 5-27](#)

- procedure [4-15](#)

- lifecycle [1-2](#)

- link
 - adding [4-40](#)
 - deleting [4-41](#)
 - description [4-40](#)
 - updating [4-41](#)
 - log, viewing [4-62, 5-12](#)
 - managed state [3-3](#)
 - managing
 - available [4-4](#)
 - installed [4-2](#)
 - unpublished [4-6](#)
 - monitoring [4-58, 4-61](#)
 - publishing [4-13](#)
 - reconfiguring
 - from Devices View page [4-39](#)
 - options [4-33](#)
 - procedure [4-34, 4-35](#)
 - release notes
 - description [4-32](#)
 - updating [4-32](#)
 - removing
 - from Cisco Fog Director [4-31](#)
 - from device [4-24, 5-34](#)
 - restoring [4-57](#)
 - reverting
 - published app [4-30](#)
 - unpublished app [4-31](#)
 - service-bundle in [4-6](#)
 - starting on device [5-32, 5-33](#)
 - status
 - Failed [4-3](#)
 - In Progress [4-3](#)
 - Running [4-3](#)
 - Stopped [4-3](#)
 - stopping on device [5-32, 5-33](#)
 - troubleshooting [3-5](#)
 - uninstalling
 - options [4-22](#)
 - procedure [4-24](#)
 - unmanaged state [3-3](#)
 - unpublished [4-6](#)
 - unpublishing [4-13](#)
 - upgrading [4-26](#)
 - uploading [4-10](#)
 - App Configuration page [4-7](#)
 - Apps area, on Device Details page [5-10](#)
 - APPS tab [4-1](#)
 - Apps View page
 - accessing [4-1](#)
 - Available Apps area
 - App Edit view [4-4](#)
 - App Install view [4-4](#)
 - description [4-1, 4-4](#)
 - Installed Apps area [4-1, 4-2](#)
 - Unpublished Apps area [4-1, 4-6](#)
 - archive [6-3](#)
 - archive file
 - See* backup file
 - attributes, editing for device [5-16](#)
 - Available Apps area, on Apps View page
 - App Edit view [4-4](#)
 - App Install view [4-4](#)
 - description [4-1, 4-4](#)
-
- ## B
- backing up
 - app [4-57](#)
 - Cisco Fog Director data [6-3](#)
 - backup file
 - creating [6-3](#)
 - description [6-3](#)
 - restoring [6-4](#)
 - browser
 - guidelines for using [3-1](#)
 - supported [3-1](#)

C

CANCEL OUTSTANDING button

- on Actions page [4-55](#)
- on Device Details page [5-9](#)

cartridge

- adding [7-2](#)
- deleting [5-35, 7-3](#)
- description [7-1](#)

Cartridges page

- accessing [7-1](#)
- description [7-1](#)

CARTRIDGES tab [7-1](#)

Cisco Fog Director

- accessing [3-1](#)
- action plan [4-48](#)
- DHCP configuration for [2-5](#)
- End User License Agreement, viewing [6-2](#)
- EULA, viewing [6-2](#)
- exiting [3-2](#)
- Fog Director ID, default [3-2](#)
- installing
 - in VMware Fusion [2-3](#)
 - in VMware Player [2-2](#)
 - in VMware vSphere [2-1](#)
- logging in to [3-1](#)
- logging out of [3-2](#)
- overview [1-1](#)
- password
 - changing [3-2](#)
 - default [3-2](#)
- policy, for failed actions
 - See* action plan
- processes [3-5](#)
- RADIUS authentication of users [2-6](#)
- removing app from [4-31](#)
- system requirements of VM host [2-1](#)
- timeout period [3-1](#)
- troubleshooting [3-4](#)

- upgrading [2-4](#)

Cisco IOS [1-1](#)

- configuring app link [4-40](#)
- console access, of app [5-13, 5-36](#)
- custom action plan
 - description [4-50](#)
 - managing [4-50](#)

D

DHCP, configuration for Cisco Fog Director [2-5](#)

debug log, Cisco Fog Director

- creating [6-2](#)
- downloading [6-2](#)
- managing [6-2](#)

deleting

- action plan [4-50](#)
- app link [4-41](#)
- cartridge [5-35, 7-3](#)
- device
 - description [5-29](#)
 - single [5-30](#)
- device profile [5-25](#)
- devices
 - multiple [5-30](#)
- layer [5-35](#)

description, for app

- description [4-32](#)
- updating [4-32](#)

device

- adding [5-13](#)
- attributes, editing [5-16](#)
- deleting
 - description [5-29](#)
 - multiple device [5-30](#)
 - single device [5-30](#)
- description [5-1](#)
- editing [5-26](#)

- import file
 - creating [5-15](#)
 - importing [5-16](#)
- importing [5-14](#)
- log
 - downloading [5-10, 5-36](#)
 - viewing [5-10, 5-36](#)
- rediscovering [5-26](#)
- removing app from [4-24, 5-34](#)
- starting app on [5-32, 5-33](#)
- stopping app on [5-32, 5-33](#)
- tags
 - adding
 - to multiple devices [5-31](#)
 - to one device [5-31](#)
 - description [5-31](#)
 - removing
 - from multiple devices [5-31](#)
 - from one device [5-31](#)
- troubleshooting [3-5, 5-36](#)
- Device Details area, on Device Details page [5-7](#)
- Device Details page
 - Apps area [5-10](#)
 - Device Details area [5-7](#)
- device profile
 - adding [5-19](#)
 - configuration options [5-17](#)
 - default [5-25](#)
 - deleting [5-25](#)
 - description [5-17](#)
 - editing [5-22](#)
 - setting as default [5-25](#)
 - viewing information about [5-20](#)
- DEVICES tab [5-1](#)
- Devices View page [5-1](#)
- Docker app
 - adding [4-10](#)
 - layer [5-8, 5-35](#)
 - upgrading [4-26](#)

- Docker daemon proxy settings [2-7](#)
- downloading
 - Cisco Fog Director debug log [6-2](#)
 - device log [5-36](#)
 - tech support logs [5-36](#)

E

- editing, device [5-26](#)
- End User License Agreement, Cisco Fog Director [6-2](#)
- EULA, Cisco Fog Director [6-2](#)
- Expired action state [4-49](#)
 - canceling action [4-55](#)
 - description [4-52](#)
 - managing [4-53](#)
 - retrying action [4-55](#)
 - viewing information about [4-55](#)
- exporting apps [4-57](#)

F

- Failed status [4-3](#)
- flash storage [1-2](#)
- FogDirectorDefaultPolicy action plan
 - description [4-49](#)
 - managing [4-50](#)
- Fog Director ID, default [3-2](#)

- icon, for app
 - description [4-31](#)
 - updating [4-32](#)
- import file
 - creating [5-15](#)
 - importing [5-16](#)
- importing
 - app [4-57](#)

device [5-14](#)

In Progress status [4-3](#)

Installed Apps area, on Apps View page [4-1, 4-2](#)

installing

- app
 - options [4-14, 5-27](#)
 - procedure [4-15](#)
- Cisco Fog Director
 - in VMware Fusion [2-3](#)
 - in VMware Player [2-2](#)
 - in VMware vSphere [2-1](#)

L

layer

- deleting [5-35](#)
- description [5-35](#)

lifecycle, of app [1-2](#)

link, for app

- adding [4-40](#)
- deleting [4-41](#)
- description [4-40](#)
- updating [4-41](#)

log

- app [3-5, 4-62, 5-12](#)
- Cisco Fog Director [3-5](#)
- Cisco Fog Director debug
 - creating [6-2](#)
 - downloading [6-2](#)
 - managing [6-2](#)
- device [3-5](#)
 - downloading [5-10, 5-36](#)
 - viewing [5-10, 5-36](#)

logging in, to Cisco Fog Director [3-1](#)

logging out, of Cisco Fog Director [3-2](#)

M

maintenance window, for action plan [4-50](#)

managed state, of app [3-3](#)

monitoring app

- detailed information [4-61](#)
- general information [4-58](#)
- overview [4-58](#)

O

Outstanding action state [4-49](#)

- canceling action [4-55, 5-9](#)
- description [4-52](#)
- managing [4-53](#)
- retrying action [4-55](#)
- viewing information about [4-55, 5-9](#)

P

password

- changing [3-2](#)
- default [3-2](#)

policy, for failed actions

- See* action plan

processes

- Cisco Fog Director [3-5](#)
- displaying status [3-5](#)
- starting [3-6](#)
- stopping [3-6](#)

Profiles page [5-17](#)

publishing app [4-13](#)

R

RADIUS authentication, of Cisco Fog Director Users [2-6](#)

reconfiguring app parameters

- from Devices View page [4-39](#)

- options [4-33](#)
- procedure [4-34, 4-35](#)
- rediscovering, device [5-26](#)
- release notes, for app
 - description [4-32](#)
 - updating [4-32](#)
- removing app from device [5-34](#)
- resource profile, description [4-32](#)
- restoring
 - app [4-57](#)
 - Cisco Fog Director data [6-4](#)
- retry action
 - description [4-44](#)
 - procedure [4-47](#)
- RETRY NOW button [4-44, 4-55](#)
- reverting app
 - published [4-30](#)
 - unpublished [4-31](#)
- Running status [4-3](#)

S

- Select Retry Actions page [4-44](#)
- Settings page
 - accessing [6-1](#)
 - Extensions tab [6-1](#)
 - Settings tab
 - About Fog Director options [6-1](#)
 - Backup & Restore [6-3](#)
 - description [6-1](#)
- SETTINGS tab [6-1](#)
- Settings tab, on Settings page
 - About Fog Director options [6-1](#)
 - Backup & Restore [6-3](#)
 - description [6-1](#)
 - End User License Agreement options [6-2](#)
 - Logging Configuration options [6-2](#)
 - Syslog options [6-2](#)
- starting app on device [5-32, 5-33](#)

- status, of app
 - Failed [4-3](#)
 - In Progress [4-3](#)
 - Running [4-3](#)
 - Stopped [4-3](#)
- Stopped status [4-3](#)
- stopping app on device [5-32, 5-33](#)
- Syslog, configuring [6-2](#)
- system requirements, VM host for Cisco Fog Director [2-1](#)

T

- tab
 - APPS [4-1](#)
 - CARTRIDGES [7-1](#)
 - DEVICES [5-1](#)
 - SETTINGS [6-1](#)
- tags
 - adding
 - to multiple devices [5-31](#)
 - to one device [5-31](#)
 - description [5-31](#)
 - removing
 - from multiple devices [5-31](#)
 - from one device [5-31](#)
- tech support logs, downloading [5-10, 5-36](#)
- timeout period, for Cisco Fog Director [3-1](#)
- troubleshooting
 - app [3-5](#)
 - Cisco Fog Director [3-4](#)
 - device [3-5, 5-36](#)

U

- uninstalling app
 - options [4-22](#)
 - procedure [4-24](#)
- unmanaged state, of app [3-3](#)

Unpublished Apps area, on Apps View page [4-1, 4-6](#)
unpublishing app [4-13](#)
updating app link [4-41](#)
upgrading
 app [4-26](#)
 Cisco Fog Director [2-4](#)
uploading app [4-10](#)

V

VMware

Fusion, installing Cisco Fog Director in [2-3](#)
Player, installing Cisco Fog Director in [2-2](#)
vSphere, installing Cisco Fog Director in [2-1](#)

