



cnbng_config

- [OpenAPI, on page 1](#)
- [Info, on page 1](#)
- [Servers, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)
- [Components, on page 2922](#)

OpenAPI

OpenAPI Version: 3.0.1

Info

Title: cnbng-cp

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane configuration.\n"

\nThis module contains definitions for the following management objects:\n Endpoint\n \ & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll rights reserved."

Servers

URL: /restconf

tags

- **Name:** root
Description: root resources
- **Name:** operations
Description: operations resources

- **Name:** data
Description: data resources
- **Name:** get
Description: get resources
- **Name:** head
Description: head resources
- **Name:** post
Description: post resources
- **Name:** patch
Description: patch resources
- **Name:** put
Description: put resources
- **Name:** options
Description: options resources
- **Name:** delete
Description: delete resources

Paths

/

get:

Tags:

- root
- get

Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane configuration.\n\"

\nThis module contains definitions for the following management objects:\n\"

\ Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\n\nrights reserved."

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\n\nconfiguration.\n\nThis module contains definitions for the following management\n\n**objects:**\n Endpoint Interfaces\n\nCopyright (c) 2020 by\n\nCisco Systems, Inc.\nAll rights reserved."

Operation ID: root_get

Responses:

"200":

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\n\nconfiguration.\n\nThis module contains definitions for the following\n\n**management objects:**\n Endpoint Interfaces\n\nCopyright (c) 2020 by\n\nCisco Systems, Inc.\nAll rights reserved."

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/root'

"204":

Description: No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - root
  - head
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
\nEndpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\n
rights reserved."
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\n
\nconfiguration.\n\nThis module contains definitions for the following management\n
\nobjects:\n\nEndpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\n
\nInc.\nAll rights reserved."
  Operation ID: root_head

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

operations

```

get:

  Tags:
  - operations
  - get
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
\nEndpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\n
rights reserved."

```

```

    \ Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
    \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following management\
    \ objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
    \
    \ Inc.\nAll rights reserved."
Operation ID: operations_get

Responses:
  "200":
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by\
    \
    \ Cisco Systems, Inc.\nAll rights reserved."
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/operations'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []

```

/yang-library-version

get:

Tags:

```

- yang-library-version
- get

```

Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n"

**\nThis module contains definitions for the following management
objects:**\n\

```

    \ Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
    \ rights reserved."

```

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\

Description: OK
Content: {}
security:
 - **basicAuth:** []

/data

get:

Tags:

- data
- get

Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane configuration.\n"

\nThis module contains definitions for the following management

objects:\n

\ Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\n rights reserved."

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\n configuration.\n\nThis module contains definitions for the following management\n \n**objects:**\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\n \n Inc.\nAll rights reserved."

Operation ID: data_get

Responses:

"200":

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\n configuration.\n\nThis module contains definitions for the following\n \n**management objects:**\n Endpoint & Interfaces\n\nCopyright (c) 2020 by\n \n Cisco Systems, Inc.\nAll rights reserved."

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
\nEndpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\n
rights reserved."
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\n
\nconfiguration.\n\nThis module contains definitions for the following management\n
\nobjects:\n\nEndpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\n
\nInc.\nAll rights reserved."
  Operation ID: data_put
  Request Body:
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\n
\nconfiguration.\n\nThis module contains definitions for the following management\n
\nobjects:\n\nEndpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\n
\nInc.\nAll rights reserved."
  Content:
  application/yang-data+json:
  Schema:
  Reference: '#/components/schemas/data-put-patch'
  Required/Optional: true

  Responses:
  "201":
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\n
\nconfiguration.\n\nThis module contains definitions for the following\n
\nmanagement objects:\n\nEndpoint & Interfaces\n\nCopyright (c) 2020 by\n
\nCisco Systems, Inc.\nAll rights reserved."
  Content: {}
  "400":
  Description: Bad Request
  Content: {}
  "401":
  Description: Unauthorized
  Content: {}
  "404":
  Description: Not Found
  Content: {}
  "405":
  Description: Method Not Allowed
  Content: {}
  "409":
  Description: Conflict
  Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: data

```

Method: Post

Tags:

- data
- post

Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane configuration.\n\
 \nThis module contains definitions for the following management

objects:\n\
 \ Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
 \ rights reserved."

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
 \ configuration.\n\nThis module contains definitions for the following management\
 \ **objects:**\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\n
 \ Inc.\nAll rights reserved."

Operation ID: data_post

Request Body:

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
 \ configuration.\n\nThis module contains definitions for the following management\
 \ **objects:**\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\n
 \ Inc.\nAll rights reserved."

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data-post'

Required/Optional: true

Responses:

"201":

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
 \ configuration.\n\nThis module contains definitions for the following\
 \ **management objects:**\n Endpoint & Interfaces\n\nCopyright (c) 2020 by\
 \ Cisco Systems, Inc.\nAll rights reserved."

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: data

head:


```

Tags:
- data
- head
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n\
\nThis module contains definitions for the following management
objects:\n\
  \ Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ Inc.\nAll rights reserved."
Operation ID: data_head

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n\
\nThis module contains definitions for the following management
objects:\n\
  \ Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ Inc.\nAll rights reserved."
Operation ID: data_patch
Request Body:
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ Inc.\nAll rights reserved."
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data-put-patch'
    Required/Optional: true

Responses:
"204":
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following\
  \ management objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by\
  \ Cisco Systems, Inc.\nAll rights reserved."
  Content: {}
"400":

```

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: data

```

/data/cnbng-cp:profile

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

- "200":
 - Description:** OK
 - Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:** '#/components/schemas/data_cnbng-cp_profile'
- "204":
 - Description:** No Content
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile'
      Required/Optional: true

Responses:
  "201":
    Description: container profile created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: profile
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_post

```

```
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile-post'
      Required/Optional: true

Responses:
  "201":
    Description: container profile created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: profile
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_options

  Responses:
```

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string

```

```
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile'
      Required/Optional: true

Responses:
  "204":
    Description: container profile updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
```

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: profile

/data/cnbng-cp:profile/dhcp

options:

Tags:
 - data
 - options
Operation ID: data_cnbng_cp_profile_dhcp_options

Responses:
"200":
Description: OK
Content: {}
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_get

Parameters:
 - **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config


```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:**

```

    Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: first
      enum:
      - first
      - last
      - before
      - after
  - Name: point

```

In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
Required/Optional: true

Responses:
"201":
 Description: list dhcp created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

x-codegen-request-body-name: dhcp

delete:

Tags:
- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_delete

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**

- data

- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_patch**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name'**Required/Optional:** true**Responses:****"204":****Description:** list dhcp updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** dhcp

/data/cnbng-cp:profile/dhcp={dhcp-name}/name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_name'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:
- basicAuth: []

put:

Tags:
- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_put

Parameters:
- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:
Content:
application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_name'
Required/Optional: true

Responses:
"201":
Description: leaf name created or replaced
Content: {}
"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
- **basicAuth:** []

x-codegen-request-body-name: name

delete:

Tags:
- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_name'
Required/Optional: true

Responses:

"204":
Description: leaf name updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":

Description: Conflict
Content: {}
security:
- **basicAuth:** []
x-codegen-request-body-name: name

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'

"204":
  Description: No Content
  Content: {}

"400":
  Description: Bad Request
  Content: {}

"401":
  Description: Unauthorized
  Content: {}

"404":
  Description: Not Found
  Content: {}

"405":
  Description: Method Not Allowed
  Content: {}

```

```
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4'
    Required/Optional: true

Responses:
"201":
  Description: container ipv4 created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

x-codegen-request-body-name: ipv4

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_post

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4-post'

Required/Optional: true

Responses:

"201":

Description: container ipv4 created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ipv4

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_delete

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_options

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_head

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

```

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4'
Required/Optional: true

Responses:

"204":
Description: container ipv4 updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv4

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/mode

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

```

    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode'

Required/Optional: true

Responses:
"201":
  Description: leaf mode created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mode
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config

- nonconfig

- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string


```
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode'

  Required/Optional: true

Responses:
  "204":
    Description: leaf mode updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
```

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:** **application/yang-data+json:** **Schema:** **Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server'
    Required/Optional: true

Responses:
  "201":
    Description: container server created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```

```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server-post'
    Required/Optional: true

Responses:
  "201":
    Description: container server created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
```

```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

```

Responses:
  "200":
    Description: OK
    Content: {}

```

```

security:
- basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_patch

```

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

```

Request Body:
Content:
  application/yang-data+json:
    Schema:

```

```

  Reference:
  '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server'
  Required/Optional: true

```

```

Responses:
  "204":
    Description: container server updated
    Content: {}

```



```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/pool-name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all

```

```

- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name'
  "204":
    Description: No Content

```

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name'
      Required/Optional: true

Responses:
  "201":
    Description: leaf pool-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: pool-name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:**"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_head**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- Name: depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:

```

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name'
```

```
Required/Optional: true
```

Responses:

```
"204":
```

```
Description: leaf pool-name updated
```

```
Content: {}
```

```
"400":
```

```
Description: Bad Request
```

```
Content: {}
```

```
"401":
```

```
Description: Unauthorized
```

```
Content: {}
```

```
"404":
```

```
Description: Not Found
```

```
Content: {}
```

```
"405":
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
"409":
```

```
Description: Conflict
```

```
Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: pool-name
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers

options:**Tags:**

```
- data  
- options
```

```
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_options
```

Parameters:

```
- Name: dhcp-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

Responses:

```
"200":
```

```
Description: OK
```

```
Content: {}
```

```
security:
- basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers={dns-servers-id}

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```


Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after

```

```

- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

    Required/Optional: true

Responses:
  "201":
    Description: leaf-list dns-servers created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_delete

Parameters:
- Name: dhcp-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: dns-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:

```

- basicAuth: []
head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** dns-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_patch

Parameters:

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

    Required/Optional: true

Responses:
  "204":
    Description: leaf-list dns-servers updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_options

Parameters:
- Name: dhcp-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers={n tp-servers-id}

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```


Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_put

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: ntp-servers-id
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: insert
      In: query

```

Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: first
 enum:
 - first
 - last
 - before
 - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

 Required/Optional: true

Responses:
 "201":
 Description: leaf-list ntp-servers created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}

```

    security:
      - basicAuth: []
    x-codegen-request-body-name: ntp-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path

```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: ntp-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

Required/Optional: true**Responses:**

"204":
Description: leaf-list ntp-servers updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:- **basicAuth:** []**x-codegen-request-body-name:** ntp-servers

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-s erver

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-s erver={netbios-name-server-id}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** netbios-name-server-id
 - In:** path
 - Required/Optional:** true


```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

Schema:
  Type: string
  Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

Required/Optional: true

Responses:
"201":
  Description: leaf-list netbios-name-server created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-name-server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data

```

- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** netbios-name-server-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** netbios-name-server-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all

```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_patch
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-name-server_netbios-name-server-id'
```

```
Required/Optional: true
```

Responses:

```

"204":
  Description: leaf-list netbios-name-server updated
  Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}

```

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-name-server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/domain-name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```


Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name'
    Required/Optional: true

Responses:
  "201":
    Description: leaf domain-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```

```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: domain-name
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
```

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter

```

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'
    Required/Optional: true

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/boot-filename:

Responses:

```
"204":
  Description: leaf domain-name updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain-name
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/boot-filename:

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
```

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:**

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
"401":
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
"404":
```

```
  Description: Not Found
```

```
  Content: {}
```

```
"405":
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
"409":
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_put
```

```
Parameters:
```

```
- Name: dhcp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'
```

```
      Required/Optional: true
```

```
Responses:
```

```
"201":
```

```
  Description: leaf boot-filename created or replaced
```

```
  Content: {}
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```



```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: boot-filename
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_patch

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'
      Required/Optional: true

Responses:
  "204":
    Description: leaf boot-filename updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: boot-filename

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/next-server

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_next-server'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_put**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'  
  Required/Optional: true  
  
  Responses:  
    "201":  
      Description: leaf next-server created or replaced  
      Content: {}  
    "204":  
      Description: No Content  
      Content: {}  
    "400":  
      Description: Bad Request  
      Content: {}  
    "401":  
      Description: Unauthorized  
      Content: {}  
    "404":  
      Description: Not Found  
      Content: {}  
    "405":  
      Description: Method Not Allowed  
      Content: {}  
    "409":  
      Description: Conflict  
      Content: {}  
  security:  
  - basicAuth: []  
  x-codegen-request-body-name: next-server  
delete:  
  
  Tags:  
  - data  
  - delete  
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_delete  
  
  Parameters:  
  - Name: dhcp-name  
    In: path  
    Required/Optional: true  
    Style: simple  
    Explode: false  
    Schema:  
      Type: string  
      Format: string  
  
  Responses:  
    "204":  
      Description: No Content  
      Content: {}  
  security:  
  - basicAuth: []  
options:
```

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response


```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_patch
```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'
    Required/Optional: true

Responses:
"204":
  Description: leaf next-server updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: next-server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-t ype

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
            Required/Optional: true

Responses:
  "201":
    Description: container netbios-node-type created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-node-type
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post'

  Required/Optional: true

Responses:
  "201":
    Description: container netbios-node-type created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-node-type
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:**"204":****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_options

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_head**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK

```



```

    Content: {}
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_patch

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'

```

    Required/Optional: true

```

Responses:

```

"204":
  Description: container netbios-node-type updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []

```

x-codegen-request-body-name: netbios-node-type

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-t ype/broadcast-node

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_broadcast-node'

            Required/Optional: true

    Responses:
      "201":
        Description: leaf broadcast-node created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: broadcast-node

```

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_delete

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_options

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content: {}
security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_patch

Parameters:
- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

Required/Optional: true

Responses:
"204":
Description: leaf broadcast-node updated
Content: {}
"400":
Description: Bad Request
Content: {}

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: broadcast-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-t type/hybrid-node

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_get

Parameters:

- Name: dhcp-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string
- Name: content
 - In: query
 - Description: controlling descendant nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: string
 - Format: enumeration
 - Default: config
 - enum:
 - config
 - nonconfig
 - all
- Name: depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hybrid-node'

Required/Optional: true

Responses:
  "201":
    Description: leaf hybrid-node created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hybrid-node
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

Schema:

Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'

  Required/Optional: true

Responses:
  "204":
    Description: leaf hybrid-node updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hybrid-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/mixed-node

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:


```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

Required/Optional: true

Responses:
  "201":
    Description: leaf mixed-node created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mixed-node
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":

```

```

    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

```
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_mixed-node'

Required/Optional: true

Responses:
"204":
  Description: leaf mixed-node updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mixed-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/peer-to-peer-node

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type-peer-to-peer-node'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf peer-to-peer-node created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: peer-to-peer-node

```

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_peer-to-peer-node'

Required/Optional: true

Responses:

"204":

Description: leaf peer-to-peer-node updated

Content: {}

"400":

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-to-peer-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hexadecimal

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig

- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hexadecimal'

    Required/Optional: true

Responses:
"201":
  Description: leaf hexadecimal created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}

```

```

    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hexadecimal
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false


```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

Required/Optional: true

Responses:
  "204":
    Description: leaf hexadecimal updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hexadecimal

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
    Required/Optional: true

Responses:
  "201":
    Description: container lease created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post'

```

Required/Optional: true

Responses:

"201":

Description: container lease created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: lease

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_delete

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false

```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_patch

Parameters:
```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
      Required/Optional: true

Responses:
  "204":
    Description: container lease updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/days

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_get

Parameters:

- Name: dhcp-name
- In: path


```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_put

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
        Required/Optional: true

  Responses:
    "201":
      Description: leaf days created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: days
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:

```

```
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
```

```
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'
      Required/Optional: true

Responses:
"204":
  Description: leaf days updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/hours

```
get:
```

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_put

```



```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
      Required/Optional: true

Responses:
"201":
  Description: leaf hours created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_delete

Parameters:
- Name: dhcp-name
  In: path

```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_patch**Parameters:**

- **Name:** dhcp-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'

Required/Optional: true**Responses:****"204":****Description:** leaf hours updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: hours

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/minutes:

get:

Tags:

```

- data
- get

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes'
        Required/Optional: true

  Responses:
    "201":
      Description: leaf minutes created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: minutes
delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_delete**Parameters:**

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":
Description: No Content
Content: {}

- security:**
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_options**Parameters:**

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

- security:**
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_head**Parameters:**

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'

Required/Optional: true

Responses:

"204":

Description: leaf minutes updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```

```
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option-codes'
    Required/Optional: true

Responses:
"201":
  Description: container option-codes created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
```

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: option-codes
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option-codes-post'
    Required/Optional: true

Responses:
"201":
  Description: container option-codes created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: option-codes
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string


```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option-codes'
      Required/Optional: true

Responses:
  "204":
    Description: container option-codes updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code

```

options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}

```

get:

  Tags:

```

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

```

- data
- put

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_put
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

Required/Optional: true**Responses:****"201":****Description:** list option-code created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: option-code**delete:****Tags:**- data
- delete**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_delete

Parameters:- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** option-code-option-code

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:
"204":
 Description: No Content
 Content: {}
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_options

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32

Responses:
"200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter


```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: integer
    Format: uint32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

    Required/Optional: true

  Responses:
    "204":
      Description: list option-code updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: option-code

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/option-code

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_get

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_option-code'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_put

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_option-code'
```

Required/Optional: true

Responses:

- "201":
 - Description:** leaf option-code created or replaced
 - Content:** {}
- "204":
 - Description:** No Content
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: option-code

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:
"200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Request Body:

- Content:**
 - application/yang-data+json:**
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code-option-code_option-code'

Required/Optional: true**Responses:**

- "204":
 - Description:** leaf option-code updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []
- x-codegen-request-body-name:** option-code

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ascii-string

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp=[dhcp-name]/ipv4_server_option-codes_option-code_option-code-option-code_ascii-string'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```

```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string'

```

```

Required/Optional: true

```

Responses:

```

"201":
  Description: leaf ascii-string created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii-string
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

```
options:
```

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32

Responses:

- "200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false

```
Schema:
  Type: integer
  Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** option-code-option-code

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer

Format: uint32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option-code-option-code_ascii-string'

Required/Optional: true

Responses:

"204":

Description: leaf ascii-string updated

Content: {}

"400":


```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii-string

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/hex-string

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option-code_option-code-option-code_hex-string'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_put

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** option-code-option-code**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```

Schema:
  Type: integer
  Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string'

Required/Optional: true

Responses:
  "201":
    Description: leaf hex-string created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex-string
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:

```

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_patch
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string'

  Required/Optional: true

Responses:
  "204":
    Description: leaf hex-string updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: hex-string

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address

```

options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_options

  Parameters:
  - Name: dhcp-name

```



```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

```

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code-option-code_ip_address_ip_address-id'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

Schema:
  Type: string
  Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'

  Required/Optional: true

Responses:

```

```

"201":
  Description: leaf-list ip-address created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip-address
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32
- **Name:** ip-address-id
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_options

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"200":
  Description: OK
  Content: {}
security:
- basicAuth: []

```

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32
- **Name:** ip-address-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_patch

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32
- **Name:** ip-address-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'
```

Required/Optional: true**Responses:****"204":****Description:** leaf-list ip-address updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: ip-address

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/force-insert

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Request Body:

```

  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert'

```

```

  Required/Optional: true

```

Responses:

```

  "201":
    Description: leaf force-insert created or replaced

```

```

    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: force-insert
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:

"200":
 Description: OK
 Content: {}

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** option-code-option-code

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_patch

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert'

Required/Optional: true

Responses:


```
"204":
  Description: leaf force-insert updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: force-insert
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class

options:

```
Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_options
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
      Required/Optional: true

Responses:
  "201":
    Description: list class created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_head

  Parameters:
  - Name: dhcp-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_patch

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:

```



```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name'
        Required/Optional: true

  Responses:
    "204":
      Description: list class updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: class

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/class-name

```

get:

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_get

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: class-class-name
      In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf class-name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_delete

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK

```

    Content: {}
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_patch

Parameters:
- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_class-name'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf class-name updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

```

  Tags:
  - data
  - get

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches'

Required/Optional: true

Responses:
"201":
  Description: container matches created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed

```

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches-post'

Required/Optional: true

Responses:
"201":
  Description: container matches created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized

```

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_options

  Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_patch

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches'

    Required/Optional: true

  Responses:
    "204":
      Description: container matches updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":

```



```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

```

  "200":
    Description: OK
    Content: {}

```

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_match_match_key_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'
```

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_put

Parameters:- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** match-key**In:** path**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'

Required/Optional: true

Responses:
"201":
  Description: list match created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}

```

```

    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: match
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_delete

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id

```

- dhcpv4-vendor-class
- dhcpv4-user-class

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_options

Parameters:

- **Name:** dhcp-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** class-class-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** match-key

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** dhcpv4-circuit-id**enum:**

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

Responses:**"200":****Description:** OK**Content:** {}

```

    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_head

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config


```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

```
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}
```

Tags:

- data
- patch

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_patch
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Request Body:**Content:**

```
application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key'
```

```
Required/Optional: true
```

Responses:

```
"204":
```

```
Description: list match updated
```

```
Content: {}
```

```
"400":
```

```
Description: Bad Request
```

```
Content: {}
```

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/key

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

- Schema:**
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all
 - **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
 - **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
 - **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
 - **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches_match_match-key_key'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_match_match_key_key_put

Parameters:

- **Name:** dhcp-name
- In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: dhcpv4-circuit-id
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches_match_match-key_key'
```

Required/Optional: true

Responses:**"201":****Description:** leaf key created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}

```

"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_options

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

```

  security:
    - basicAuth: []

```

head:

```

  Tags:
  - data
  - head

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_patch

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'

Required/Optional: true

Responses:

"204":
Description: leaf key updated
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}

```

"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/ascii

options:

```

Tags:
- data
- options
Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_options

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id

```

- dhcpv4-vendor-class
- dhcpv4-user-class

Responses:**"200":****Description:** OK**Content:** {}**security:**

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

Parameters:

- **Name:** dhcp-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** class-class-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** match-key

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** dhcpv4-circuit-id**enum:**

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class

- dhcpv4-user-class
 - **Name:** ascii-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

Parameters:

- **Name:** dhcp-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point

```



```

In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

  Required/Optional: true

Responses:
  "201":
    Description: leaf-list ascii created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: ascii
delete:

  Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

Parameters:
  - Name: dhcp-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  "200":
    Description: OK
    Content: {}

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all

```
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
```

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

Required/Optional: true

Responses:

```

"204":
  Description: leaf-list ascii updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/hex

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_options

Parameters:

- Name: dhcp-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string
- Name: class-class-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string

```

    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

```

Responses:
  "200":
    Description: OK
    Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/hex={hex-id}

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```



```
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_put

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** hex-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** insert
 - In:** query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: first

enum:

- first
- last
- before
- after

- **Name:** point

In: query

Description: used to specify the insertion point

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

Required/Optional: true

Responses:

"201":

Description: leaf-list hex created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: hex
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```
"204":
```

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: dhcpv4-circuit-id

enum:

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

- **Name:** hex-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

```

"200":
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

```

Tags:

```

- data
- head

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_head
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** hex-id
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

Required/Optional: true

Responses:
  "204":
    Description: leaf-list hex updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: hex

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match-type

get:

```

Tags:
  - data
  - get
Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_get

Parameters:
  - Name: dhcp-name
    In: path

```

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

Required/Optional: true**Responses:**

"201":
Description: leaf match-type created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

```

- basicAuth: []
x-codegen-request-body-name: match-type

```

delete:

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:

Tags:

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_options

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_match_type_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches_match-type'

Required/Optional: true**Responses:**

"204":
Description: leaf match-type updated
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:- **basicAuth:** []**x-codegen-request-body-name:** match-type

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

  Required/Optional: true

  Responses:
  "201":
    Description: container server created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server-post'

Required/Optional: true

Responses:
"201":
  Description: container server created

```

```

    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:

```

- **basicAuth:** []
options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```


Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

Required/Optional: true

Responses:

"204":
Description: container server updated
Content: {}

"400":

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/pool-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_put

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string

```

    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

Required/Optional: true

Responses:
  "201":
    Description: leaf pool-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pool-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
"204":
 Description: No Content
 Content: {}
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_options

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_patch

Parameters:

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string


```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

  Required/Optional: true

Responses:
  "204":
    Description: leaf pool-name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns-servers

```

options:

  Tags:
  - data
  - options
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns-servers={dns-servers-id}

get:**Tags:**

```

- data
- get

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_get
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple

```

```
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_dns-servers_dns-servers-id'

    Required/Optional: true

Responses:
  "201":

```

```

    Description: leaf-list dns-servers created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_delete

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_dns_servers_dns_servers_id_options
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:
```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** dns-servers-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:

Type: integer
Format: uint16

- Name: fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: string

- Name: filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: string

- Name: with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: enumeration
Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_patch

Parameters:

- **Name:** dhcp-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: dns-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'
```

```
Required/Optional: true
```

Responses:

```

"204":
  Description: leaf-list dns-servers updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```
security:
```

```
- basicAuth: []
x-codegen-request-body-name: dns-servers
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers

options:

Tags:

```
- data
- options
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_options

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
"200":
  Description: OK
  Content: {}
```

security:

```
- basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers={ntp-servers-id}

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_ntp-servers_ntp-servers-id'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

```

    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
  enum:

```

```

    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

  Required/Optional: true

Responses:
  "201":
    Description: leaf-list ntp-servers created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ntp-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp_servers_ntp_servers_id_delete

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"204":
 Description: No Content
 Content: {}

security:
- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name


```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_head
```

Parameters:

```
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
```

```

Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

- **Name:** ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_ntp_servers_ntp_servers-id'

Required/Optional: true

Responses:

"204":
Description: leaf-list ntp-servers updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
- **basicAuth:** []

x-codegen-request-body-name: ntp-servers

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_netbios_name_server_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string

```

```

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server={netbios-name-server-id}

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: netbios-name-server-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string

```

Request Body:**Content:**

```
application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'
```

```
Required/Optional: true
```

Responses:

```
"201":
```

```
Description: leaf-list netbios-name-server created or replaced
```

```
Content: {}
```

```
"204":
```

```
Description: No Content
```

```
Content: {}
```

```
"400":
```



```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-name-server
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** netbios-name-server-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** netbios-name-server-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_patch

Parameters:

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

```

    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cring-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

Required/Optional: true

Responses:
  "204":
    Description: leaf-list netbios-name-server updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-name-server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/domain-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":**

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_domain-name'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf domain-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```



```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: domain-name
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_domain-name'

Required/Optional: true

Responses:

"204":
Description: leaf domain-name updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/boot-filename

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'
```

Required/Optional: true

Responses:

"201":

Description: leaf boot-filename created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: boot-filename

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_delete
```

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple


```

    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_head

Parameters:
- Name: dhcp-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form

```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf boot-filename updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: boot-filename

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/next-server

```

get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_get

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_next-server'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_next_server_put

Parameters:
 - **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf next-server created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: next-server
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_delete

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:


```

    "200":
      Description: OK
      Content: {}
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf next-server updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: next-server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type'

Required/Optional: true

Responses:
"201":
  Description: container netbios-node-type created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found

```

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_post

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type-post'
```

```
Required/Optional: true
```

Responses:

```

"201":
  Description: container netbios-node-type created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":

```

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_delete

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:

```


- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'

Required/Optional: true

Responses:

"204":

Description: container netbios-node-type updated

Content: {}

"400":

Description: Bad Request

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-node-type

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/broadcast-node

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false

```

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_netbios-node-type_broadcast-node'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_netbios_node_type_broadcast_node_put

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_netbios_node_type_broadcast_node'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf broadcast-node created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: broadcast-node
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_netbios_node_type_broadcast_node_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_netbios_node_type_broadcast_node'

Required/Optional: true

Responses:
  "204":
    Description: leaf broadcast-node updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: broadcast-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/hybrid-node

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_netbios_node_type_hybrid_node_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node_put

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

- Content:**
application/yang-data+json:
Schema:
Reference:

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'
```

Required/Optional: true

Responses:

- "201":
Description: leaf hybrid-node created or replaced
Content: {}
- "204":
Description: No Content
Content: {}
- "400":
Description: Bad Request
Content: {}
- "401":
Description: Unauthorized
Content: {}
- "404":
Description: Not Found
Content: {}
- "405":
Description: Method Not Allowed
Content: {}
- "409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: hybrid-node
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all


```
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
```

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'

Required/Optional: true

Responses:

"204":

Description: leaf hybrid-node updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: hybrid-node

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/mixed-node

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```

```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

Required/Optional: true

Responses:
"201":
  Description: leaf mixed-node created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}

```

```

    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mixed-node
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_delete

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

```

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```


Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

Required/Optional: true

Responses:

"204":
Description: leaf mixed-node updated
Content: {}

"400":

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mixed-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/peer-to-peer-node

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node'
```

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_put
```

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'

Required/Optional: true

Responses:
  "201":
    Description: leaf peer-to-peer-node created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-to-peer-node
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_options

```

```

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:

```

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_patch
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true

```



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'

  Required/Optional: true

Responses:
  "204":
    Description: leaf peer-to-peer-node updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-to-peer-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/hexadecimal

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_get

Parameters:

- **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data

```

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type_hexadecimal'

Required/Optional: true

Responses:

- "201":
Description: leaf hexadecimal created or replaced
Content: {}
- "204":
Description: No Content
Content: {}
- "400":
Description: Bad Request
Content: {}
- "401":
Description: Unauthorized
Content: {}
- "404":
Description: Not Found
Content: {}
- "405":
Description: Method Not Allowed
Content: {}
- "409":
Description: Conflict
Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: hexadecimal
delete:

```

```

Tags:
- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_options

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_head
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config

```

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type_hexadecimal'

Required/Optional: true

Responses:

- "204":
 - Description:** leaf hexadecimal updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:


```
- basicAuth: []
x-codegen-request-body-name: hexadecimal
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":**

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

  Required/Optional: true

  Responses:
  "201":
    Description: container lease created or replaced
    Content: {}
  "204":
    Description: No Content

```

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lease
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_lease-post'

Required/Optional: true

```

Responses:

"201":
 Description: container lease created
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: lease

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_delete

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:

"204":

```

    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_patch

Parameters:
 - **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_lease'

Required/Optional: true

Responses:

"204":


```

    Description: container lease updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lease

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/days

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all

```

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

    Required/Optional: true

Responses:
  "201":
    Description: leaf days created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: days
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_options

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data

```

- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config

- nonconfig

- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

Required/Optional: true

Responses:
  "204":
    Description: leaf days updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/hours

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```



```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

```

    Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_put

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

Required/Optional: true

Responses:

- "201":
 - Description:** leaf hours created or replaced
 - Content:** {}
- "204":
 - Description:** No Content
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []
 - x-codegen-request-body-name:** hours
- delete:**

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_delete

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

Schema:

Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_patch

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

Required/Optional: true

Responses:

- "204":
 - Description:** leaf hours updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []
- x-codegen-request-body-name:** hours

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/minutes

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_lease_minutes_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_lease_minutes'

    Required/Optional: true

Responses:
  "201":
    Description: leaf minutes created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```

```
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: minutes
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
```

- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_lease_minutes'

      Required/Optional: true

  Responses:
    "204":
      Description: leaf minutes updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}

```

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```
"200":
```



```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'

Required/Optional: true

Responses:
  "201":
    Description: container option-codes created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post'

Required/Optional: true

Responses:
  "201":
    Description: container option-codes created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:

Type: string
Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** class-class-name

In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_option-codes'

Required/Optional: true

Responses:
"204":
  Description: container option-codes updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_options

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}

get:**Tags:**

```

- data
- get

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_get
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```



```

    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults

```

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_put

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
```

Reference:

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code'
```

Required/Optional: true

Responses:

"201":

Description: list option-code created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: option-code

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_delete
```

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** option-code-option-code

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer
Format: uint32

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** option-code-option-code

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer
Format: uint32

Responses:**"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_head

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** option-code-option-code**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** uint32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig

```

    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
```

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code'

Required/Optional: true

Responses:

"204":
Description: list option-code updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
- **basicAuth:** []
x-codegen-request-body-name: option-code

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/option-code
: get:

Tags:

- data
- get

Operation ID:

data_crbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_option_code'

      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_put

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer

Format: uint32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code'

Required/Optional: true

Responses:

"201":

Description: leaf option-code created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: option-code

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_delete

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```
data_crbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_options
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: string

- **Name:** option-code-option-code
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** integer
 - Format:** uint32

Responses:

"200":

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_head

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**- data
- patch**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_patch

Parameters:- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** option-code-option-code**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** uint32**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code'

Required/Optional: true**Responses:****"204":****Description:** leaf option-code updated


```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: option-code
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ascii-string
: get:

Tags:
- data
- get

Operation ID:
data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_get

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string'

  Required/Optional: true

Responses:
  "201":
    Description: leaf ascii-string created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii-string
delete:

```

Tags:

- data
- delete

Operation ID:

data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:**Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** option-code-option-code**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** uint32**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:****- data****- head****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_head

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** option-code-option-code

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_patch

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32

Request Body:

Content:


```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

      Required/Optional: true

    Responses:
      "204":
        Description: leaf ascii-string updated
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: ascii-string
  ?
  /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/hex-string
  : get:

    Tags:
      - data
      - get
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_get

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path
        Required/Optional: true
        Style: simple

```

```

    Explode: false
    Schema:
      Type: string
      Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_put

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32

Request Body:

Content:
 application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string'

Required/Optional: true

Responses:

- "201":
Description: leaf hex-string created or replaced
Content: {}
- "204":
Description: No Content
Content: {}
- "400":
Description: Bad Request
Content: {}
- "401":
Description: Unauthorized
Content: {}
- "404":
Description: Not Found
Content: {}
- "405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hex-string
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data

```

- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string

```

    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_patch

Parameters:

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string


```

- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex-string'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf hex-string updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: hex-string
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address
: options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_options

  Parameters:
  - Name: dhcp-name
    In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}

: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_get

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

"/components/schemas/data-cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address/{ip-address-id}"

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []
put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32
- **Name:** ip-address-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** first

```

    enum:
      - first
      - last
      - before
      - after
  - Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          "#components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id"
  Required/Optional: true

  Responses:
    "201":
      Description: leaf-list ip-address created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip-address
delete:

  Tags:
  - data
  - delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32
- **Name:** ip-address-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** ip-address-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true


```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32
  - Name: ip-address-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code-option-code_ip-address_ip-address-id'
    Required/Optional: true

Responses:
  "204":
    Description: leaf-list ip-address updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed

```

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip-address
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/force-insert
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_get

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:**

Reference:

```
'#/components/schemas/data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert'
```

```
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID:

```
data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_put
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
```

```

    Explode: false
    Schema:
      Type: integer
      Format: uint32
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert'

    Required/Optional: true

Responses:
  "201":
    Description: leaf force-insert created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: force-insert
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_delete

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

Schema:

- Type:** string
- Format:** string
- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** integer
 - Format:** uint32

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_options

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

    "200":
      Description: OK
      Content: {}
      security:
        - basicAuth: []
      patch:

```

```

      Tags:
        - data
        - patch

```

```

      Operation ID:

```

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_patch

```

```

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

```

Request Body:

```

```

  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert'

```

```

    Required/Optional: true

```

```

Responses:

```

```

  "204":
    Description: leaf force-insert updated
    Content: {}
  "400":

```

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: force-insert

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'

"204":
Description: No Content
Content: {}

```

    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'
      Required/Optional: true

Responses:
"201":
  Description: container ipv6 created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized

```

```
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv6
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6-post'

Required/Optional: true

Responses:
  "201":
    Description: container ipv6 created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
```

```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"200":
  Description: OK
  Content: {}
```



```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6'
        Required/Optional: true

Responses:
  "204":

```

```

    Description: container ipv6 updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv6

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/mode

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config

```

- nonconfig
- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'

```
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'

Required/Optional: true

Responses:
"201":
  Description: leaf mode created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
```

```
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
```



```

    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_mode'

    Required/Optional: true

Responses:
  "204":
    Description: leaf mode updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false

```

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

```

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_put

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'
      Required/Optional: true

Responses:

```

```

"201":
  Description: container server created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server-post'
  Required/Optional: true

Responses:
"201":
  Description: container server created
  Content: {}
"204":

```

```
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_options

Parameters:
- Name: dhcp-name
  In: path
```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_patch

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'
        Required/Optional: true

  Responses:
    "204":
      Description: container server updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iana-pool-name

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_get

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```


- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_put**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:**

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'
```

Required/Optional: true

Responses:

"201":

Description: leaf iana-pool-name created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: iana-pool-name

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_delete

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all

```
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
```

- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'

Required/Optional: true

Responses:

"204":

Description: leaf iana-pool-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: iana-pool-name

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iapd-pool-name

get:

Tags:

- data

- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true


```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'
      Required/Optional: true

Responses:
  "201":
    Description: leaf iapd-pool-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: iapd-pool-name
delete:

Tags:
  - data
  - delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_delete

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_patch

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd-pool-name'
          Required/Optional: true

  Responses:
    "204":
      Description: leaf iapd-pool-name updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: iapd-pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers={dns-servers-id}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** dns-servers-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

```

    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'

    Required/Optional: true

Responses:
  "201":
    Description: leaf-list dns-servers created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```



```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns-servers
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: dns-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_options

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** dns-servers-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** dns-servers-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

"200":
 Description: OK
 Content: {}

security:
 - basicAuth: []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_patch

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** dns-servers-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers-id'

Required/Optional: true

Responses:

"204":
 Description: leaf-list dns-servers updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

```

"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/domain-name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name'
        Required/Optional: true

  Responses:
  "201":
    Description: leaf domain-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":

```

```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain-name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
- basicAuth: []
head:

Tags:
```


- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
      Required/Optional: true

Responses:
  "204":
    Description: leaf domain-name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}

```

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/preference

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference'
      Required/Optional: true

Responses:
  "201":
    Description: leaf preference created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: preference
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":

```

Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
Default: report-all

enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_preference'
Required/Optional: true


```

Responses:
  "204":
    Description: leaf preference updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: preference

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/aftr-name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config

```

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
"401":
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
"404":
```

```
  Description: Not Found
```

```
  Content: {}
```

```
"405":
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
"409":
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_put
```

```
Parameters:
```

```
- Name: dhcp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
```

```
      Required/Optional: true
```

```
Responses:
```

```
"201":
```

```
  Description: leaf aftr-name created or replaced
```

```
  Content: {}
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aftr-name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_patch

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
      Required/Optional: true

Responses:
  "204":
    Description: leaf aftr-name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aftr-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/rapid-commit

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'

Required/Optional: true

Responses:**"201":****Description:** leaf rapid-commit created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** rapid-commit**delete:****Tags:****- data**
- delete**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_delete**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"204":****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:****- data**

- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_patch

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'
      Required/Optional: true

Responses:
  "204":
    Description: leaf rapid-commit updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: rapid-commit

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_get

Parameters:

- **Name:** dhcp-name
- In:** path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease'
        Required/Optional: true

  Responses:
    "201":
      Description: container lease created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lease
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:

```



```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post'
      Required/Optional: true

Responses:
  "201":
    Description: container lease created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all

```

```
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
```

- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease'

Required/Optional: true

Responses:

"204":

Description: container lease updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: lease

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/days

get:

Tags:

- data

- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'
        Required/Optional: true

Responses:
  "201":
    Description: leaf days created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days'
        Required/Optional: true

Responses:
  "204":
    Description: leaf days updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: days

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/hours

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all

- trim

- explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_put

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours'

Required/Optional: true

Responses:

"201":

Description: leaf hours created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: hours

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
Required/Optional: true

Responses:

"204":
Description: leaf hours updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: hours

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/minutes:

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}

```

```

    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes'
      Required/Optional: true

Responses:
"201":
  Description: leaf minutes created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []

```

x-codegen-request-body-name: minutes

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_delete

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_options

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_patch

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes'
 Required/Optional: true

Responses:

"204":
 Description: leaf minutes updated
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class

options:

```

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_options

```

Parameters:

```

  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_get
  Parameters:

```

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false


```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data

```

- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_put

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'

Required/Optional: true

Responses:

```
"201":
  Description: list class created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
```

```

    Content: {}
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

```
head:
```

```

  Tags:
    - data
    - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_head

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_patch

Parameters:
 - **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name'
Required/Optional: true

Responses:
"204":
Description: list class updated
Content: {}

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/class-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```


Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_class-name'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_class_name_put

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-name_class-name'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf class-name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: class-name
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_class_name_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

```

```
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_head
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-name_class-name'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf class-name updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: class-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

```

get:

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_matches_get

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:

```

- Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_put

Parameters:
 - **Name:** dhcp-name


```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_matches'

    Required/Optional: true

  Responses:
    "201":
      Description: container matches created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches
Method: Post

  Tags:

```

- data
- post

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_post

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches-post'

Required/Optional: true**Responses:**

- "201":
 - Description:** container matches created
 - Content:** {}
- "204":
 - Description:** No Content
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

```
security:
- basicAuth: []
x-codegen-request-body-name: matches
delete:
```

Tags:

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_delete
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_options
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth

```
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches'

Required/Optional: true**Responses:**

- "204":
 - Description:** container matches updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: matches

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_matches_match_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_matches_match_match_key_get

Parameters:

- **Name:** dhcp-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields

```


In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_put

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

  Required/Optional: true

Responses:
  "201":
    Description: list match created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

x-codegen-request-body-name: match
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}

security:
 - **basicAuth:** []
patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_patch

Parameters:

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

```

    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

Request Body:**Content:**

```
application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'
```

```
Required/Optional: true
```

Responses:

```
"204":
```

```
  Description: list match updated
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
"401":
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
"404":
```

```
  Description: Not Found
```

```
  Content: {}
```

```
"405":
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
"409":
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```



```
- basicAuth: []
x-codegen-request-body-name: match
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/key

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
```

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: string

- **Name:** match-key
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_matches_match_match-key_key'
```

Required/Optional: true

Responses:

"201":

Description: leaf key created or replaced**Content:** {}

"204":

Description: No Content**Content:** {}

"400":

Description: Bad Request**Content:** {}

"401":

Description: Unauthorized**Content:** {}

"404":

Description: Not Found**Content:** {}

"405":

Description: Method Not Allowed**Content:** {}

"409":

Description: Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** key**delete:****Tags:**

- data

- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_options

Parameters:

- **Name:** dhcp-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_head

```

Parameters:

```

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_patch

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple

```



```

Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

Required/Optional: true

Responses:
"204":
  Description: leaf key updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/ascii

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_matches_match_match_key_ascii_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_matches_match_match_key_ascii_ascii_id_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_matches_match_match_key_ascii_ascii_id'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_matches_match_match_key_ascii_ascii_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:

```

application/yang-data+json:**Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

Required/Optional: true**Responses:****"201":****Description:** leaf-list ascii created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** ascii**delete:****Tags:**- data
- delete**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

```

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []

```

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

```

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path

```



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
  In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- Name: ascii-id
  In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

Parameters:
- Name: dhcp-name
  In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all

- trim

- explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

```

Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'
Required/Optional: true

Responses:
  "204":
    Description: leaf-list ascii updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ascii

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/hex

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id

```
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/hex={hex-id}
```

```
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
```

Responses:

```
"200":
  Description: OK
  Content: {}
```

security:

```
- basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/hex={hex-id}

get:**Tags:**

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_get
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
```

```
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last

```

    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'

Required/Optional: true

Responses:
  "201":
    Description: leaf-list hex created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_delete

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** hex-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'

Required/Optional: true

Responses:

"204":
Description: leaf-list hex updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
- **basicAuth:** []

x-codegen-request-body-name: hex

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_matches_match_type_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false


```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_put

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf match-type created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: match-type
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_delete

  Parameters:
    - Name: dhcp-name
      In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  "200":
    Description: OK
    Content: {}
  security:

```

- basicAuth: []
head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_patch

Parameters:

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf match-type updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: match-type

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response


```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_put

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

Required/Optional: true

Responses:

- "201":
 - Description:** container server created or replaced
 - Content:** {}
- "204":
 - Description:** No Content
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server-post'

Required/Optional: true

Responses:
"201":
  Description: container server created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found

```

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true

```

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_head

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
```

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

```

    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_patch

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server'

    Required/Optional: true

  Responses:
    "204":
      Description: container server updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":

```

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: server

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iana-pool-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response


```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name'
```

```

"204":
  Description: No Content
  Content: {}
"400":

```

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_iana-pool-name'

    Required/Optional: true

Responses:
  "201":
    Description: leaf iana-pool-name created or replaced

```

```

    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: iana-pool-name
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_patch

Parameters:
 - **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_iana-pool-name'

Required/Optional: true

Responses:

```

"204":
  Description: leaf iana-pool-name updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: iana-pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iapd-pool-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_put

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

  Required/Optional: true

Responses:
  "201":
    Description: leaf iapd-pool-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: iapd-pool-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:
```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_patch

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf iapd-pool-name updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: iapd-pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns-servers

```

options:

  Tags:
  - data
  - options
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_options

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns-servers={dns-servers-id}

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_dns_servers_dns_servers_id_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

Schema:
  Type: string
  Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```



```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server_dns-servers_dns-servers-id'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_dns_servers_dns_servers_id_put
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
 - **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
 - **Name:** dns-servers-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
 - **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
 - **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- Request Body:**
- Content:**
- application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_dns_servers_dns_servers_id'
```

Required/Optional: true

Responses:

"201":

Description: leaf-list dns-servers created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: dns-servers

delete:

Tags:

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_dns_servers_dns_servers_id_delete
```

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: dns-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_dns_servers_dns_servers_id_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:**"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:****- data**
- head**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_dns_servers_dns_servers_id_head

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** dns-servers-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:****- config**

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** dns-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_dns_servers_dns_servers-id'

Required/Optional: true

Responses:

"204":
Description: leaf-list dns-servers updated
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/domain-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_get

Parameters:

- Name: dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:


```

- config
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

```

Required/Optional: true

Responses:

"201":

Description: leaf domain-name created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: domain-name

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_delete

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:**"204":****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_options

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_head

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_domain-name'

Required/Optional: true

Responses:

"204":

Description: leaf domain-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: domain-name

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/preference

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_preference_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

```

Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```


Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf preference created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: preference
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_delete

  Parameters:
  - Name: dhcp-name
    In: path

```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server_preference'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf preference updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: preference

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/aftr-name

```

get:

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_aftr_name_get

  Parameters:

```

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:

```


- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_put

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

Schema:

- Type:** string
- Format:** string

- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_aftr-name'

Required/Optional: true**Responses:****"201":**

- Description:** leaf aftr-name created or replaced
- Content:** {}

"204":

- Description:** No Content
- Content:** {}

"400":

- Description:** Bad Request
- Content:** {}

"401":

- Description:** Unauthorized
- Content:** {}

"404":

- Description:** Not Found
- Content:** {}

"405":

- Description:** Method Not Allowed
- Content:** {}

"409":

- Description:** Conflict
- Content:** {}

```

    security:
      - basicAuth: []
    x-codegen-request-body-name: aftr-name
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_delete

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

    Responses:
      "204":
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_options

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path

```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_aftr_name_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_aftr_name'

Required/Optional: true**Responses:**

"204":
Description: leaf aftr-name updated
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:- **basicAuth:** []**x-codegen-request-body-name:** aftr-name

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/rapid-commit

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_rapid_commit_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":**

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_rapid-commit'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf rapid-commit created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```



```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: rapid-commit
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data

```

- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_patch

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: class-class-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_rapid-commit'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf rapid-commit updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":

```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: rapid-commit

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK

```

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

    Required/Optional: true

  Responses:
    "201":
      Description: container lease created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lease
  Method: Post

  Tags:
  - data
  - post
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_post

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple

```



```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post'

    Required/Optional: true

Responses:
  "201":
    Description: container lease created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: lease
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_delete

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_options

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data

```

- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_lease_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config

- nonconfig

- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

Required/Optional: true

Responses:
  "204":
    Description: container lease updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/days

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string

```

```

    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_put

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'
```

Required/Optional: true

Responses:

- "201":
 - Description:** leaf days created or replaced
 - Content:** {}
- "204":
 - Description:** No Content
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: days

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form

```

    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_patch

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

      Required/Optional: true

Responses:
  "204":
    Description: leaf days updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/hours

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_lease_hours_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_hours'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf hours created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hours
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_hours'

Required/Optional: true

Responses:

"204":
Description: leaf hours updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/minutes

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_get

Parameters:

- Name: dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content:

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_put

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: class-class-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'
```

Required/Optional: true

Responses:

"201":

Description: leaf minutes created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: minutes

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_delete

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string

    Responses:
      "204":
        Description: No Content
        Content: {}
      security:
      - basicAuth: []
    options:

    Tags:
    - data
    - options
    Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_options

    Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: class-class-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

    Responses:
      "200":
        Description: OK
        Content: {}
      security:
      - basicAuth: []
    head:

    Tags:
    - data
    - head
    Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_head

    Parameters:
    - Name: dhcp-name

```



```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
```

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
 Description: OK
 Content: {}

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

      Required/Optional: true

    Responses:
      "204":
        Description: leaf minutes updated
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/pppoe

```

options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_options

  Responses:
    "200":
      Description: OK
      Content: {}
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}

```

get:

```

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_get**Parameters:**

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```
    Type: string
    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_put

Parameters:
```

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
 - **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
 - **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- Request Body:**
- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:** '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'
 - Required/Optional:** true
- Responses:**
- "201":
 - Description:** list pppoe created or replaced
 - Content:** {}
 - "204":
 - Description:** No Content
 - Content:** {}
 - "400":
 - Description:** Bad Request
 - Content:** {}
 - "401":
 - Description:** Unauthorized
 - Content:** {}

```
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pppoe
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```

```
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```



```
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'
      Required/Optional: true
```

Responses:

- "204":
 - Description:** list pppoe updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: pppoe

/data/cnbng-cp:profile/pppoe={pppoe-name}/name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
 Description: OK
 Content:
 application/yang-data+json:

```

    Schema:
    Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng-cp_profile_pppoe_pppoe-name_name_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'

    Required/Optional: true

Responses:
"201":
  Description: leaf name created or replaced
  Content: {}
"204":
  Description: No Content

```

```
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: name
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
```

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_patch

Parameters:
- **Name:** pppoe-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'

  Required/Optional: true

Responses:
  "204":
    Description: leaf name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/mtu

```

get:

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_get

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content

```


In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_put**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'

```
    Required/Optional: true

Responses:
  "201":
    Description: leaf mtu created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mtu
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:
```

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_options

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_head

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_patch
```

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'

Required/Optional: true

Responses:

"204":
 Description: leaf mtu updated
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- **basicAuth:** []
x-codegen-request-body-name: mtu

/data/cnbng-cp:profile/pppoe={pppoe-name}/ctrl-pkt-priority**get:****Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_get

Parameters:

- **Name:** pppoe-name

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_put

Parameters:

- **Name:** pppoe-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false


```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
            Required/Optional: true

  Responses:
    "201":
      Description: leaf ctrl-pkt-priority created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ctrl-pkt-priority
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

Responses:**"204":****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_options**Parameters:****- Name:** pppoe-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_head**Parameters:****- Name:** pppoe-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string

Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content: {}

```

    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_patch

  Parameters:
    - Name: pppoe-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority'
            Required/Optional: true

  Responses:
    "204":
      Description: leaf ctrl-pkt-priority updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ctrl-pkt-priority

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-selection-disable

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_put

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'

Required/Optional: true

Responses:

"201":

Description: leaf service-selection-disable created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: service-selection-disable

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_delete

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_options

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_head

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple


```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_patch

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_service-selection-disable'
Required/Optional: true

Responses:

"204":
Description: leaf service-selection-disable updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: service-selection-disable

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload'
      Required/Optional: true

Responses:
"201":
  Description: container max-payload created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max-payload
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_post'
      Required/Optional: true

Responses:
"201":
  Description: container max-payload created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-payload

```

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_delete**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_options**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_head**Parameters:**

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_max-payload'

Required/Optional: true

Responses:

"204":

Description: container max-payload updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-payload

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/deny

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```

```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny'
      Required/Optional: true

Responses:
"201":
  Description: leaf deny created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed

```

```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: deny
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_head

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_max-payload_deny'
    Required/Optional: true

Responses:
  "204":
    Description: leaf deny updated
    Content: {}
```

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deny

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/minimum

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all

```


- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum'
      Required/Optional: true

Responses:
  "201":
    Description: leaf minimum created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: minimum
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
```

Responses:**"200":****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_head**Parameters:**- **Name:** pppoe-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config
- nonconfig
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
```

Reference:
 '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_max-payload_minimum'
Required/Optional: true

Responses:

"204":
Description: leaf minimum updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

x-codegen-request-body-name: minimum

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/maximum

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID: data_cnbng-cp_profile_pppoe_pppoe_name_max_payload_maximum_put

  Parameters:
    - Name: pppoe-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'
      Required/Optional: true

  Responses:
    "201":
      Description: leaf maximum created or replaced

```



```
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: maximum
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_options

  Parameters:
```

```
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
```

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'
            Required/Optional: true

Responses:
  "204":
    Description: leaf maximum updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: maximum

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-name

```

options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}
security:
- **basicAuth:** []

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-name={service-name-id}

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** service-name-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
"204":
  Description: No Content
  Content: {}

```

```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_put
```

Parameters:

```
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: service-name-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
```

```

    enum:
      - first
      - last
      - before
      - after
  - Name: point
    In: query
    Description: used to specify the insertion point
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
            Required/Optional: true

  Responses:
    "201":
      Description: leaf-list service-name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: service-name
delete:

  Tags:
    - data
    - delete
  Operation ID:

```


data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_delete

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** service-name-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "204":
 - Description:** No Content
 - Content:** {}
- security:**
 - **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_options

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** service-name-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_head

```

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** service-name-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_patch**Parameters:**

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-name

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: service-name-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
        Required/Optional: true

  Responses:
    "204":
      Description: leaf-list service-name updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: service-name

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ac-name'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_put

Parameters:

- **Name:** pppoe-name
 In: path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ac-name'

Required/Optional: true

Responses:
"201":
  Description: leaf ac-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ac-name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_options

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_head

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_patch

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_ac_name'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf ac-name updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ac-name

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-cookie

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_put**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'

Required/Optional: true**Responses:****"201":****Description:** leaf ac-cookie created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

x-codegen-request-body-name: ac-cookie**delete:****Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_delete

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_options

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_head

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ac-cookie'

Required/Optional: true

Responses:

"204":

Description: leaf ac-cookie updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":


```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ac-cookie
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}

```

```
    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit'
        Required/Optional: true

  Responses:
    "201":
      Description: container session-limit created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
```

x-codegen-request-body-name: session-limit

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_post

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit-post'

Required/Optional: true

Responses:

"201":

Description: container session-limit created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: session-limit

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_delete

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_options

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_head

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

```

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_patch

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit'
Required/Optional: true

Responses:

"204":
Description: container session-limit updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: session-limit

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```


In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

```

    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max'
      Required/Optional: true

Responses:
"201":
  Description: container max created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max-post'
    Required/Optional: true

Responses:
"201":
  Description: container max created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max
```

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_delete**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_options**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_head**Parameters:**

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max'

Required/Optional: true

Responses:

"204":

Description: container max updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/value:

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```



```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max_value'
        Required/Optional: true

  Responses:
    "201":
      Description: leaf value created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed

```

```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"200":
  Description: OK
  Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_head

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}

security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_patch

Parameters:
- **Name:** pppoe-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:
 Schema:

Reference:
 '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max_value'
 Required/Optional: true

Responses:
 "204":
 Description: leaf value updated
 Content: {}

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/thresh old

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_put

```

```

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold'
    Required/Optional: true

```

```

Responses:
  "201":
    Description: leaf threshold created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}

```

```

    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: threshold
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_delete

```

```

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_options

```

```

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```


Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_head

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
      Required/Optional: true

Responses:
  "204":
    Description: leaf threshold updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: threshold

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_put

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'

Required/Optional: true

Responses:

"201":
Description: container mac created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: mac

Method: Post

Tags:

- data
 - post

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_post

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac-post'

Required/Optional: true

Responses:

"201":
Description: container mac created

```
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mac
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_options

  Parameters:
```

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```



```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/value:

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'
            Required/Optional: true

    Responses:
      "204":
        Description: container mac updated
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: mac

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/value:

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/value:

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_value'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_put

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:
Content:

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'
        Required/Optional: true

Responses:
  "201":
    Description: leaf value created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig

```

```
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/thresh old

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_patch

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_value'
Required/Optional: true

Responses:

- "204":
 - Description:** leaf value updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []
- x-codegen-request-body-name:** value

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/thresh old

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_put

Parameters:

- **Name:** pppoe-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'
    Required/Optional: true

Responses:
  "201":
    Description: leaf threshold created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: threshold
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
```

```
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_head

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'

Required/Optional: true

Responses:

"204":

Description: leaf threshold updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

```
- basicAuth: []  
x-codegen-request-body-name: threshold
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id

get:

Tags:

```
- data  
- get
```

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_get

Parameters:

```
- Name: pppoe-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```



```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_put

    Parameters:
      - Name: pppoe-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit-id'
            Required/Optional: true

    Responses:
      "201":
        Description: container circuit-id created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: circuit-id
  Method: Post

```

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_post

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post'

Required/Optional: true

Responses:

"201":

Description: container circuit-id created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: circuit-id

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_delete

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "204":
 - Description:** No Content
 - Content:** {}
- security:**
 - **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_options

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_head

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_patch

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
Required/Optional: true

Responses:

"204":
Description: container circuit-id updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: circuit-id

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id /value

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_put

```

Parameters:

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'
```

```
Required/Optional: true
```

Responses:

```

"201":
  Description: leaf value created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed

```



```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
```

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_head

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_patch

Parameters:
- Name: pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_circuit-id_value'

Required/Optional: true

```

Responses:

- "204":
 - Description:** leaf value updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: value

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/threshold

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

```

Schema:
Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng-cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

        Required/Optional: true
Responses:
"201":
  Description: leaf threshold created or replaced

```

```

    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: threshold
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_options

```

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_head

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true

Schema:

Type: integer
Format: uint16

- Name: fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: string

- Name: filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: string

- Name: with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: enumeration
Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_patch

Parameters:

- **Name:** pppoe-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf threshold updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: threshold

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan

get:

```

  Tags:
    - data
    - get
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_get

  Parameters:
    - Name: pppoe-name
      In: path

```

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_put

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
        Required/Optional: true

  Responses:
    "201":
      Description: container outer-vlan created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: outer-vlan
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post'

    Required/Optional: true

Responses:
  "201":
    Description: container outer-vlan created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: outer-vlan
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
  Type: string
  Format: string

Responses:
  "204":
    Description: No Content

```

```
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_options
```

```
Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:
```

```
Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_head
```

```
Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
```

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```


patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_patch

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'

Required/Optional: true

Responses:

"204":

Description: container outer-vlan updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: outer-vlan

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan /value

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put

```

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_put

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

Required/Optional: true

Responses:

"201":
Description: leaf value created or replaced
Content: {}
"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: value

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_delete

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_options

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_head

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_patch

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

Required/Optional: true

Responses:

"204":
Description: leaf value updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

```

"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/threshold

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_outer-vlan_threshold'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf threshold created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":

```

```
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: threshold
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
```

```

    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_head

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query

```

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_patch

Parameters:
- Name: pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

Required/Optional: true

```

Responses:

"204":
Description: leaf threshold updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: threshold

/data/cnbng-cp:profile/pppoe={pppoe-name}/timeout-completion

get:**Tags:**

- data
 - get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration

Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

```

    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_pppoe_pppoe_name_timeout_completion_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
          Required/Optional: true

  Responses:
    "201":
      Description: leaf timeout-completion created or replaced
      Content: {}
    "204":
      Description: No Content

```



```
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout-completion
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_patch

Parameters:
 - **Name:** pppoe-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
        Required/Optional: true

  Responses:
    "204":
      Description: leaf timeout-completion updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout-completion

```

/data/cnbng-cp:profile/aaa

```

options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_options

  Responses:
    "200":
      Description: OK
      Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_get

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_put

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** insert

In: query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: first

enum:

- first
- last
- before
- after

- **Name:** point

In: query

Description: used to specify the insertion point

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name'

Required/Optional: true

Responses:

"201":

Description: list aaa created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

```
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```



```
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:

```

```

    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name'
      Required/Optional: true

Responses:
  "204":
    Description: list aaa updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa

```

/data/cnbng-cp:profile/aaa={aaa-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_name'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_name'
  Required/Optional: true

Responses:
"201":
  Description: leaf name created or replaced
```

```
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: name
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_delete

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_options

  Parameters:
```

```
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
```



```
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_name'
      Required/Optional: true

Responses:
  "204":
    Description: leaf name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
```

/data/cnbng-cp:profile/aaa={aaa-name}/authentication

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```
enum:  
- report-all  
- trim  
- explicit  
- report-all-tagged
```

Responses:

```
"200":  
  Description: OK  
  Content:  
    application/yang-data+json:  
      Schema:  
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'
```

```
"204":  
  Description: No Content  
  Content: {}  
"400":  
  Description: Bad Request  
  Content: {}  
"401":  
  Description: Unauthorized  
  Content: {}  
"404":  
  Description: Not Found  
  Content: {}  
"405":  
  Description: Method Not Allowed  
  Content: {}  
"409":  
  Description: Conflict  
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data  
- put
```

```
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_put
```

Parameters:

```
- Name: aaa-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string
```

Request Body:

```
Content:  
  application/yang-data+json:
```

```

    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'
      Required/Optional: true

  Responses:
    "201":
      Description: container authentication created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: authentication
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication-post'
        Required/Optional: true

```

Responses:

- "201":**
 - Description:** container authentication created
 - Content:** {}
- "204":**
 - Description:** No Content
 - Content:** {}
- "400":**
 - Description:** Bad Request
 - Content:** {}
- "401":**
 - Description:** Unauthorized
 - Content:** {}
- "404":**
 - Description:** Not Found
 - Content:** {}
- "405":**
 - Description:** Method Not Allowed
 - Content:** {}
- "409":**
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: authentication

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_delete

Parameters:

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "204":**
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_options

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_head

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_patch

Parameters:
```

/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order:

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'
        Required/Optional: true

  Responses:
    "204":
      Description: container authentication updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: authentication

```

/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order:

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_options

Parameters:

- Name: aaa-name


```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order={method-order-id}

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_get

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: method-order-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:

```

Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_put

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: method-order-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: insert
    In: query

```

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: first

enum:

- first
- last
- before
- after

- **Name:** point

In: query

Description: used to specify the insertion point

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

Required/Optional: true

Responses:

"201":

Description: leaf-list method-order created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

```
security:
- basicAuth: []
x-codegen-request-body-name: method-order
delete:
```

```
Tags:
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_delete
```

Parameters:

```
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
```

Responses:

```
"204":
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

options:

```
Tags:
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_options
```

Parameters:

```
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_head

Parameters:

- **Name:** aaa-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** method-order-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_patch

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** method-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

Required/Optional: true**Responses:**

- "204":
 - Description:** leaf-list method-order updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: method-order

/data/cnbng-cp:profile/aaa={aaa-name}/authorization

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_get

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all

- trim

- explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_put**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa_name_authorization'

Required/Optional: true**Responses:****"201":****Description:** container authorization created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

x-codegen-request-body-name: authorization**Method:** Post**Tags:**

- data
- post

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_post

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization-post'

Required/Optional: true

Responses:

"201":
Description: container authorization created
Content: {}
"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: authorization

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_delete

Parameters:

- **Name:** aaa-name
In: path

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_options

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_head

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all

```

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_patch**Parameters:**

- **Name:** aaa-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization'

Required/Optional: true**Responses:****"204":****Description:** container authorization updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: authorization

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type

get:

Tags:

```

- data
- get

```

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_get

Parameters:

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```



```
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type'
      Required/Optional: true

Responses:
"201":
  Description: container type created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type
Method: Post

```

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_post

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type-post'

Required/Optional: true

Responses:

"201":

Description: container type created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: type

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_delete

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_options

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_head

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_patch

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_type'

Required/Optional: true

Responses:

"204":

Description: container type updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

```

"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscribe r

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed


```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber'
    Required/Optional: true

Responses:
"201":
  Description: container subscriber created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
```

```

- basicAuth: []
x-codegen-request-body-name: subscriber
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber-post'

  Required/Optional: true

Responses:
"201":
  Description: container subscriber created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber
delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_delete**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_options**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_head**Parameters:**

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_patch

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber'

Required/Optional: true

Responses:

"204":

Description: container subscriber updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

```

"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscribe r/method-order

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_options

Parameters:

- Name: aaa-name
- In: path
- Required/Optional: true
- Style: simple
- Explode: false
- Schema:
 - Type: string
 - Format: string

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

- basicAuth: []

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscribe r/method-order={method-order-id}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_get

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** method-order-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:

- basicAuth: []
put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_put

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
 - **Name:** method-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
 - **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
 - **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- Request Body:**
Content:

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

    Required/Optional: true

Responses:
  "201":
    Description: leaf-list method-order created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: method-order
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: union

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_options

Parameters:

- **Name:** aaa-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** method-order-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_head

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** method-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_patch

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** method-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

Required/Optional: true**Responses:****"204":****Description:** leaf-list method-order updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: method-order

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username

get:**Tags:**

- data

- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_get**Parameters:**- **Name:** aaa-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_put**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**


```
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'  
  Required/Optional: true
```

Responses:

```
"201":  
  Description: container username created or replaced  
  Content: {}  
"204":  
  Description: No Content  
  Content: {}  
"400":  
  Description: Bad Request  
  Content: {}  
"401":  
  Description: Unauthorized  
  Content: {}  
"404":  
  Description: Not Found  
  Content: {}  
"405":  
  Description: Method Not Allowed  
  Content: {}  
"409":  
  Description: Conflict  
  Content: {}
```

security:

```
- basicAuth: []  
x-codegen-request-body-name: username
```

```
Method: Post
```

Tags:

```
- data  
- post
```

```
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_post
```

Parameters:

```
- Name: aaa-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string
```

Request Body:

```
Content:  
  application/yang-data+json:  
    Schema:  
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post'  
  Required/Optional: true
```

Responses:

```
"201":
  Description: container username created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: username
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_options
```

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_head

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

    Schema:
      Type: integer
      Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_patch

Parameters:
- Name: aaa-name
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'
          Required/Optional: true

  Responses:
    "204":
      Description: container username updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: username

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/value

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_get

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_value'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_put

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value'

Required/Optional: true**Responses:****"201":****Description:** leaf value created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** value**delete:****Tags:**- data
- delete**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_delete**Parameters:**- **Name:** aaa-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"204":**

Description: No Content
Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_options

Parameters:
- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
"200":
Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_head

Parameters:
- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

```

security:

```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value'
      Required/Optional: true

Responses:
"204":
  Description: leaf value updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/forma t

```
get:
```

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_get

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_put

```

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_format'

Required/Optional: true

Responses:

"201":
Description: leaf format created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: format

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_delete

Parameters:

- **Name:** aaa-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_patch

Parameters:

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format'

Required/Optional: true

Responses:

"204":
Description: leaf format updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/ident ifier

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_get

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}

```

```

    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_put

```

Parameters:

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier'

```

```

  Required/Optional: true

```

Responses:

```

"201":
  Description: leaf identifier created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: identifier
delete:
```

```
Tags:
- data
- delete
```

```
Operation ID:
```

```
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_delete
```

```
Parameters:
```

```
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
```

```
"204":
```

```
  Description: No Content
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
options:
```

```
Tags:
- data
- options
```

```
Operation ID:
```

```
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_options
```

```
Parameters:
```

```
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
```

```
"200":
```

```
  Description: OK
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_head

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier'

    Required/Optional: true

Responses:
  "204":
    Description: leaf identifier updated
    Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/password

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all

```


- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_password'
    Required/Optional: true

Responses:
  "201":
    Description: leaf password created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: password
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_delete

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_options

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
```

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_head**Parameters:**

- **Name:** aaa-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

In: query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
```

Reference:
 '#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_password'
Required/Optional: true

Responses:

- "204":
Description: leaf password updated
Content: {}
- "400":
Description: Bad Request
Content: {}
- "401":
Description: Unauthorized
Content: {}
- "404":
Description: Not Found
Content: {}
- "405":
Description: Method Not Allowed
Content: {}
- "409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: password

/data/cnbng-cp:profile/aaa={aaa-name}/accounting

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_get

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'

Required/Optional: true

Responses:
"201":
  Description: container accounting created or replaced

```



```

    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: accounting
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_accounting-post'
    Required/Optional: true

Responses:
  "201":
    Description: container accounting created
    Content: {}
  "204":
    Description: No Content
    Content: {}

```

```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_patch

Parameters:
- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'

  Required/Optional: true

Responses:
  "204":
    Description: container accounting updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: accounting

```

/data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order

```

options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_options

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:

```

```

"200":
  Description: OK
  Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order={method-order-id}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_get

Parameters:

- Name: aaa-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string
- Name: method-order-id
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: union
- Name: content
 - In: query
 - Description: controlling descendant nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: string
 - Format: enumeration
 - Default: config
 - enum:
 - config
 - nonconfig
 - all
- Name: depth
 - In: query
 - Description: limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

"204":
 Description: No Content
 Content: {}
"400":

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_put

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: method-order-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: first
      enum:
      - first

```



```

    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

Required/Optional: true

Responses:
"201":
  Description: leaf-list method-order created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: method-order
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_delete

```

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** method-order-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_options

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** method-order-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union

Responses:

- "200":
 - Description:** OK

```

    Content: {}
  security:
  - basicAuth: []
  head:

```

Tags:

```

- data
- head

```

Operation ID:

```
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_head
```

Parameters:

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_patch

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
  - Name: method-order-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf-list method-order updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: method-order

```

/data/cnbng-cp:profile/server-group

options:

```

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_server_group_options

```

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/server-group={server-group-name}

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_get

Parameters:

- **Name:** server-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_put

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_server_group_server_group_name'
    Required/Optional: true

```


Responses:

- "201":**
 - Description:** list server-group created or replaced
 - Content:** {}
- "204":**
 - Description:** No Content
 - Content:** {}
- "400":**
 - Description:** Bad Request
 - Content:** {}
- "401":**
 - Description:** Unauthorized
 - Content:** {}
- "404":**
 - Description:** Not Found
 - Content:** {}
- "405":**
 - Description:** Method Not Allowed
 - Content:** {}
- "409":**
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: server-group

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_delete

Parameters:

- **Name:** server-group-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "204":**
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_options

Parameters:

- **Name:** server-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_head

Parameters:

- **Name:** server-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_patch

Parameters:
```

```

- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name'
      Required/Optional: true

Responses:
  "204":
    Description: list server-group updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-group

```

/data/cnbng-cp:profile/server-group={server-group-name}/name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_get

Parameters:

- **Name:** server-group-name
- In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_server_group_server_group_name_name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_put

Parameters:

- **Name:** server-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name_name'
          Required/Optional: true

  Responses:
    "201":
      Description: leaf name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: name
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_delete

  Parameters:
  - Name: server-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
```

```
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_options

  Parameters:
  - Name: server-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_head

  Parameters:
  - Name: server-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
```



```
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_patch

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_server_group_server_group_name_name'
      Required/Optional: true

Responses:
"204":
  Description: leaf name updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/server-group={server-group-name}/radius-gro up

```
get:
```

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_get

Parameters:

- **Name:** server-group-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name_radius-group'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_put

```

```

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_radius-group'
      Required/Optional: true

Responses:
"201":
  Description: leaf radius-group created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius-group
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_delete

Parameters:
- Name: server-group-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
"204":
 Description: No Content
 Content: {}
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_options

Parameters:
 - **Name:** server-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_head

Parameters:
 - **Name:** server-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_patch

Parameters:

```

- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_server_group_server_group_name_radius_group'
  Required/Optional: true

```

Responses:

```

"204":
  Description: leaf radius-group updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":

```


Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: radius-group

/data/cnbng-cp:profile/attribute-format

options:

Tags:
 - data
 - options
Operation ID: data_cnbng_cp_profile_attribute_format_options

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/attribute-format={attribute-format-name}

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_get

Parameters:
 - **Name:** attribute-format-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config

- enum:
 - config
 - nonconfig
 - all
- Name: depth
 - In: query
 - Description: limit the depth of nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: integer
 - Format: uint16
- Name: fields
 - In: query
 - Description: optionally identify specific data nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: string
 - Format: string
- Name: filter
 - In: query
 - Description: xpath expression to filter data nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: string
 - Format: string
- Name: with-defaults
 - In: query
 - Description: controlling default values in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: string
 - Format: enumeration
 - Default: report-all
 - enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name'
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
"401":
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
"404":
```

```
  Description: Not Found
```

```
  Content: {}
```

```
"405":
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
"409":
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng-cp_profile_attribute_format_attribute_format_name_put
```

```
Parameters:
```

```
- Name: attribute-format-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
- Name: insert
```

```
  In: query
```

```
  Description: controlling the order when adding new list elements
```

```
  Required/Optional: false
```

```
  Style: form
```

```
  Explode: true
```

```
  Schema:
```

```
    Type: string
```

```
    Format: enumeration
```

```
    Default: first
```

```
    enum:
```

```
    - first
```

```
    - last
```

```
    - before
```

```
    - after
```

```

- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name'
      Required/Optional: true

Responses:
  "201":
    Description: list attribute-format created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute-format
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_delete

Parameters:
- Name: attribute-format-name
  In: path
  Required/Optional: true

```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_options

Parameters:
- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_head

Parameters:
- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
```

- Description:** controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_patch

Parameters:

- **Name:** attribute-format-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_attribute-format_attribute-format-name'
 Required/Optional: true

Responses:

"204":
 Description: list attribute-format updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: attribute-format
```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/na me

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_get

Parameters:

```
- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```



```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_name'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_put

    Parameters:
      - Name: attribute-format-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_attribute-format_attribute-format-name_name'
            Required/Optional: true

    Responses:
      "201":
        Description: leaf name created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: name
  delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_delete

Parameters:

- **Name:** attribute-format-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_options

Parameters:

- **Name:** attribute-format-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_head

Parameters:

- **Name:** attribute-format-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_patch

Parameters:

- **Name:** attribute-format-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_attribute-format_attribute-format-name_name'

Required/Optional: true

Responses:

"204":

Description: leaf name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

```

"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-string

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_get

Parameters:

- **Name:** attribute-format-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":

```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_put

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_attribute-format_attribute-format-name_format-string'

  Required/Optional: true

  Responses:
  "201":
    Description: leaf format-string created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```



```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-string
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_delete

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_options

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:

```

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_head

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string

```

```

    Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

```

Responses:

```

  "200":
    Description: OK
    Content: {}

```

security:

```

  - basicAuth: []

```

patch:**Tags:**

```

  - data
  - patch

```

Operation ID:

```

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_patch

```

Parameters:

```

  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

Request Body:

```

  Content:
    application/yang-data+json:
      Schema:

```

Reference:
 '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

Required/Optional: true

Responses:

"204":
Description: leaf format-string updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
 - basicAuth: []

x-codegen-request-body-name: format-string

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_options

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

- "200":
Description: OK
Content: {}

```
security:
- basicAuth: []
```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order={format-order-id}

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_get

Parameters:

```
- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: format-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_put
```

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** format-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last

```

    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

Required/Optional: true

Responses:
  "201":
    Description: leaf-list format-order created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-order
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_delete

```


Parameters:

- **Name:** attribute-format-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** format-order-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_options

Parameters:

- **Name:** attribute-format-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** format-order-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union

Responses:

- "200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_head

Parameters:

- **Name:** attribute-format-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** format-order-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config

- nonconfig

- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_patch

Parameters:

- **Name:** attribute-format-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: format-order-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

        Required/Optional: true

  Responses:
    "204":
      Description: leaf-list format-order updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-order

```

/data/cnbng-cp:profile/subscriber

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_get

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all

- trim

- explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

```
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name'
```

Required/Optional: true

Responses:

"201":
 Description: list subscriber created or replaced
 Content: {}

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: subscriber

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_delete

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_options

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_patch

Parameters:

```

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'
      Required/Optional: true

Responses:
  "204":
    Description: list subscriber updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_get

Parameters:

- **Name:** subscriber-name
- In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

```
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_name'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_put

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_name'
        Required/Optional: true

  Responses:
    "201":
      Description: leaf name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: name
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng-cp_profile_subscriber_subscriber-name_name_delete

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:

```

```
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"200":
  Description: OK
  Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:** {}**security:**


```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_name'
      Required/Optional: true

Responses:
"204":
  Description: leaf name updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/dhcp-profile

```
get:
```

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_get

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_put
```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_dhcp-profile'

Required/Optional: true

Responses:

"201":
Description: leaf dhcp-profile created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: dhcp-profile

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_delete

Parameters:

- **Name:** subscriber-name
In: path

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_head

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_patch**Parameters:**

- **Name:** subscriber-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'

Required/Optional: true**Responses:****"204":****Description:** leaf dhcp-profile updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}

/data/cnbng-cp:profile/subscriber={subscriber-name}/pppoe-profile:

```

security:
- basicAuth: []
x-codegen-request-body-name: dhcp-profile

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/pppoe-profile:

get:

Tags:

```

- data
- get

```

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_get

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```



```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_pppoe-profile'
    Required/Optional: true

Responses:
"201":
  Description: leaf pppoe-profile created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pppoe-profile
delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_delete**Parameters:**

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_options**Parameters:**

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_head**Parameters:**

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_pppoe-profile'

Required/Optional: true

Responses:

"204":

Description: leaf pppoe-profile updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pppoe-profile

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/session-type

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```

```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_session_type'
      Required/Optional: true

Responses:
"201":
  Description: leaf session-type created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed

```



```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: session-type
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_delete

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_session-type'
    Required/Optional: true

Responses:
  "204":
    Description: leaf session-type updated
    Content: {}
```

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-type

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/l2tp-profile

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all

```

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile'
      Required/Optional: true

Responses:
  "201":
    Description: leaf l2tp-profile created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: l2tp-profile
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_delete

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
```

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_head**Parameters:**

- **Name:** subscriber-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

In: query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**


```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
```

Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'
Required/Optional: true

Responses:

"204":
Description: leaf l2tp-profile updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

x-codegen-request-body-name: l2tp-profile

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_aaa_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

- "200":
Description: OK
Content: {}

```
security:
- basicAuth: []
```

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_get

Parameters:

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_put

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
      - authenticate

```

```

    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

    Required/Optional: true

Responses:
  "201":
    Description: list aaa created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_delete

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
      - authenticate
      - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

  Responses:
```

```

    "204":
      Description: No Content
      Content: {}
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_options

      Parameters:
        - Name: subscriber-name
          In: path
          Required/Optional: true
          Style: simple
          Explode: false
          Schema:
            Type: string
            Format: string
        - Name: aaa-aaa-option
          In: path
          Required/Optional: true
          Style: simple
          Explode: false
          Schema:
            Type: string
            Format: enumeration
            Default: authenticate
            enum:
              - authenticate
              - authorize
        - Name: aaa-profile
          In: path
          Required/Optional: true
          Style: simple
          Explode: false
          Schema:
            Type: string
            Format: leafref

      Responses:
        "200":
          Description: OK
          Content: {}
          security:
            - basicAuth: []
      head:

      Tags:
        - data
        - head

```


Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_patch

```

Parameters:

```

- Name: subscriber-name
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

    Required/Optional: true

Responses:
  "204":
    Description: list aaa updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":

```

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: aaa

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

Parameters:**- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** aaa-aaa-option**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**

```

    Type: string
    Format: enumeration
    Default: authenticate
    enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

    Required/Optional: true

Responses:
  "201":
    Description: leaf aaa-option created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option
delete:

Tags:
- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple


```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate

```

```

    enum:
      - authenticate
      - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf aaa-option updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: aaa-option

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}/profile

get:

```

  Tags:
    - data
    - get

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":

```

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

    Required/Optional: true

Responses:
  "201":
    Description: leaf profile created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: profile
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true

```



```
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
```

```

- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_head

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: leafref

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

Required/Optional: true

Responses:

"204":

Description: leaf profile updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: profile

/data/cnbng-cp:profile/subscriber={subscriber-name}/activate-featu re-templates

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_options

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

```

    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/activate-featu re-templates={activate-feature-templates-id}

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_get

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_put

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first


```

    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

Required/Optional: true

Responses:
"201":
  Description: leaf-list activate-feature-templates created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_delete

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_options

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref

Responses:

```

    "200":
      Description: OK
      Content: {}
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```

    Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_patch

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true

```

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: activate-feature-templates-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf-list activate-feature-templates updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: activate-feature-templates

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class

options:

```

Tags:
- data

```

- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_class_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}

get:

Tags:

- data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-name'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_put

Parameters:**- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**


```

    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

    Required/Optional: true

Responses:
"201":
  Description: list class created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed

```

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```
    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
```

- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name'

Required/Optional: true**Responses:****"204":****Description:** list class updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

```
/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/class-name
```

```
- basicAuth: []
x-codegen-request-body-name: class
```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/class-name

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_get
```

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

```
- config
- nonconfig
- all
```

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer
Format: uint16

- Name: fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: string

- Name: filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: string

- Name: with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: enumeration
Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":**

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_put

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_class-name'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf class-name created or replaced
    Content: {}
  "204":
    Description: No Content

```



```
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class-name
delete:
```

Tags:

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_delete
```

Parameters:

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
"204":
  Description: No Content
  Content: {}
```

security:

```
- basicAuth: []
```

```
options:
```

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

Required/Optional: true

Responses:

"204":
Description: leaf class-name updated
Content: {}

"400":
Description: Bad Request
Content: {}

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_get

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_put

  Parameters:
    - Name: subscriber-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: class-class-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches'

Required/Optional: true

Responses:
  "201":
    Description: container matches created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_post

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true

```



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post'

Required/Optional: true

Responses:
  "201":
    Description: container matches created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: matches
delete:

Tags:
  - data
  - delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_delete

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

```

    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:

```

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_patch

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'

      Required/Optional: true

    Responses:
      "204":
        Description: container matches updated
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: matches

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match

```

options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_options

  Parameters:
  - Name: subscriber-name
    In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_get

Parameters:

- Name: subscriber-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string
- Name: class-class-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string

- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_put

```


Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'

    Required/Optional: true

Responses:
  "201":
    Description: list match created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

Schema:

- Type:** string
- Format:** string
- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_options

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: dhcpv4-circuit-id
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: dhcpv4-circuit-id
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

Format: enumeration
Default: dhcpv4-circuit-id
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'

Required/Optional: true

Responses:
"204":
  Description: list match updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/key

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_get

Parameters:

```

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_put

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Request Body:

```

Content:
  application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'
```

Required/Optional: true

Responses:

"201":

Description: leaf key created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: key

delete:

Tags:

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_delete
```

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

```

```

Responses:
  "204":
    Description: No Content
    Content: {}

```

```

security:
- basicAuth: []

```

```

options:

```

```

Tags:
- data
- options

```

```

Operation ID:

```

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_options

```

```

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: dhcpv4-circuit-id
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_head

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** match-key
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 Default: dhcpv4-circuit-id
 enum:

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

Required/Optional: true**Responses:****"204":****Description:** leaf key updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: key

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/type

options:**Tags:**- data
- options**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_options

Parameters:- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**


```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: dhcpv4-circuit-id
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class

```

```

Responses:
  "200":
    Description: OK
    Content: {}
security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/type={type-id}

get:

```

Tags:
  - data
  - get
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_get

```

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

```

    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: type-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcp
    enum:
      - dhcp
      - ppp
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'
```

```

"204":
  Description: No Content
  Content: {}
"400":

```

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

```

- data
- put

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_put

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id

```

```

    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: type-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcp
    enum:
      - dhcp
      - ppp
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

  Required/Optional: true

Responses:
  "201":
    Description: leaf-list type created or replaced
    Content: {}
  "204":
    Description: No Content

```

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: type
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_delete
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration

```

```

    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcp
  enum:
  - dhcp
  - ppp

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_matches_match_match_key_type_type_id_options

```

Parameters:

```

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: dhcpv4-circuit-id
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: dhcp
 enum:
 - dhcp
 - ppp

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_head

Parameters:
 - **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

Type: string
Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcp
 - enum:**
 - dhcp
 - ppp
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: type-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcp
    enum:
      - dhcp
      - ppp

```

Request Body:**Content:**

```
application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'
```

```
Required/Optional: true
```

Responses:

```
"204":
```

```
  Description: leaf-list type updated
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
"401":
```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/ascii

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:
"200":
Description: OK
Content: {}
security:
 - basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

get:

Tags:
 - data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

- Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-name_matches_match_match-key_ascii_ascii-id'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_matches_match_match_key_ascii_ascii_id_put

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: dhcpv4-circuit-id

enum:

- dhcpv4-circuit-id

- dhcpv4-remote-id

- dhcpv4-vendor-class

- dhcpv4-user-class

- **Name:** ascii-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** insert

In: query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration


```

    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-name_matches_match_match-key_ascii_ascii-id'

    Required/Optional: true

Responses:
  "201":
    Description: leaf-list ascii created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii
delete:

Tags:
- data

```

- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_matches_match_key_ascii_ascii_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: dhcpv4-circuit-id
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: dhcpv4-circuit-id

enum:

- dhcpv4-circuit-id

- dhcpv4-remote-id

- dhcpv4-vendor-class

- dhcpv4-user-class

- **Name:** ascii-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

      Required/Optional: true

Responses:
  "204":
    Description: leaf-list ascii updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/regex

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_options

Parameters:

- Name: subscriber-name
- In: path
- Required/Optional: true
- Style: simple
- Explode: false
- Schema:

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: dhcpv4-circuit-id
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/regex={regex-id}

get:**Tags:**

```

- data
- get

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_get
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```



```
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized

```

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_put

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** regex-id

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

    Required/Optional: true

Responses:
  "201":
    Description: leaf-list regex created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}

```

```

"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: regex
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** regex-id

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_matches_match_key_regex_regex_id_options

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** match-key
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 Default: dhcpv4-circuit-id
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

```

- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_head

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id

```

- dhcpv4-vendor-class
- dhcpv4-user-class
- **Name:** regex-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_patch

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** match-key
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf-list regex updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: regex

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}

```

```

    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match-type'

    Required/Optional: true

Responses:
"201":
  Description: leaf match-type created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```

```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: match-type
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_delete

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_options

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []
patch:

Tags:
 - data
 - patch

Operation ID:
 data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_patch

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match-type'

Required/Optional: true

Responses:
 "204":
 Description: leaf match-type updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match-type

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/activate-feature-templates

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

?

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}
: get:

```

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_activate_feature_templates_activate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'
```

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":**

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_put

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

Required/Optional: true

Responses:
  "201":
    Description: leaf-list activate-feature-templates created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates
delete:

```

Tags:

- data
- delete

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_head

```

Parameters:

```

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```


- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** activate-feature-templates-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: leafref

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

Required/Optional: true

Responses:
  "204":
    Description: leaf-list activate-feature-templates updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

```

options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_get

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: enumeration
    Default: authenticate
    enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first

```

    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

```

```

Required/Optional: true

```

Responses:

```

"201":
  Description: list aaa created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []
x-codegen-request-body-name: aaa

```

delete:**Tags:**

```

- data
- delete

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete

```


Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa-aaa-option_aaa-profile'

Required/Optional: true**Responses:**

"204":
Description: list aaa updated

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

Parameters:

- Name: subscriber-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string
- Name: class-class-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string
- Name: aaa-aaa-option

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Required/Optional: true

Responses:

"201":
Description: leaf aaa-option created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: aaa-option

delete:

Tags:

- data
 - delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: authenticate
 enum:
 - authenticate
 - authorize

- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: authenticate
 enum:
 - authenticate
 - authorize

- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:

"200":
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

  Required/Optional: true

Responses:
  "204":
    Description: leaf aaa-option updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: aaa-option
```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}/profile

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_get

Parameters:

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```


Format: leafref

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put
Operation ID:

```

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_put

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

    Required/Optional: true

Responses:
  "201":
    Description: leaf profile created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}

```

```

"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile

```

delete:

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

Type: string
Format: leafref

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: leafref

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: authenticate
enum:
- authenticate
- authorize
- **Name:** aaa-profile
In: path
Required/Optional: true


```

Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

  Required/Optional: true

Responses:
  "204":
    Description: leaf profile updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/apply-all-class

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber-name_apply_all_class_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple

```

Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_apply-all-class'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_apply-all-class'

Required/Optional: true**Responses:****"201":****Description:** leaf apply-all-class created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** apply-all-class**delete:****Tags:**- data
- delete**Operation ID:** data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_delete**Parameters:**- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"204":**

Description: No Content
Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_options

Parameters:
- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
"200":
Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_head

Parameters:
- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:** {}**security:**

```
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class'
    Required/Optional: true

Responses:
"204":
  Description: leaf apply-all-class updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: apply-all-class
```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_event_options

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_get

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-name'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_put

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: first
      enum:
        - first
        - last
        - before
        - after
  - Name: point
    In: query
    Description: used to specify the insertion point
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'

    Required/Optional: true

Responses:
  "201":
    Description: list event created or replaced
    Content: {}
  "204":

```

```

    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: event
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
    - session-activate

Responses:
  "204":
    Description: No Content
    Content: {}

```

```
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
      - session-activate

  Responses:
    "200":
      Description: OK
      Content: {}
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_head

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
```

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'

Required/Optional: true

Responses:

"204":
Description: list event updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
 - basicAuth: []

x-codegen-request-body-name: event

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/event-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_put

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf event-name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: event-name
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple

Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate

Responses:
"200":
Description: OK
Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:

- config
- nonconfig
- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate

Request Body:

- Content:**
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

- Required/Optional:** true

Responses:

- "204":
 Description: leaf event-name updated
 Content: {}
- "400":
 Description: Bad Request
 Content: {}
- "401":
 Description: Unauthorized
 Content: {}
- "404":
 Description: Not Found
 Content: {}
- "405":
 Description: Method Not Allowed
 Content: {}
- "409":

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: event-name

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa

options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate

Responses:

"200":
Description: OK
Content: {}

security:
 - **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
    - authenticate
    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
    Type: string
    Format: leafref
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
    Type: string
    Format: string
Request Body:
Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'
```

Required/Optional: true

Responses:

"201":

Description: list aaa created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: aaa

delete:

Tags:

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_delete
```

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate
Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: leafref

Responses:

"204":

Description: No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_options

Parameters:

Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
Name: event-event-name
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: authenticate
 enum:
 - authenticate
 - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_head

Parameters:

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer


```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_patch

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'
```

```
Required/Optional: true
```

Responses:

```

"204":
  Description: list aaa updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":

```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

```

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Required/Optional: true

Responses:

"201":

Description: leaf aaa-option created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: aaa-option

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: session-activate
enum:
 - session-activate
 - **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
 - **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: leafref

Responses:

"204":

Description: No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate

- **Name:** aaa-aaa-option

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize

- **Name:** aaa-profile

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: leafref

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** event-event-name

In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields

```

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

```

Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

```
Required/Optional: true
```

Responses:

```

"204":
  Description: leaf aaa-option updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```

```

"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/profile

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: enumeration
    Default: authenticate
    enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event_name_aaa_aaa-aaa-option_aaa-profile_profile'

Required/Optional: true

Responses:

"201":
Description: leaf profile created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: profile

delete:**Tags:**

- data
 - delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:

- session-activate
- **Name:** aaa-aaa-option
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref

Responses:

"204":

Description: No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_options

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string

```

    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
  - authenticate
  - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_head

```

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

Parameters:

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

```

    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

```

Required/Optional: true

```

Responses:

```

"204":
  Description: leaf profile updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found

```

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: profile

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates={deactivate-feature-templates-id}
: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

#!/components/schemas/data_cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'

"204":
Description: No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_put

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: leafref
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'

    Required/Optional: true

Responses:
"201":
  Description: leaf-list deactivate-feature-templates created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed

```

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: deactivate-feature-templates
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_delete
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Responses:

```

"204":
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

```

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_head

Parameters:

- **Name:** subscriber-name
In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_patch

Parameters:

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'
      Required/Optional: true

Responses:
  "204":
    Description: leaf-list deactivate-feature-templates updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deactivate-feature-templates

```


/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/activate-feature-templates

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/activate-feature-templates={activate-feature-templates-id}
: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name

- In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_put

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration

```

    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'
Required/Optional: true

Responses:
"201":
  Description: leaf-list activate-feature-templates created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates
delete:

Tags:
- data

```

- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate
  - Name: activate-feature-templates-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_head

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

- Schema:**
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- **Name:** activate-feature-templates-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: leafref
 - **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
 - **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
 - **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true


```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
```

```

- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf-list activate-feature-templates updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: activate-feature-templates

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/apply-all-class

```

get:

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_get

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
      data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_put

    Parameters:
      - Name: subscriber-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: event-event-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: enumeration
          Default: session-activate
          enum:
            - session-activate
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_apply-all-class'

          Required/Optional: true

    Responses:
      "201":
        Description: leaf apply-all-class created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}

```

```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: apply-all-class
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_delete

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
      - session-activate

  Responses:
    "204":
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_options

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

- Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

Required/Optional: true

```

Responses:
  "204":
    Description: leaf apply-all-class updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: apply-all-class

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class

options:

```

Tags:
- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_options
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: enumeration
Default: session-activate
enum:
 - session-activate

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}

get:

Tags:
 - data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

```
put:
```

```

Tags:
- data
- put

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_put
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'

Required/Optional: true

Responses:
  "201":

```

```

    Description: list class created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_delete

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_options

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:


```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_head

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
- session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:

- config
- nonconfig
- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

Content:
 application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'

Required/Optional: true

Responses:

- "204":
Description: list class updated
Content: {}
- "400":
Description: Bad Request
Content: {}
- "401":

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/class-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_get

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple

```

```
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'
```

```

Required/Optional: true

```

Responses:

```

"201":
  Description: leaf class-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:
 - **basicAuth:** []
x-codegen-request-body-name: class-name
delete:

Tags:
 - data
 - delete

Operation ID:
 data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID:
 data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_patch

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple

```

Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:

Schema:

Reference:

 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

Required/Optional: true

Responses:

"204":
 Description: leaf class-name updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: class-name

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**

- config
- nonconfig
- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

```

Tags:

```
- data
- put
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_put
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path

```

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

Required/Optional: true

Responses:

"201":

Description: container matches created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: matches

Method: Post

Tags:

- data

- post

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_post

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true


```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:**Content:**

```
application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post'
```

```
Required/Optional: true
```

Responses:

```
"201":
```

```
  Description: container matches created
```

```
  Content: {}
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
"401":
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
"404":
```

```
  Description: Not Found
```

```
  Content: {}
```

```
"405":
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```

    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: matches
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:

```

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

- "200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

```

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```

```

Tags:
- data
- patch

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_patch

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

Required/Optional: true

Responses:
"204":
  Description: container matches updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id

- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'

    Required/Optional: true

Responses:
  "201":
    Description: list match created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```

Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_options

Parameters:
- Name: subscriber-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```


security:
 - **basicAuth:** []
patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'

Required/Optional: true

Responses:

"204":
 Description: list match updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: match

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/key
 : get:

Tags:

- data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_get

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** event-event-name
 In: path
 Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_put

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'

Required/Optional: true

Responses:

"201":

Description: leaf key created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: key

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key_delete

Parameters:

- **Name:** subscriber-name

In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_options

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

    "200":
      Description: OK
      Content: {}
      security:
        - basicAuth: []
    patch:

```

```

    Tags:
    - data
    - patch

```

```

    Operation ID:

```

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_patch

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id

```

- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_matches_match_match_key'
```

Required/Optional: true**Responses:****"204":****Description:** leaf key updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

x-codegen-request-body-name: key

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type

: **options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_matches_match_match_key_type_options

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type={type-id}

: **get:**

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_get

Parameters:

- **Name:** subscriber-name
In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcp
  enum:
    - dhcp
    - ppp
- Name: content
In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id-put

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple


```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcp
  enum:
    - dhcp
    - ppp
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first

```

```

- last
- before
- after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/comments/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

```

```

Required/Optional: true

```

Responses:

```

"201":
  Description: leaf-list type created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []
x-codegen-request-body-name: type

```

delete:**Tags:**

```

- data
- delete

```

Operation ID:

```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id_delete

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcp
 - enum:**

- dhcp
- ppp

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
- session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

```

    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcp
  enum:
  - dhcp
  - ppp

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_head

```

Parameters:

```

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:

```

- session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** type-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcp
 - enum:**
 - dhcp
 - ppp
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false

```

    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_patch

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcp
 - enum:**
 - dhcp

- ppp

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

#!/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type-id'

Required/Optional: true

Responses:

"204":

Description: leaf-list type updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: type

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii

options:

Tags:

- data

- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_ascii_options

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: dhcpv4-circuit-id
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

Parameters:

- Name: subscriber-name
In: path
Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all

- Name: depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: integer
Format: uint16

- Name: fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: string

- Name: filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: string

- Name: with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":**

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration

```

- Default:** session-activate
- enum:**
- session-activate
- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
- Type:** string
 - Format:** string
- **Name:** match-key
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
- Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
- Type:** string
 - Format:** string
- **Name:** insert
- In:** query
- Description:** controlling the order when adding new list elements
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
- Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
- **Name:** point
- In:** query
- Description:** used to specify the insertion point
- Required/Optional:** false
- Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id'

    Required/Optional: true

Responses:
  "201":
    Description: leaf-list ascii created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ascii
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

```

Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

```


Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple

Explode: false
Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

Parameters:

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate

```

    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-match-key_ascii_ascii-id'

Required/Optional: true

Responses:
"204":
  Description: leaf-list ascii updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found

```

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ascii
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex
: options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_options

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
- session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple

Explode: false
Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Responses:
"200":
Description: OK
Content: {}
security:
 - **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex={regex-id}
: get:

Tags:
 - data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

- Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** dhcpv4-circuit-id
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
- **Name:** regex-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

#!/components/schemas/data-cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id.put

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: session-activate

enum:

- session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: dhcpv4-circuit-id

enum:

- dhcpv4-circuit-id

- dhcpv4-remote-id

```

    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

Request Body:**Content:**

```
application/yang-data+json:
```

Schema:**Reference:**

```
#!/components/schemas/data-cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id
```

```
Required/Optional: true
```

Responses:

```
"201":
```

```
  Description: leaf-list regex created or replaced
```

```
  Content: {}
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: regex
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_delete

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: regex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_options

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration

```

Default: session-activate
enum:
 - session-activate
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - **Name:** regex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK

```



```

    Content: {}
  security:
    - basicAuth: []
  patch:

```

```

  Tags:
    - data
    - patch

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_patch

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

```

- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-match-key_regex_regex-id'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf-list regex updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: regex

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_get

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

```

- data
- put

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_put
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_matches_match-type'
```

Required/Optional: true

Responses:

"201":
Description: leaf match-type created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: match-type

delete:

Tags:

- data
 - delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

Format: enumeration
Default: session-activate
enum:
 - session-activate
Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":

Description: No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_options

Parameters:- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** event-event-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** session-activate**enum:**

- session-activate

- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

Schema:

Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
- session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":

Description: OK
Content: {}
security:
 - **basicAuth:** []
patch:

Tags:
 - data
 - patch
Operation ID:
 data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
 - **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_matches_match-type'

Required/Optional: true

Responses:

"204":
 Description: leaf match-type updated

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: match-type
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates
: options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_options

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates={deactivate-feature-templates-id}

get:

Tags:
 - data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** deactivate-feature-templates-id
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

"/operations/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates/{deactivate-feature-templates-id}"

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates/{deactivate-feature-templates-id}.put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:**Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:**

#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id

Required/Optional: true**Responses:****"201":****Description:** leaf-list deactivate-feature-templates created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: deactivate-feature-templates**delete:****Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_delete

Parameters:- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**


```

    Type: string
    Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: deactivate-feature-templates-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cpbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_options

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

- Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** deactivate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** deactivate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cpbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

#comments/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates/{deactivate-feature-templates-id}

```

```

Required/Optional: true

```

Responses:

```

"204":
  Description: leaf-list deactivate-feature-templates updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":

```

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: deactivate-feature-templates
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates
: options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
      - session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
  security:

```

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}

: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:


```

    "200":
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates/activate-feature-templates-id'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates/activate-feature-templates-id.put

  Parameters:
    - Name: subscriber-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: event-event-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

```

    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates/activate-feature-templates-id'

    Required/Optional: true

```

Responses:

"201":
Description: leaf-list activate-feature-templates created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: activate-feature-templates

delete:**Tags:**

- data
 - delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:

- session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cpbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_activate_feature_templates_activate_feature_templates_id_options

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name

- In:** path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
 Description: OK
 Content: {}

security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_crbg_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:

```

- session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          #/components/schemas/data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-name}/class={class-name}/activate-feature-templates/activate-feature-templates-id
      Required/Optional: true

Responses:
  "204":
    Description: leaf-list activate-feature-templates updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates

```


/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}

: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:
 - basicAuth: []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before

```

- after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile'

Required/Optional: true

Responses:
  "201":
    Description: list aaa created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:**"204":****Description:** No Content

Content: {}
security:
 - **basicAuth:** []
options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: session-activate
enum:
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
- **Name:** aaa-profile

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:
"200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** aaa-aaa-option
In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query

```

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
  - authenticate
  - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
```

```

Required/Optional: true

```

Responses:

```

"204":
  Description: list aaa updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found

```

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option},(aaa-profile)/aaa-option
: get:

```

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: session-activate
 enum:
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple

Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: authenticate
 enum:
 - authenticate
 - authorize

- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:

```

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string


```

    Format: leafref
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

    Required/Optional: true

Responses:
  "201":
    Description: leaf aaa-option created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: session-activate

enum:

- session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** aaa-aaa-option

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: authenticate

enum:

- authenticate

- authorize

- **Name:** aaa-profile
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: session-activate

enum:

- session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            #/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option/
    Required/Optional: true

  Responses:
    "204":
      Description: leaf aaa-option updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []

```

x-codegen-request-body-name: aaa-option

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}/profile
: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile_put

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```

'#/components/schemas/data_cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

```

Required/Optional: true

Responses:

```

"201":
  Description: leaf profile created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: profile
```

delete:**Tags:**

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
  enum:

```

```

    - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Responses:

"204":

Description: No Content

Content: {}

security:

- basicAuth: []

options:**Tags:**

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** session-activate
 - enum:**
 - session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** authenticate
 - enum:**
 - authenticate
 - authorize
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query

- Description:** controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: session-activate

enum:

- session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** aaa-aaa-option

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

```

    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-rate_event_event-event-rate_class_class-class-rate_aaa_aaa-aaa-option_aaa-profile_profile'

    Required/Optional: true

Responses:
  "204":
    Description: leaf profile updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile

```

/data/cnbng-cp:profile/feature-template

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_feature_template_options

Responses:
"200":
 Description: OK
 Content: {}
security:
- **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_get

Parameters:

- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name'
  Required/Optional: true

```

Responses:

- "201":**
 - Description:** list feature-template created or replaced
 - Content:** {}
- "204":**
 - Description:** No Content
 - Content:** {}
- "400":**
 - Description:** Bad Request
 - Content:** {}
- "401":**
 - Description:** Unauthorized
 - Content:** {}
- "404":**
 - Description:** Not Found
 - Content:** {}
- "405":**
 - Description:** Method Not Allowed
 - Content:** {}
- "409":**
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: feature-template

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_delete

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "204":**
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_patch

Parameters:

```



```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name'
        Required/Optional: true

Responses:
  "204":
    Description: list feature-template updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: feature-template

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/na me

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_get

Parameters:

- **Name:** feature-template-name
- In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_name'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng-cp_profile_feature_template_feature_template_name_name_put

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_name'
        Required/Optional: true

  Responses:
    "201":
      Description: leaf name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: name
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

Responses:
"204":
 Description: No Content
 Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_options

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"200":
 Description: OK
 Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_head

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:

Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK

```
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_name'
    Required/Optional: true

Responses:
"204":
  Description: leaf name updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/vr f-name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_put

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

Required/Optional: true

Responses:

"201":

Description: leaf vrf-name created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: vrf-name

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_delete

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_options

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_vrf-name'

Required/Optional: true

Responses:

"204":

Description: leaf vrf-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: vrf-name

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":

```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4'
    Required/Optional: true

Responses:
  "201":
    Description: container ipv4 created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}

```



```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4-post'

  Required/Optional: true

Responses:
"201":
  Description: container ipv4 created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
```

```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv4
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_delete
```

```
Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_options
```

```
Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
```

```
- basicAuth: []
head:

  Tags:
  - data
  - head
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4'

Required/Optional: true

Responses:

```

"204":
  Description: container ipv4 updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/mtu

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config

- ```

 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'
```

```
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
```

```
security:
- basicAuth: []
```

```
put:
```

**Tags:**

```
- data
- put
```

```
Operation ID: data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu_put
```

**Parameters:**

```
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

**Request Body:**

```
Content:
 application/yang-data+json:
 Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'
```

```
Required/Optional: true
```

**Responses:**

```
"201":
 Description: leaf mtu created or replaced
 Content: {}
```

```

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: mtu
delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_delete

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_options

 Parameters:

```



```
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_head

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
```

```

 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_patch

```

**Parameters:**

```

- Name: feature-template-name
 In: path

```

```

 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'

 Required/Optional: true

 Responses:
 "204":
 Description: leaf mtu updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: mtu

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/ingress-acl

get:

```

 Tags:
 - data
 - get
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_get

 Parameters:
 - Name: feature-template-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
```

**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_ingress-acl'

**"204":**  
**Description:** No Content  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}  
**"401":**  
**Description:** Unauthorized  
**Content:** {}  
**"404":**  
**Description:** Not Found  
**Content:** {}  
**"405":**  
**Description:** Method Not Allowed  
**Content:** {}  
**"409":**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_ingress\_acl\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf ingress-acl created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: ingress-acl
 delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_delete

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

**Type:** string  
**Format:** string

**Responses:****"204":****Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_ingress\_acl\_options

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_ingress\_acl\_head

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged



```

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

 Required/Optional: true

Responses:
 "204":
 Description: leaf ingress-acl updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: ingress-acl
```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/egress-acl

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_get
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

```
- config
- nonconfig
- all
```

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

```

Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'
```

```

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}

```

```

 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_put

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

Required/Optional: true

Responses:
"201":
 Description: leaf egress-acl created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: egress-acl
delete:
```

```
Tags:
- data
- delete
```

```
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_delete
```

```
Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

```
Responses:
"204":
 Description: No Content
 Content: {}
```

```
security:
- basicAuth: []
options:
```

```
Tags:
- data
- options
```

```
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_options
```

```
Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

```
Responses:
"200":
 Description: OK
 Content: {}
```

```
security:
- basicAuth: []
head:
```

```
Tags:
```

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_egress\_acl\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

 Required/Optional: true

Responses:
 "204":
 Description: leaf egress-acl updated
 Content: {}

```

```

"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: egress-acl

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/disable-unreachables

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_get
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**



- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:****"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf disable-unreachables created or replaced
 Content: {}
 "204":
```

```
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: disable-unreachables
delete:

 Tags:
 - data
 - delete
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_delete

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_options
```

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- "200":
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_disable\_unreachables\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form

```
 Explode: true
 Schema:
 Type: integer
 Format: uint16
 - Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
 - data
 - patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_patch

Parameters:
```

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

 Required/Optional: true

 Responses:
 "204":
 Description: leaf disable-unreachables updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: disable-unreachables

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/verify-unicast-source

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**"200":**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source'

**"204":**  
  **Description:** No Content  
  **Content:** {}  
**"400":**  
  **Description:** Bad Request  
  **Content:** {}  
**"401":**  
  **Description:** Unauthorized  
  **Content:** {}  
**"404":**  
  **Description:** Not Found  
  **Content:** {}  
**"405":**  
  **Description:** Method Not Allowed  
  **Content:** {}  
**"409":**  
  **Description:** Conflict  
  **Content:** {}

**security:**  
  - **basicAuth:** []

**put:**

**Tags:**  
  - data  
  - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_put

**Parameters:**



```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

 Required/Optional: true

Responses:
 "201":
 Description: container verify-unicast-source created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: verify-unicast-source
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post

Parameters:
- Name: feature-template-name

```

```

 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post'

 Required/Optional: true

 Responses:
 "201":
 Description: container verify-unicast-source created
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: verify-unicast-source
delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_delete

 Parameters:
 - Name: feature-template-name
 In: path

```

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**"204":**

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_options

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**"200":**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
```

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source'

**Required/Optional:** true

**Responses:**

**"204":**  
**Description:** container verify-unicast-source updated  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}  
**"401":**  
**Description:** Unauthorized  
**Content:** {}  
**"404":**  
**Description:** Not Found  
**Content:** {}  
**"405":**

```

 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: verify-unicast-source

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/verify-unicast-source/reachable-via-rx

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'
```

```

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized

```

```

 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_put

```

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable-via-rx'

Required/Optional: true

```

```

Responses:
"201":
 Description: leaf reachable-via-rx created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":

```



```

 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: reachable-via-rx
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_delete

**Parameters:**

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Responses:**

```

"204":
 Description: No Content
 Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_options

**Parameters:**

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_head

**Parameters:****- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  **"200":**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_patch

**Parameters:**  
**- Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
**Request Body:**

```

Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

 Required/Optional: true

Responses:
 "204":
 Description: leaf reachable-via-rx updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: reachable-via-rx

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_get

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query

```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

"200":

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6'

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:** data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6'

**Required/Optional:** true

**Responses:****"201":****Description:** container ipv6 created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** ipv6**Method:** Post**Tags:****- data**  
**- post****Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_post**Parameters:****- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6-post'

**Required/Optional:** true**Responses:**

```
"201":
 Description: container ipv6 created
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_delete

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"204":
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```



**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_options

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- "200":
  - Description:** OK
  - Content:** {}
  - security:**
    - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false

```
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_patch
```

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'
 Required/Optional: true

Responses:
"204":
 Description: container ipv6 updated
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/mtu

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_get

Parameters:

```

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

```
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_mtu'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_put

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'

 Required/Optional: true

Responses:
 "201":
 Description: leaf mtu created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
 - basicAuth: []
x-codegen-request-body-name: mtu
delete:

Tags:
 - data
 - delete
Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_delete

Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false

```

**Schema:**

**Type:** string  
**Format:** string

**Responses:****"204":**

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:****"200":**

**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged



```

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_mtu'

 Required/Optional: true

Responses:
 "204":
 Description: leaf mtu updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: mtu
```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/ingress-acl

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_get
```

**Parameters:**

```
- Name: feature-template-name
```

```
 In: path
```

```
 Required/Optional: true
```

```
 Style: simple
```

```
 Explode: false
```

**Schema:**

```
 Type: string
```

```
 Format: string
```

```
- Name: content
```

```
 In: query
```

```
 Description: controlling descendant nodes in response
```

```
 Required/Optional: false
```

```
 Style: form
```

```
 Explode: true
```

**Schema:**

```
 Type: string
```

```
 Format: enumeration
```

```
 Default: config
```

**enum:**

```
- config
- nonconfig
- all
```

```
- Name: depth
```

```
 In: query
```

```
 Description: limit the depth of nodes in response
```

```
 Required/Optional: false
```

```
 Style: form
```

```
 Explode: true
```

**Schema:**

```
 Type: integer
```

```
 Format: uint16
```

```
- Name: fields
```

```
 In: query
```

```
 Description: optionally identify specific data nodes in response
```

```
 Required/Optional: false
```

```
 Style: form
```

```

Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'
```

```

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}

```

```

 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf ingress-acl created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: ingress-acl
delete:
```

**Tags:**

```
- data
- delete
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_delete
```

**Parameters:**

```
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

**Responses:**

```
"204":
```

```
 Description: No Content
```

```
 Content: {}
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_options
```

**Parameters:**

```
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

**Responses:**

```
"200":
```

```
 Description: OK
```

```
 Content: {}
```

**security:**

```
- basicAuth: []
```

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_ingress\_acl\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

 Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
 patch:

 Tags:
 - data
 - patch
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_patch

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

 Required/Optional: true

 Responses:
 "204":
 Description: leaf ingress-acl updated
 Content: {}

```

```

"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ingress-acl

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/egress-acl

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_get
```

**Parameters:**

```
- Name: feature-template-name
```

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

```
- Name: content
```

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**



- config
- nonconfig
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:****"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf egress-acl created or replaced
 Content: {}
 "204":
```

```
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: egress-acl
delete:

 Tags:
 - data
 - delete
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_delete

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_options

 Parameters:
 - Name: feature-template-name
```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

**"200":**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_egress\_acl\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer

```

 Format: uint16
 - Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_patch

```

**Parameters:**

```

- Name: feature-template-name
 In: path
 Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

 Required/Optional: true

Responses:
 "204":
 Description: leaf egress-acl updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
 - basicAuth: []
x-codegen-request-body-name: egress-acl

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/disable-unreachables

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_get

**Parameters:**

- **Name:** feature-template-name
- In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_disable-unreachables'

**"204":**  
**Description:** No Content  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}  
**"401":**  
**Description:** Unauthorized  
**Content:** {}  
**"404":**  
**Description:** Not Found  
**Content:** {}  
**"405":**  
**Description:** Method Not Allowed  
**Content:** {}  
**"409":**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false



```

Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

Required/Optional: true

Responses:
 "201":
 Description: leaf disable-unreachables created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: disable-unreachables
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_delete

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

```

 Type: string
 Format: string

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_options

```

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_head

```

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query

```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

"200":

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_disable-unreachables'

**Required/Optional:** true

**Responses:**

"204":

**Description:** leaf disable-unreachables updated

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: disable-unreachables

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/verify-unicast-source

get:

**Tags:**

```

- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_get

**Parameters:**

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**"200":**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
         **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source'

**"204":**  
   **Description:** No Content  
   **Content:** {}  
**"400":**  
   **Description:** Bad Request  
   **Content:** {}  
**"401":**  
   **Description:** Unauthorized  
   **Content:** {}  
**"404":**  
   **Description:** Not Found  
   **Content:** {}  
**"405":**

```

 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_put

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

Required/Optional: true

Responses:
"201":
 Description: container verify-unicast-source created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}

```

```

 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: verify-unicast-source
 Method: Post

 Tags:
 - data
 - post
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_post

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_post'

 Required/Optional: true

 Responses:
 "201":
 Description: container verify-unicast-source created
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":

```



**Description:** Conflict  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**x-codegen-request-body-name:** verify-unicast-source  
**delete:**

**Tags:**  
- data  
- delete

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_delete

**Parameters:**  
- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
"204":  
**Description:** No Content  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_options

**Parameters:**  
- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
"200":  
**Description:** OK  
**Content:** {}  
**security:**

- **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source'

```

**Required/Optional:** true

**Responses:**

"204":

**Description:** container verify-unicast-source updated

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** verify-unicast-source

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/verify-unicast-source/reachable-via-rx

**get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

 "204":
 Description: No Content
 Content: {}

 "400":
 Description: Bad Request
 Content: {}

 "401":
 Description: Unauthorized
 Content: {}

 "404":
 Description: Not Found
 Content: {}

 "405":
 Description: Method Not Allowed
 Content: {}

 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng-cp_profile_feature_template_feature-template-name_ipv6_verify_unicast_source_reachable_via_rx_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

```

**Required/Optional:** true

**Responses:**

"201":

**Description:** leaf reachable-via-rx created or replaced

**Content:** {}

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** reachable-via-rx

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_delete

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

"204":

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

- "200":  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config



```
- nonconfig
- all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:
```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source\_reachable-via-rx'

**Required/Optional:** true

**Responses:**

"204":

**Description:** leaf reachable-via-rx updated

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** reachable-via-rx

## /data/cnbng-cp:profile/feature-template={feature-template-name}/htpr-policy

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_http\_policy\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
 - data
 - put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_http\_policy\_put

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_http-policy'

**Required/Optional:** true**Responses:****"201":****Description:** leaf http-policy created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** http-policy**delete:****Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_http\_policy\_delete

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

"204":  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_httpr\_policy\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

"200":  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_httpr\_policy\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_http\_policy\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_http-policy'

**Required/Optional:** true

**Responses:**

**"204":**  
**Description:** leaf http-policy updated  
**Content:** {}

**"400":**  
**Description:** Bad Request  
**Content:** {}

**"401":**  
**Description:** Unauthorized  
**Content:** {}

**"404":**  
**Description:** Not Found  
**Content:** {}



```

"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: http-pr-policy

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_get

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

```

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos'

**"204":**  
**Description:** No Content  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}  
**"401":**  
**Description:** Unauthorized  
**Content:** {}  
**"404":**  
**Description:** Not Found

```

 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos'
 Required/Optional: true

 Responses:
 "201":
 Description: container qos created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":

```

```

 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: qos
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_post

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos-post'

 Required/Optional: true

Responses:
"201":
 Description: container qos created
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: qos
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_delete

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"204":
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_options

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"200":
 Description: OK
 Content: {}
security:
- basicAuth: []
head:

Tags:
- data
```

- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

```
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos'
 Required/Optional: true

Responses:
 "204":
 Description: container qos updated
 Content: {}
 "400":
 Description: Bad Request
```

```

 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: qos

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/in-policy

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_in\_policy\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query



**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

"200":  
  **Description:** OK  
  **Content:**  
  application/yang-data+json:  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy'

"204":  
  **Description:** No Content  
  **Content:** {}

```

 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos_in-policy'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf in-policy created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}

```

```
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: in-policy
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_delete

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"204":
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_options

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
```

**Type:** string  
**Format:** string

**Responses:**

**"200":**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_in\_policy\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

```

 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy'

**Required/Optional:** true**Responses:****"204":****Description:** leaf in-policy updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** in-policy

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/out-policy

**get:****Tags:**

- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_out\_policy\_get

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

 Responses:
 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

 "204":
 Description: No Content
 Content: {}

 "400":
 Description: Bad Request
 Content: {}

 "401":
 Description: Unauthorized
 Content: {}

 "404":
 Description: Not Found
 Content: {}

 "405":
 Description: Method Not Allowed
 Content: {}

 "409":
 Description: Conflict
 Content: {}

 security:
 - basicAuth: []

 put:

 Tags:
 - data
 - put

 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Request Body:
 Content:

```



```
application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

 Required/Optional: true

Responses:
 "201":
 Description: leaf out-policy created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: out-policy
delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_delete

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 "204":
 Description: No Content
```

```

 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_options

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_head

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config

```

```

 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
security:
- basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_out\_policy\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos\_out-policy'

**Required/Optional:** true

**Responses:**

**"204":**

**Description:** leaf out-policy updated

**Content:** {}

**"400":**

**Description:** Bad Request

**Content:** {}

**"401":**

**Description:** Unauthorized

**Content:** {}

**"404":**

**Description:** Not Found

**Content:** {}

**"405":**

**Description:** Method Not Allowed

**Content:** {}

**"409":**

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** out-policy

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/merge-level

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

"200":

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_merge-level'

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

```

 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos_merge-level'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf merge-level created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: merge-level

```

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:****"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:****"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_head



**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
**"200":**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_patch

**Parameters:**  
 - **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos\_merge-level'

**Required/Optional:** true

**Responses:**  
**"204":**  
**Description:** leaf merge-level updated  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}

```

"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: merge-level

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting'

"204":
 Description: No Content

```

```

 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting'

 Required/Optional: true

 Responses:
 "201":
 Description: container session-accounting created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request

```

```

 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: session-accounting
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_post

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting-post'

Required/Optional: true

Responses:
 "201":
 Description: container session-accounting created
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":

```

```
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: session-accounting
delete:

 Tags:
 - data
 - delete
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_delete

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_options

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
```

**Format:** string

**Responses:**

"200":

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form



```

 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:

```

```

 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting'

 Required/Optional: true

 Responses:
 "204":
 Description: container session-accounting updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: session-accounting

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/enable

```

get:

 Tags:
 - data
 - get
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_get

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_enable'

**"204":**  
**Description:** No Content  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}  
**"401":**  
**Description:** Unauthorized  
**Content:** {}  
**"404":**  
**Description:** Not Found  
**Content:** {}  
**"405":**  
**Description:** Method Not Allowed  
**Content:** {}  
**"409":**  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_enable\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_enable'
```

**Required/Optional:** true

**Responses:**

"201":

**Description:** leaf enable created or replaced

**Content:** {}

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** enable

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_delete
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

"204":

**Description:** No Content

```

 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_options

```

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

```

Responses:
"200":
 Description: OK
 Content: {}
security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_head

```

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string

```

**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
"200":  
**Description:** OK  
**Content:** {}

```

 security:
 - basicAuth: []
 patch:

 Tags:
 - data
 - patch
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_patch

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

 Required/Optional: true

 Responses:
 "204":
 Description: leaf enable updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: enable

```



## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/aaa-profile

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

```

```

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict

```

```

 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf aaa-profile created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:

```

```

- basicAuth: []
x-codegen-request-body-name: aaa-profile

```

**delete:**

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_delete

**Parameters:**

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Responses:**

```

"204":
 Description: No Content
 Content: {}

```

**security:**

```

- basicAuth: []

```

**options:**

**Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_options

**Parameters:**

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Responses:**

```

"200":
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  "200":  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**

**Schema:**

**Reference:**

    '#/components/schemas/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile'

**Required/Optional:** true

**Responses:**

```

"204":
 Description: leaf aaa-profile updated
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-profile

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/periodic-interval

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

"200":  
  **Description:** OK



```

 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'

 Required/Optional: true

 Responses:

```

```

 "201":
 Description: leaf periodic-interval created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: periodic-interval
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_delete

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data

```

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

"200":

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_head

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

- **Name:** fields

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   "200":  
     **Description:** OK  
     **Content:** {}  
   **security:**  
   - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_patch

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_session-accounting\_periodic-interval'

**Required/Optional:** true**Responses:****"204":****Description:** leaf periodic-interval updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** periodic-interval

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/dual-stack-delay

**get:****Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```
Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_put

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay'

**Required/Optional:** true**Responses:****"201":****Description:** leaf dual-stack-delay created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** dual-stack-delay**delete:****Tags:**

- data

- delete

**Operation ID:**



data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- "204":
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- "200":
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_head

**Parameters:**

- **Name:** feature-template-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   "200":  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_patch

**Parameters:**  
   - **Name:** feature-template-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_session-accounting\_dual-stack-delay'

**Required/Optional:** true

**Responses:**  
   "204":  
     **Description:** leaf dual-stack-delay updated  
     **Content:** {}  
   "400":  
     **Description:** Bad Request  
     **Content:** {}  
   "401":  
     **Description:** Unauthorized

```

 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dual-stack-delay

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
     **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting'

**"204":**  
**Description:** No Content  
**Content:** {}  
**"400":**

```

 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_put

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting'

 Required/Optional: true

Responses:
 "201":
 Description: container service-accounting created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":

```

```

 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-accounting
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_post

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_post'

Required/Optional: true

Responses:
 "201":
 Description: container service-accounting created
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}

```

```

 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: service-accounting
delete:

 Tags:
 - data
 - delete
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_delete

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_options

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```



**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_head

**Parameters:****- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_patch

```

**Parameters:**

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Request Body:**

```

Content:
 application/yang-data+json:

```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'
```

```
Required/Optional: true
```

**Responses:**

```
"204":
```

```
 Description: container service-accounting updated
```

```
 Content: {}
```

```
"400":
```

```
 Description: Bad Request
```

```
 Content: {}
```

```
"401":
```

```
 Description: Unauthorized
```

```
 Content: {}
```

```
"404":
```

```
 Description: Not Found
```

```
 Content: {}
```

```
"405":
```

```
 Description: Method Not Allowed
```

```
 Content: {}
```

```
"409":
```

```
 Description: Conflict
```

```
 Content: {}
```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: service-accounting
```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/enable

**get:****Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_get
```

**Parameters:**

```
- Name: feature-template-name
```

```
 In: path
```

```
 Required/Optional: true
```

```
 Style: simple
```

```
 Explode: false
```

**Schema:**

```
 Type: string
```

```
 Format: string
```

```
- Name: content
```

```
 In: query
```

- Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit

- report-all-tagged

**Responses:**

"200":

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable'

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'
```

**Required/Optional:** true

**Responses:**

"201":

**Description:** leaf enable created or replaced

**Content:** {}

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** enable

**delete:**

**Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_delete

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

"204":

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []  
**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

- "200":  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config

```

 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```



**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable'

**Required/Optional:** true

**Responses:**

**"204":**

**Description:** leaf enable updated

**Content:** {}

**"400":**

**Description:** Bad Request

**Content:** {}

**"401":**

**Description:** Unauthorized

**Content:** {}

**"404":**

**Description:** Not Found

**Content:** {}

**"405":**

**Description:** Method Not Allowed

**Content:** {}

**"409":**

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** enable

## /data/cnbng-cp:profile/feature-template={feature-template-name}/se rvice-accounting/aaa-profile

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_aaa\_profile\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'
```

```

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict

```

```

 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_put

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile'

 Required/Optional: true

Responses:
"201":
 Description: leaf aaa-profile created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: aaa-profile
```

```
delete:
```

```
Tags:
```

```
- data
- delete
```

```
Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_delete
```

```
Parameters:
```

```
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

```
Responses:
```

```
"204":
 Description: No Content
 Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
options:
```

```
Tags:
```

```
- data
- options
```

```
Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_options
```

```
Parameters:
```

```
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

```
Responses:
```

```
"200":
 Description: OK
 Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_aaa\_profile\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile'

 Required/Optional: true

Responses:

```

```

"204":
 Description: leaf aaa-profile updated
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-profile

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/periodic-interval

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_periodic\_interval\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**



**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
"200":  
**Description:** OK

```

 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

 Required/Optional: true

 Responses:

```

```

"201":
 Description: leaf periodic-interval created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: periodic-interval
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_periodic\_interval\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- ```

"204":
  Description: No Content
  Content: {}

```

security:

- basicAuth: []

options:**Tags:**

- data

- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_head

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_patch

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_service-accounting_periodic-interval'

Required/Optional: true**Responses:****"204":****Description:** leaf periodic-interval updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** periodic-interval**/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p****get:****Tags:**

- data

- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_put

Parameters:

- **Name:** feature-template-name


```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp'
        Required/Optional: true

  Responses:
    "201":
      Description: container ppp created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ppp
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post'

    Required/Optional: true

  Responses:
    "201":
      Description: container ppp created
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ppp
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng-cp_profile_feature-template_feature-template-name_ppp_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_options

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

```
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp'
      Required/Optional: true

Responses:
"204":
  Description: container ppp updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ppp
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/authentication

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- basicAuth: []

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/authentication={authentication-id}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_get

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** authentication-id

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: pap
 enum:
 - pap
 - chap

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** authentication-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** pap
 - enum:**
 - pap
 - chap
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
- **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

Required/Optional: true

Responses:

"201":
Description: leaf-list authentication created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: authentication

delete:**Tags:**

- data
 - delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** authentication-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: pap

enum:

- pap
- chap

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_options

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** authentication-id

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** pap**enum:**

- pap
- chap

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** authentication-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** pap
 - enum:**
 - pap
 - chap
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_patch

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** authentication-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: pap
  enum:
    - pap
    - chap
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

Required/Optional: true

Responses:
  "204":
    Description: leaf-list authentication updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: authentication

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/chap

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_get

Parameters:

- **Name:** feature-template-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_put

Parameters:

- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple


```

    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'

    Required/Optional: true

Responses:
  "201":
    Description: container chap created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: chap
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post'

    Required/Optional: true

  Responses:
    "201":
      Description: container chap created
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: chap
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_delete

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

```

Responses:**"204":****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_options

Parameters:**- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_head

Parameters:**- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true

```

Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```
"200":
```

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_patch

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap'

    Required/Optional: true

  Responses:
  "204":
    Description: container chap updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
x-codegen-request-body-name: chap

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/chap/hostname

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf hostname created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hostname

```


delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_delete

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_patch

Parameters:
 - **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

Required/Optional: true

Responses:
"204":
Description: leaf hostname updated
Content: {}
"400":
Description: Bad Request
Content: {}

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/chap/password

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

```
- config
- nonconfig
- all
```

- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

"204":
Description: No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap_password'

Required/Optional: true

Responses:
  "201":
    Description: leaf password created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```

```
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: password
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
```

```

    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_head

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response

```


Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_patch

Parameters:
 - **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf password updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: password

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/service-type

get:

```

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_get

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:

```

- Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_service-type'

    Required/Optional: true

Responses:
  "201":
    Description: leaf service-type created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":

```

```

    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

```
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_service-type'

Required/Optional: true

Responses:
"204":
  Description: leaf service-type updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-type

```


/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_put

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp'

Required/Optional: true

Responses:

"201":

Description: container ipcp created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ipcp

Method: Post

Tags:

- data
- post

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_post

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp-post'

Required/Optional: true

Responses:

"201":

Description: container ipcp created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ipcp

delete:**Tags:**

- data

- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_delete

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_options

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_head

Parameters:

- **Name:** feature-template-name

- In:** path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
 - **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
 - **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
 - **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
 - **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp'

      Required/Optional: true

Responses:
  "204":
    Description: container ipcp updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
```

```

"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipcp

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppcp/dns

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true


```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":

```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

    Required/Optional: true

  Responses:
  "201":
    Description: container dns created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'

    Required/Optional: true

Responses:
  "201":
    Description: container dns created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}

```

```

    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK

```

```

    Content: {}
  security:
  - basicAuth: []
head:

```

Tags:

```

- data
- head

```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_head
```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
Default: report-all

enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

Required/Optional: true

Responses:

"204":
Description: container dns updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
- **basicAuth:** []

x-codegen-request-body-name: dns

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/dns/primary-address

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:


```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

```

Required/Optional: true

Responses:

"201":

Description: leaf primary-address created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: primary-address

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_delete

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

- "200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config

```
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

Required/Optional: true

Responses:

"204":

Description: leaf primary-address updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: primary-address

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/dns/secondary-address

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

```
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'
```

```
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'

Required/Optional: true

Responses:
"201":
  Description: leaf secondary-address created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:

```



```
- basicAuth: []
x-codegen-request-body-name: secondary-address
delete:
```

Tags:

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_delete
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
"204":
  Description: No Content
  Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_options
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
"200":
  Description: OK
  Content: {}
```

security:

```
- basicAuth: []
```

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address'

      Required/Optional: true

Responses:

```

```

"204":
  Description: leaf secondary-address updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: secondary-address

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/peer-address-pool

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_get

Parameters:

- Name: feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

    Required/Optional: true

  Responses:

```

```

"201":
  Description: leaf peer-address-pool created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-address-pool
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_delete

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

- basicAuth: []

options:**Tags:**

- data

- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_head

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_patch

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer-address-pool'

Required/Optional: true**Responses:****"204":****Description:** leaf peer-address-pool updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** peer-address-pool

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/renegotiation

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_put

```

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

Required/Optional: true

Responses:

"201":
Description: container renegotiation created or replaced
Content: {}
 "204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: renegotiation

Method: Post

Tags:

- data
 - post

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_post

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post'

    Required/Optional: true

  Responses:
    "201":
      Description: container renegotiation created
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: renegotiation
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_delete

  Parameters:
  - Name: feature-template-name
    In: path

```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_head

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
```

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all


```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

```

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_patch

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

```

Required/Optional: true

```

```

Responses:
"204":
  Description: container renegotiation updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}

```

```

"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: renegotiation

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/renegotiation/ignore

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_get

Parameters:

- Name: feature-template-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string
- Name: content
 - In: query
 - Description: controlling descendant nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: string
 - Format: enumeration
 - Default: config
 - enum:
 - config
 - nonconfig
 - all
- Name: depth
 - In: query
 - Description: limit the depth of nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: integer
 - Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renewnegotiation_ignore'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":**

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf ignore created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}

```

```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ignore
delete:
```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

```
"204":
  Description: No Content
  Content: {}
```

- ```
security:
- basicAuth: []
```

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_ignore\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

```

 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
 head:

 Tags:
 - data
 - head
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_head

```

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
**Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_ignore\_patch

**Parameters:**

**Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'
```

**Required/Optional:** true

**Responses:**

"204":

**Description:** leaf ignore updated

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** ignore

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/wins

**get:****Tags:**

- data

- get

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_get
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query



**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

"200":

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins'

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'
```

**Required/Optional:** true

**Responses:**

"201":

**Description:** container wins created or replaced

**Content:** {}

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** wins

**Method:** Post

**Tags:**

- data

- post

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_post
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post'
```

**Required/Optional:** true

**Responses:**

"201":  
  **Description:** container wins created  
  **Content:** {}  
"204":  
  **Description:** No Content  
  **Content:** {}  
"400":  
  **Description:** Bad Request  
  **Content:** {}  
"401":  
  **Description:** Unauthorized  
  **Content:** {}  
"404":  
  **Description:** Not Found  
  **Content:** {}  
"405":  
  **Description:** Method Not Allowed  
  **Content:** {}  
"409":  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** wins

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_delete

**Parameters:**

- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

"204":  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_options

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:****"200":****Description:** OK  
**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
 - data
 - patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_patch

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins'

**Required/Optional:** true**Responses:****"204":****Description:** container wins updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** wins

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/wins/primary-address

**get:****Tags:**

- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**



```

 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_put

```

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_primary-address'

**Required/Optional:** true

**Responses:**

"201":  
  **Description:** leaf primary-address created or replaced  
  **Content:** {}  
"204":  
  **Description:** No Content  
  **Content:** {}  
"400":  
  **Description:** Bad Request  
  **Content:** {}  
"401":  
  **Description:** Unauthorized  
  **Content:** {}  
"404":  
  **Description:** Not Found  
  **Content:** {}  
"405":  
  **Description:** Method Not Allowed  
  **Content:** {}  
"409":  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** primary-address

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_delete

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

"204":  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

"200":  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_primary-address'

**Required/Optional:** true

**Responses:**

**"204":**  
**Description:** leaf primary-address updated  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}  
**"401":**  
**Description:** Unauthorized  
**Content:** {}  
**"404":**

```

 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: primary-address

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/wins/secondary-address

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false

```

Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'
```

```

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request

```

```

 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf secondary-address created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":

```



```

 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: secondary-address
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- "204":
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**"200":**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query

**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

"200":  
     **Description:** OK  
     **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'

 Required/Optional: true

 Responses:
 "204":
 Description: leaf secondary-address updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: secondary-address

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp/ipv6cp

get:

```

 Tags:
 - data
 - get
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_get

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

 Responses:
 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

 "204":
 Description: No Content
 Content: {}

 "400":
 Description: Bad Request
 Content: {}

 "401":
 Description: Unauthorized
 Content: {}

 "404":
 Description: Not Found
 Content: {}

 "405":
 Description: Method Not Allowed
 Content: {}

 "409":
 Description: Conflict
 Content: {}

 security:
 - basicAuth: []

 put:

 Tags:
 - data
 - put

 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Request Body:
 Content:

```

```

 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

 Required/Optional: true

Responses:
 "201":
 Description: container ipv6cp created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: ipv6cp
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_post

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:

```

```

Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'

Required/Optional: true

Responses:
 "201":
 Description: container ipv6cp created
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6cp
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_delete

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "204":
 Description: No Content
 Content: {}
security:

```



- **basicAuth:** []  
**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

"200":

**Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config

```

 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp'

**Required/Optional:** true

**Responses:**

"204":

**Description:** container ipv6cp updated

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ipv6cp

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipv6cp/renegotiation

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
put:

Tags:
- data

```

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation'

**Required/Optional:** true

**Responses:**

"201":

**Description:** container renegotiation created or replaced

**Content:** {}

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** renegotiation

**Method:** Post

**Tags:**

- data

- post

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_post

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation-post'

**Required/Optional:** true

**Responses:**

"201":  
**Description:** container renegotiation created  
**Content:** {}  
"204":  
**Description:** No Content  
**Content:** {}  
"400":  
**Description:** Bad Request  
**Content:** {}  
"401":  
**Description:** Unauthorized  
**Content:** {}  
"404":  
**Description:** Not Found  
**Content:** {}  
"405":  
**Description:** Method Not Allowed  
**Content:** {}  
"409":  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** renegotiation

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_delete

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

"204":  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

"200":  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple



```
Explode: false
Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**"200":**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation'

**Required/Optional:** true

**Responses:**

**"204":**  
**Description:** container renegotiation updated  
**Content:** {}

**"400":**  
**Description:** Bad Request  
**Content:** {}

**"401":**  
**Description:** Unauthorized  
**Content:** {}

**"404":**  
**Description:** Not Found

```

 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: renegotiation

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipv6cp/renegotiation/ignore

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form

```

Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'
```

```

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}

```

```

 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_put

```

**Parameters:**

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Request Body:**

```

Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore'
```

```
Required/Optional: true
```

**Responses:**

```

"201":
 Description: leaf ignore created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized

```

```

 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: ignore
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_delete

```

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_options

```

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

**Type:** string  
**Format:** string

**Responses:**

**"200":**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**"200":**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_patch

**Parameters:**

**- Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string



```

 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

 Required/Optional: true

 Responses:
 "204":
 Description: leaf ignore updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: ignore

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp

get:

```

 Tags:
 - data
 - get
 Operation ID: data_cnbng-cp_profile_feature_template_feature_template_name_ppp_lcp_get

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp'

**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_put**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:**

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp'
```

**Required/Optional:** true

**Responses:**

"201":

**Description:** container lcp created or replaced

**Content:** {}

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** lcp

**Method:** Post

**Tags:**

- data

- post

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_post

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post'
```

**Required/Optional:** true

**Responses:**

"201":

**Description:** container lcp created

**Content:** {}

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** lcp

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delete

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

"204":

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_options

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:****"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_head**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig

```
- all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
```

```

- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_patch

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp'

 Required/Optional: true

Responses:
"204":
 Description: container lcp updated
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lcp

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/delay

get:



**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

 Responses:
 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_put

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay'

**Required/Optional:** true**Responses:****"201":****Description:** container delay created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** delay**Method:** Post**Tags:**

- data

- post

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_post

```

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'

Required/Optional: true

Responses:
"201":
 Description: container delay created
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: delay
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_delete

Parameters:

```

```
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_options

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_head

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
```

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
**"200":**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_patch

**Parameters:**  
 - **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay'

**Required/Optional:** true

**Responses:**  
**"204":**  
**Description:** container delay updated  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}  
**"401":**  
**Description:** Unauthorized  
**Content:** {}  
**"404":**  
**Description:** Not Found  
**Content:** {}  
**"405":**  
**Description:** Method Not Allowed

```

 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: delay

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/delay/seconds

get:

Tags:

```
- data
- get
```

Operation ID:

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_seconds\_get

Parameters:

- Name: feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

```
- config
- nonconfig
- all
```

- Name: depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16



- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:****"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay\_seconds'

**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":**

```

 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf seconds created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":

```

```

 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: seconds
delete:

 Tags:
 - data
 - delete
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_delete

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_options

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 "200":
 Description: OK
 Content: {}
```

```

 security:
 - basicAuth: []
 head:

 Tags:
 - data
 - head
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_head

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
 - Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
 - Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query

```

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_patch

Parameters:
- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

Required/Optional: true

```

**Responses:**

- "204":
  - Description:** leaf seconds updated
  - Content:** {}
- "400":
  - Description:** Bad Request
  - Content:** {}
- "401":
  - Description:** Unauthorized
  - Content:** {}
- "404":
  - Description:** Not Found
  - Content:** {}
- "405":
  - Description:** Method Not Allowed
  - Content:** {}
- "409":
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** seconds

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/delay/milliseconds

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
      - report-all  
      - trim  
      - explicit  
      - report-all-tagged

**Responses:**  
  "200":

```

 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

 Required/Optional: true

```



**Responses:**

"201":  
  **Description:** leaf milliseconds created or replaced  
  **Content:** {}  
"204":  
  **Description:** No Content  
  **Content:** {}  
"400":  
  **Description:** Bad Request  
  **Content:** {}  
"401":  
  **Description:** Unauthorized  
  **Content:** {}  
"404":  
  **Description:** Not Found  
  **Content:** {}  
"405":  
  **Description:** Method Not Allowed  
  **Content:** {}  
"409":  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** milliseconds

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_delete

**Parameters:**

- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

"204":  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- "200":
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_head

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- "200":
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay\_milliseconds'

**Required/Optional:** true

**Responses:**

"204":

**Description:** leaf milliseconds updated

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** milliseconds

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp/lcp/renegotiation

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

 Responses:
 "200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_put

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation'

**Required/Optional:** true**Responses:****"201":****Description:** container renegotiation created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** renegotiation**Method:** Post**Tags:**

- data

- post

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_post

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation-post'

**Required/Optional:** true

**Responses:**

"201":

**Description:** container renegotiation created

**Content:** {}

"204":

**Description:** No Content

**Content:** {}

"400":

**Description:** Bad Request

**Content:** {}

"401":

**Description:** Unauthorized

**Content:** {}

"404":

**Description:** Not Found

**Content:** {}

"405":

**Description:** Method Not Allowed

**Content:** {}

"409":

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** renegotiation

**delete:****Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_delete

**Parameters:**



```
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_options

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_head

Parameters:
- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
```

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
**"200":**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_patch

**Parameters:**  
 - **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation'

**Required/Optional:** true

**Responses:**  
**"204":**  
**Description:** container renegotiation updated  
**Content:** {}  
**"400":**  
**Description:** Bad Request  
**Content:** {}  
**"401":**  
**Description:** Unauthorized  
**Content:** {}  
**"404":**  
**Description:** Not Found  
**Content:** {}  
**"405":**  
**Description:** Method Not Allowed

```

 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: renegotiation

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/renegotiation/ignore

get:

Tags:

```

- data
- get

```

Operation ID:

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_get

Parameters:

```

- Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer

```

```

 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

**Responses:**

```

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'
```

```

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}

```

```

 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_put

 Parameters:
 - Name: feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

 Required/Optional: true

 Responses:
 "201":
 Description: leaf ignore created or replaced
 Content: {}
 "204":
 Description: No Content
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found

```

```
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: ignore
delete:
```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

```
"204":
 Description: No Content
 Content: {}
```

- ```
security:
- basicAuth: []
```

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"200":****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_head

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config
- nonconfig
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_patch

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:

```

    application/yang-data+json:
      Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf ignore updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ignore

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/max-bad-auth

```

get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_put

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:**

Reference:

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'
```

Required/Optional: true

Responses:

"201":

Description: leaf max-bad-auth created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: max-bad-auth

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_delete

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []
options:

Tags:

- data
 - options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config

```
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

Required/Optional: true

Responses:

"204":

Description: leaf max-bad-auth updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: max-bad-auth

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/max-configure

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'

  "204":
    Description: No Content
    Content: {}

  "400":
    Description: Bad Request
    Content: {}

  "401":
    Description: Unauthorized
    Content: {}

  "404":
    Description: Not Found
    Content: {}

  "405":
    Description: Method Not Allowed
    Content: {}

  "409":
    Description: Conflict
    Content: {}

security:
  - basicAuth: []

put:

Tags:
  - data

```

- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_put

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-configure'

Required/Optional: true

Responses:

"201":

Description: leaf max-configure created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: max-configure

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_delete

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_head

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'

Required/Optional: true

Responses:

"204":
Description: leaf max-configure updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max-configure

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/max-failure

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":

```



```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-failure'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf max-failure created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```

```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max-failure
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
```

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_head

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string

```

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_patch

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-failure'
```

Required/Optional: true

Responses:

"204":

Description: leaf max-failure updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: max-failure

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/pap

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap'

  Required/Optional: true

```

Responses:

"201":
Description: container pap created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: pap

Method: Post

Tags:

- data
 - post

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_post

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap-post'

Required/Optional: true

Responses:


```
"201":
  Description: container pap created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pap
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_head**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false

```

    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_patch

```

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap'

Required/Optional: true

Responses:

"204":

Description: container pap updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: pap

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/pap/accept-null-password

get:**Tags:**

- data

- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

Required/Optional: true

Responses:

"201":
Description: leaf accept-null-password created or replaced
Content: {}
 "204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: accept-null-password

delete:**Tags:**

- data
 - delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_delete

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_options

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_head

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple

```



```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

Required/Optional: true

Responses:

"204":
Description: leaf accept-null-password updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: accept-null-password

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp/timeout

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```

```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout'

    Required/Optional: true

  Responses:
    "201":
      Description: container timeout created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}

```

```

    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout-post'

Required/Optional: true

Responses:
"201":
  Description: container timeout created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed

```

```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
```

- **basicAuth:** []
head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response


```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

Required/Optional: true

```

Responses:

```

"204":
  Description: container timeout updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []
x-codegen-request-body-name: timeout

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/timeout/absolute

get:**Tags:**

```

- data
- get

```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_get
```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

    Required/Optional: true

  Responses:

```

```

"201":
  Description: container absolute created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: absolute
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post'

Required/Optional: true

Responses:
"201":
  Description: container absolute created

```

```

    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: absolute
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_options

```

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_patch

Parameters:**- Name:** feature-template-name


```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

    Required/Optional: true

  Responses:
    "204":
      Description: container absolute updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: absolute

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/timeout/absolute/minutes

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_put

Parameters:

- **Name:** feature-template-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf minutes created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: minutes
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_delete

  Parameters:
  - Name: feature-template-name
    In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_options

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_head

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

- Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

Required/Optional: true

Responses:

"204":

Description: leaf minutes updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/timeout/authentication

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**


```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized

```

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

Required/Optional: true

Responses:
"201":
  Description: leaf authentication created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":

```

Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}
security:
- **basicAuth:** []
x-codegen-request-body-name: authentication
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

- security:**
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:**"200":****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_head

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config
- nonconfig
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_patch

Parameters:

- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

Required/Optional: true

Responses:
  "204":
    Description: leaf authentication updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authentication

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/timeout/retry

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_put

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:**

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'
```

Required/Optional: true

Responses:

"201":

Description: leaf retry created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: retry

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_delete

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"204":

Description: No Content

Content: {}

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_head

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:

```

```
- config
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

Required/Optional: true

Responses:

"204":

Description: leaf retry updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: retry

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/keepalive

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_put

    Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive'

      Required/Optional: true

    Responses:
      "201":
        Description: container keepalive created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  x-codegen-request-body-name: keepalive

```

Method: Post

Tags:

- data
- post

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_post

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive-post'

Required/Optional: true

Responses:

"201":

Description: container keepalive created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: keepalive

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_delete

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_options

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive'

Required/Optional: true

Responses:

"204":

Description: container keepalive updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: keepalive

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/keepalive/disable

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

"204":
 Description: No Content
 Content: {}
"400":

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf disable created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: disable
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
```

```

    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```



```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

Required/Optional: true

Responses:
  "204":
    Description: leaf disable updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: disable

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/keepalive/interval

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'
```

Required/Optional: true

Responses:

"201":

Description: leaf interval created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: interval

delete:

Tags:

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_delete
```

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:
- **basicAuth:** []
options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_options

Parameters:
- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
"200":
Description: OK
Content: {}

security:
- **basicAuth:** []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_head

Parameters:
- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
security:
- basicAuth: []

```

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

Required/Optional: true

Responses:

"204":

Description: leaf interval updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: interval

/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/keepalive/retry

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
      data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_put

    Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

      Required/Optional: true

    Responses:
      "201":
        Description: leaf retry created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  x-codegen-request-body-name: retry

```

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_delete

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_options

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

Required/Optional: true

Responses:

"204":
 Description: leaf retry updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retry
```

/data/cnbng-cp:profile/l2tp

```
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/l2tp={l2tp-name}

```
get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name'**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_put**Parameters:**

- **Name:** l2tp-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** insert

In: query**Description:** controlling the order when adding new list elements**Required/Optional:** false**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name'
    Required/Optional: true

Responses:
"201":
  Description: list l2tp created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: l2tp
delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_delete**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_options**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_head**Parameters:**

- **Name:** l2tp-name
- In:** path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
```

```
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name'
    Required/Optional: true

Responses:
  "204":
    Description: list l2tp updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
```

```

"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: l2tp

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

```
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'

"204":
  Description: No Content
  Content: {}

"400":
  Description: Bad Request
  Content: {}

"401":
  Description: Unauthorized
  Content: {}

"404":
  Description: Not Found
```

```
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'
    Required/Optional: true

Responses:
  "201":
    Description: leaf name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
```



```
      Description: Conflict
      Content: {}
    security:
    - basicAuth: []
    x-codegen-request-body-name: name
  delete:

    Tags:
    - data
    - delete
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_delete

    Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

    Responses:
    "204":
      Description: No Content
      Content: {}
    security:
    - basicAuth: []
  options:

    Tags:
    - data
    - options
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_options

    Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

    Responses:
    "200":
      Description: OK
      Content: {}
    security:
    - basicAuth: []
  head:

    Tags:
```

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'
    Required/Optional: true

Responses:
  "204":
    Description: leaf name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
```

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/mode

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mode'

"204":
  Description: No Content
  Content: {}

"400":
  Description: Bad Request
```

```
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mode'
    Required/Optional: true

Responses:
  "201":
    Description: leaf mode created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
```

```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mode
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
```

Description: OK
Content: {}
security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_patch

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mode'
 Required/Optional: true

Responses:

- "204":
 - Description:** leaf mode updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []
- x-codegen-request-body-name:** mode

/data/cnbng-cp:profile/l2tp={l2tp-name}/encrypt-avp

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
```

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
"401":
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
"404":
```

```
  Description: Not Found
```

```
  Content: {}
```

```
"405":
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
"409":
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng-cp_profile_l2tp_l2tp_name_encrypt_avp_put
```

```
Parameters:
```

```
- Name: l2tp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
```

```
  Required/Optional: true
```

```
Responses:
```

```
"201":
```

```
  Description: leaf encrypt-avp created or replaced
```

```
  Content: {}
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: encrypt-avp
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
```

```

    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_patch

Parameters:
- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'

Required/Optional: true**Responses:****"204":****Description:** leaf encrypt-avp updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** encrypt-avp

/data/cnbng-cp:profile/l2tp={l2tp-name}/dsl-info-forwarding

get:**Tags:**- data
- get**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_get**Parameters:**- **Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID: data_cnbng-cp_profile_l2tp_l2tp_name_dsl_info_forwarding_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'

Required/Optional: true

Responses:

- "201":**
 - Description:** leaf dsl-info-forwarding created or replaced
 - Content:** {}
- "204":**
 - Description:** No Content
 - Content:** {}
- "400":**
 - Description:** Bad Request
 - Content:** {}
- "401":**
 - Description:** Unauthorized
 - Content:** {}
- "404":**
 - Description:** Not Found
 - Content:** {}
- "405":**
 - Description:** Method Not Allowed
 - Content:** {}
- "409":**
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: dsl-info-forwarding

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_delete

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- "204":**
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_patch

Parameters:
```

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
      Required/Optional: true

Responses:
  "204":
    Description: leaf dsl-info-forwarding updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dsl-info-forwarding

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/hostname

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_get

Parameters:

- **Name:** l2tp-name
- In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_put

Parameters:

- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:


```
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_hostname'

Required/Optional: true

Responses:
"201":
  Description: leaf hostname created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```

```
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_head

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
```

```
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_hostname'

Required/Optional: true

Responses:
"204":
  Description: leaf hostname updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/mtu

```
get:
```

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'

"204":
  Description: No Content
  Content: {}

"400":
  Description: Bad Request
  Content: {}

"401":
  Description: Unauthorized
  Content: {}

"404":
  Description: Not Found
  Content: {}

"405":
  Description: Method Not Allowed
  Content: {}

"409":
  Description: Conflict
  Content: {}

security:
- basicAuth: []

put:

Tags:
- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_put
```

```
Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'
    Required/Optional: true

Responses:
"201":
  Description: leaf mtu created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mtu
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
```

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_head

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
```


Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data

- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_mtu'

Required/Optional: true

Responses:

"204":

Description: leaf mtu updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: mtu

/data/cnbng-cp:profile/l2tp={l2tp-name}/hello-interval

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_get

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_put

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp_name_hello-interval'

Required/Optional: true

Responses:

"201":

Description: leaf hello-interval created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: hello-interval

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_delete

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_hello-interval'
Required/Optional: true

Responses:

"204":
Description: leaf hello-interval updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":

Description: Conflict
Content: {}
security:
- **basicAuth:** []
x-codegen-request-body-name: hello-interval

/data/cnbng-cp:profile/l2tp={l2tp-name}/tcp

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'

"204":
  Description: No Content
  Content: {}

"400":
  Description: Bad Request
  Content: {}

"401":
  Description: Unauthorized
  Content: {}

"404":
  Description: Not Found
  Content: {}

"405":
  Description: Method Not Allowed
  Content: {}

```

```
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
      Required/Optional: true

Responses:
"201":
  Description: container tcp created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

x-codegen-request-body-name: tcp

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_post

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tcp-post'

Required/Optional: true

Responses:

"201":

Description: container tcp created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: tcp

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_delete

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
Required/Optional: true

Responses:

"204":
Description: container tcp updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: tcp

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tcp/adjust-mss

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```


In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}

```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss'
      Required/Optional: true

Responses:
"201":
  Description: leaf adjust-mss created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: adjust-mss
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config

- nonconfig

- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

```
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust-mss'
      Required/Optional: true

Responses:
  "204":
    Description: leaf adjust-mss updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
```

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: adjust-mss

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:** **application/yang-data+json:** **Schema:** **Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit'
    Required/Optional: true

Responses:
  "201":
    Description: container retransmit created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```



```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retransmit
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit-post'
    Required/Optional: true

Responses:
  "201":
    Description: container retransmit created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
```

```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: retransmit
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"200":
  Description: OK
  Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

 '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit'
 Required/Optional: true

Responses:

"204":
 Description: container retransmit updated
 Content: {}

```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retransmit
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
```

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial'
      Required/Optional: true

Responses:
  "201":
    Description: container initial created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":

```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: initial
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial-post'
    Required/Optional: true

Responses:
  "201":
    Description: container initial created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found

```



```
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: initial
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "200":
    Description: OK
```

```
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_patch

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial'
 Required/Optional: true

Responses:

```

"204":
  Description: container initial updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: initial

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
  enum:

```

- config
- nonconfig
- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
  Required/Optional: true

Responses:
  "201":
    Description: container timeout created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":

```

```
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout-post'

  Required/Optional: true

Responses:
  "201":
    Description: container timeout created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
```

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```


Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

Request Body:

Content:

application/yang-data+json:

```

    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
      Required/Optional: true

  Responses:
    "204":
      Description: container timeout updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: timeout

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout /max

get:

```

  Tags:
    - data
    - get
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_get

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: content
      In: query
      Description: controlling descendant nodes in response
      Required/Optional: false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_put

Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
        Required/Optional: true

```

Responses:

```
"201":  
  Description: leaf max created or replaced  
  Content: {}  
"204":  
  Description: No Content  
  Content: {}  
"400":  
  Description: Bad Request  
  Content: {}  
"401":  
  Description: Unauthorized  
  Content: {}  
"404":  
  Description: Not Found  
  Content: {}  
"405":  
  Description: Method Not Allowed  
  Content: {}  
"409":  
  Description: Conflict  
  Content: {}
```

security:

```
- basicAuth: []  
x-codegen-request-body-name: max
```

delete:**Tags:**

```
- data  
- delete
```

Operation ID:

```
data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_delete
```

Parameters:

```
- Name: l2tp-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string
```

Responses:

```
"204":  
  Description: No Content  
  Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
```

- options

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_patch

```



```

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
      Required/Optional: true

Responses:
"204":
  Description: leaf max updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout /min

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'
      Required/Optional: true

Responses:
  "201":
    Description: leaf min created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: min
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_options

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min'
    Required/Optional: true

Responses:
"204":
  Description: leaf min updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: min
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/retries

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query


```
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:
```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_put

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries'

Required/Optional: true

Responses:

"201":

Description: leaf retries created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: retries

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_delete

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple

Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries'
Required/Optional: true

Responses:

"204":
Description: leaf retries updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: retries

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":**

```
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout'
    Required/Optional: true

Responses:
  "201":
    Description: container timeout created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
```



```
security:
- basicAuth: []
x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout-post'
    Required/Optional: true

Responses:
"201":
  Description: container timeout created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:
```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_delete

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":
Description: No Content
Content: {}

- security:**
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

- security:**
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_head

Parameters:

- **Name:** l2tp-name

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_patch

Parameters:
 - **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:
 Schema:

Reference:
 '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout'
 Required/Optional: true

Responses:
 "204":
 Description: container timeout updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/max

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":

```

```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'
    Required/Optional: true

Responses:
  "201":
    Description: leaf max created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
```

```
    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: max
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:
```


Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'
      Required/Optional: true

Responses:
  "204":
    Description: leaf max updated
    Content: {}
  "400":
    Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/min

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all

- trim

- explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'

"204":

Description: No Content

Content: {}

"400":

```
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min'
    Required/Optional: true

Responses:
  "201":
    Description: leaf min created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
```

```
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: min
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```

```
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_patch**Parameters:**

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min'

Required/Optional: true

Responses:

"204":
Description: leaf min updated
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: min

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/retries

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string

- Format:** enumeration
Default: config
enum:
- config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
- Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
- Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
- Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
- Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

```
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_retransmit_retries'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_retransmit_retries'
    Required/Optional: true

  Responses:
    "201":
      Description: leaf retries created or replaced
      Content: {}
    "204":
```

```
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retries
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_options

Parameters:
- Name: l2tp-name
  In: path
```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
```

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
        Required/Optional: true

  Responses:
    "204":
      Description: leaf retries updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: retries

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/receive-window

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_get

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_put**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:**

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'
  Required/Optional: true

Responses:
  "201":
    Description: leaf receive-window created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: receive-window
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

```

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_patch

```

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'
      Required/Optional: true

Responses:
"204":
  Description: leaf receive-window updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: receive-window

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_options

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}

get:**Tags:**

```

- data
- get

```

Operation ID:

```

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_get

```

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_put

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: terminate-from-hostname
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: insert

```



```

In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

  Required/Optional: true

Responses:
"201":
  Description: list terminate-from created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: terminate-from
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_head

Parameters:

- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** terminate-from-hostname
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** terminate-from-hostname

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

Required/Optional: true

Responses:

"204":

Description: list terminate-from updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: terminate-from

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}/hostname

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** terminate-from-hostname
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":**

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: terminate-from-hostname
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname_hostname'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf hostname created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```



```
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hostname
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_delete
```

Parameters:

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
"204":
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:
```

```
  Tags:
  - data
```

- options

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_options

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** terminate-from-hostname

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** terminate-from-hostname

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_patch

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: terminate-from-hostname
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname_hostname'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf hostname updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":

```

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hostname

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_options

```

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

"200":
  Description: OK
  Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_get

```

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** domain-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_12tp_12tp-name_domain_domain-name'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:

```

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** domain-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** insert

In: query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: first

enum:

- first
- last
- before
- after

- **Name:** point

In: query

Description: used to specify the insertion point

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name'

Required/Optional: true


```
Responses:
  "201":
    Description: list domain created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
```

Description: No Content
Content: {}
security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** domain-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
"200":
Description: OK
Content: {}
security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** domain-name
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content: {}
security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** domain-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name'

Required/Optional: true

Responses:

"204":
Description: list domain updated
Content: {}
"400":

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name:

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK

```
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
```

```
Required/Optional: true
```

Responses:

```
"201":
```

```
Description: leaf name created or replaced
```

```
Content: {}
```

```
"204":
```

```
Description: No Content
```

```
Content: {}
```

```
"400":
```

```
Description: Bad Request
```

```
Content: {}
```

```
"401":
```

```
Description: Unauthorized
```

```
Content: {}
```

```
"404":
```

```
Description: Not Found
```

```
Content: {}
```

```
"405":
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
"409":
```

```
Description: Conflict
```

```
Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: name
```

delete:**Tags:**

```
- data
- delete
```

```
Operation ID: data_cnbng-cp_profile_l2tp_l2tp_name_domain_domain_name_name_delete
```

Parameters:

```
- Name: l2tp-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

```
- Name: domain-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```



```
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

- Type:** string
 - Format:** string
- **Name:** domain-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_patch

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** domain-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:

Reference:
 '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name_name'
 Required/Optional: true

Responses:

```

"204":
  Description: leaf name updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/tun-a ssign-id

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_get

```

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** domain-name

In: path

Required/Optional: true

Style: simple

Explode: false

```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

      Required/Optional: true

    Responses:
      "201":
        Description: leaf tun-assign-id created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: tun-assign-id
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_delete

    Parameters:
      - Name: l2tp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string

```

```

    Format: string
  - Name: domain-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: domain-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head

```


Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** domain-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_patch

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** domain-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

      Required/Optional: true

    Responses:
      "204":
        Description: leaf tun-assign-id updated
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: tun-assign-id

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/vrf

get:

```

    Tags:
      - data
      - get
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_get

    Parameters:
      - Name: l2tp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:

```

```

    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data**
- put**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_vrf_put**Parameters:****- Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

```

    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'
        Required/Optional: true

Responses:
  "201":
    Description: leaf vrf created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: vrf
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
security:
- basicAuth: []

```

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'

Required/Optional: true

Responses:

"204":

Description: leaf vrf updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: vrf

/data/cnbng-cp:profile/l2tp={l2tp-name}/authentication

get:

Tags:

- data

- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'
            Required/Optional: true

Responses:
  "201":
    Description: leaf authentication created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: authentication
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:
"204":
 Description: No Content
 Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_options

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
"200":
 Description: OK
 Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_head

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:

Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK

```
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_authentication'
      Required/Optional: true

Responses:
"204":
  Description: leaf authentication updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authentication
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'

Required/Optional: true

Responses:

"201":

Description: container ip-tos created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ip-tos

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_post

```
Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post'
      Required/Optional: true

Responses:
"201":
  Description: container ip-tos created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip-tos
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_delete

Parameters:
- Name: l2tp-name
  In: path
```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_head

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_patch**Parameters:**

- **Name:** l2tp-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'**Required/Optional:** true**Responses:****"204":****Description:** container ip-tos updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}

```
security:  
- basicAuth: []  
x-codegen-request-body-name: ip-tos
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/value

get:

```
Tags:  
- data  
- get  
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_get  
  
Parameters:  
- Name: l2tp-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true
```

Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict


```
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value'
        Required/Optional: true

  Responses:
    "201":
      Description: leaf value created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:
```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_delete

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_head

Parameters:

- **Name:** l2tp-name

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_patch

Parameters:
 - **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:
 Schema:

Reference:
 '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value'
 Required/Optional: true

Responses:
 "204":
 Description: leaf value updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/reflect

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":

```

```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect'
    Required/Optional: true

Responses:
  "201":
    Description: leaf reflect created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
```

```
    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: reflect
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:
```


Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: string
Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_patch

Parameters:

Name: l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect'
Required/Optional: true

Responses:

"204":
Description: leaf reflect updated
Content: {}
"400":
Description: Bad Request

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: reflect

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query

```

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'

"204":
Description: No Content
Content: {}

"400":

```
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'

  Required/Optional: true

Responses:
  "201":
    Description: container tunnel created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
```

```

    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: tunnel
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel-post'
    Required/Optional: true

Responses:
"201":
  Description: container tunnel created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":

```

```
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: tunnel
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
security:
```

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```



```
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel'

  Required/Optional: true

Responses:
  "204":
    Description: container tunnel updated
```

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tunnel

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/session-limit

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig

```

- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit'

"204":

```

    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session-limit'
    Required/Optional: true

Responses:
  "201":
    Description: leaf session-limit created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}

```

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-limit
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_patch

Parameters:
 - **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tunnel_session-limit'
```

Required/Optional: true

Responses:

"204":

Description: leaf session-limit updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: session-limit

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_get

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```

    "200":
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_put

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
      Required/Optional: true

  Responses:
    "201":

```

```

    Description: container timeout created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout-post'
    Required/Optional: true

Responses:
  "201":
    Description: container timeout created
    Content: {}
  "204":
    Description: No Content

```

```
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
```

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
      Required/Optional: true

Responses:
  "204":
    Description: container timeout updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout/no-session:

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content

```

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_put**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'  
  Required/Optional: true  
  
  Responses:  
    "201":  
      Description: leaf no-session created or replaced  
      Content: {}  
    "204":  
      Description: No Content  
      Content: {}  
    "400":  
      Description: Bad Request  
      Content: {}  
    "401":  
      Description: Unauthorized  
      Content: {}  
    "404":  
      Description: Not Found  
      Content: {}  
    "405":  
      Description: Method Not Allowed  
      Content: {}  
    "409":  
      Description: Conflict  
      Content: {}  
  security:  
  - basicAuth: []  
  x-codegen-request-body-name: no-session  
delete:  
  
  Tags:  
  - data  
  - delete  
  Operation ID: data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session_delete  
  
  Parameters:  
  - Name: l2tp-name  
    In: path  
    Required/Optional: true  
    Style: simple  
    Explode: false  
    Schema:  
      Type: string  
      Format: string  
  
  Responses:  
    "204":  
      Description: No Content  
      Content: {}  
  security:  
  - basicAuth: []  
options:
```

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_patch

```

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'
        Required/Optional: true

Responses:
"204":
  Description: leaf no-session updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: no-session

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_get

Parameters:

```

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'

  "204":
    Description: No Content
    Content: {}

  "400":
    Description: Bad Request
    Content: {}

  "401":
    Description: Unauthorized
    Content: {}

  "404":
    Description: Not Found
    Content: {}

  "405":
    Description: Method Not Allowed
    Content: {}

  "409":
    Description: Conflict
    Content: {}

security:
- basicAuth: []

put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
```

```
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'
        Required/Optional: true

Responses:
  "201":
    Description: container ipv4 created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```



```
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ipv4-post'

  Required/Optional: true

Responses:
  "201":
    Description: container ipv4 created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ipv4
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
```

```
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
```

```
- config
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'

Required/Optional: true

Responses:

"204":

Description: container ipv4 updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ipv4

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/df-bit**get:****Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_put

Parameters:

- **Name:** l2tp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ipv4_df-bit'
          Required/Optional: true

  Responses:
    "201":
      Description: leaf df-bit created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: df-bit
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

Schema:

Type: string
Format: string

Responses:**"204":****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_options**Parameters:****- Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_head**Parameters:****- Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false


```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

"200":
 Description: OK
 Content: {}

security:
 - basicAuth: []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ipv4_df-bit'
Required/Optional: true

Responses:

"204":
 Description: leaf df-bit updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: df-bit

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/source

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all

- trim

- explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_put

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_source'

Required/Optional: true

Responses:

"201":

Description: leaf source created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: source

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_delete

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

- Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ipv4_source'
Required/Optional: true

Responses:

"204":
Description: leaf source updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":


```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: source
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination

options:

```
Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_options
```

```
Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}

get:

```
Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

- **Name:** destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_put

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true

Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: first
 enum:
 - first
 - last
 - before
 - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

Required/Optional: true**Responses:****"201":****Description:** list destination created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}

```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: destination
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
```

- data
- options

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_patch

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: destination-dest-ip
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination-dest-ip'

    Required/Optional: true

  Responses:
    "204":
      Description: list destination updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":

```



```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: destination

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/dest-ip

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK

```

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_put

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: destination-dest-ip
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf dest-ip created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dest-ip
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple

```

Explode: false
Schema:
 Type: string
 Format: string

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_options

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** destination-dest-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_head

Parameters:
- **Name:** l2tp-name
 In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'
```

Required/Optional: true

Responses:

"204":

Description: leaf dest-ip updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: dest-ip

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/weight

get:**Tags:**

- data

- get

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_get

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** destination-dest-ip

In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_put

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

    Schema:
      Type: string
      Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf weight created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: weight
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_delete

```

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** destination-dest-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** destination-dest-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK

```

    Content: {}
  security:
    - basicAuth: []
  head:

```

Tags:

```

- data
- head

```

Operation ID:

```
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_head
```

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf weight updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: weight

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/congestion-control

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_get

```

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_congestion-control'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control'
        Required/Optional: true

Responses:
  "201":
    Description: leaf congestion-control created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: congestion-control
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: string

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_options

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** enumeration
- Default:** config
- enum:**
 - config
 - nonconfig
 - all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** integer
- Format:** uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** enumeration
- Default:** report-all
- enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

```
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_patch

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control'
      Required/Optional: true

  Responses:
    "204":
      Description: leaf congestion-control updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: congestion-control
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tx-connect-speed

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_put

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed'

Required/Optional: true

Responses:

"201":

Description: leaf tx-connect-speed created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: tx-connect-speed

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_delete

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

- Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tx-connect-speed'

Required/Optional: true

Responses:

"204":

Description: leaf tx-connect-speed updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: tx-connect-speed

/data/cnbng-cp:profile/l2tp={l2tp-name}/rx-connect-speed

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}

```

    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_rx-connect-speed'
          Required/Optional: true

  Responses:
    "201":
      Description: leaf rx-connect-speed created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []

```

x-codegen-request-body-name: rx-connect-speed

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_delete

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_options

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_rx-connect-speed'

Required/Optional: true

Responses:

"204":

Description: leaf rx-connect-speed updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

```

"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: rx-connect-speed

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel-load-balancing

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized

```

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel-load-balancing'
    Required/Optional: true

Responses:
  "201":
    Description: leaf tunnel-load-balancing created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":

```

```
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: tunnel-load-balancing
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
security:
```

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel-load-balancing'
    Required/Optional: true

Responses:
  "204":
    Description: leaf tunnel-load-balancing updated

```

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tunnel-load-balancing

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/password

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig

```



```
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_password'
```

"204":

```
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_password'

  Required/Optional: true

Responses:
  "201":
    Description: leaf password created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
```

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: password
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

```
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_patch

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:

```

Schema:
  Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_password'

Required/Optional: true

Responses:
  "204":
    Description: leaf password updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: password

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/force-lcp-renegotiation

get:

```

Tags:
  - data
  - get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_get

Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
  Required/Optional: true

Responses:
"201":

```



```
    Description: leaf force-lcp-renegotiation created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: force-lcp-renegotiation
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_options
```

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
        Required/Optional: true

Responses:
  "204":
    Description: leaf force-lcp-renegotiation updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: force-lcp-renegotiation

```

/data/cnbng-cp:profile/radius

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius'
  Required/Optional: true

Responses:
"201":
  Description: container radius created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
```

```
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_post
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius-post'
    Required/Optional: true

Responses:
"201":
  Description: container radius created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius
delete:
```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- basicAuth: []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_options

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer


```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius'
      Required/Optional: true
```

Responses:

- "204":**
 - Description:** container radius updated
 - Content:** {}
- "400":**
 - Description:** Bad Request
 - Content:** {}
- "401":**
 - Description:** Unauthorized
 - Content:** {}
- "404":**
 - Description:** Not Found
 - Content:** {}
- "405":**
 - Description:** Method Not Allowed
 - Content:** {}
- "409":**
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: radius

/data/cnbng-cp:profile/radius/server

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_server_options

Responses:

- "200":**
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_get

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data

```

- put

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_put

Parameters:

- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port'

Required/Optional: true

Responses:

```
"201":
  Description: list server created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_delete

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
"204":
  Description: No Content
```

```
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_options

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
"200":
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_head

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```


Schema:

Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_patch

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port'
Required/Optional: true

Responses:

"204":
Description: list server updated
Content: {}

"400":
Description: Bad Request

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/ip:

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/ip:

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content:

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_put

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:

```

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'
```

Required/Optional: true

Responses:

"201":

Description: leaf ip created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ip

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_ip_delete

Parameters:

- **Name:** server-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** server-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:**"204":****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_options**Parameters:****- Name:** server-ip**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union**- Name:** server-port**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_head**Parameters:****- Name:** server-ip**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string

- Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_patch

Parameters:

- **Name:** server-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** server-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'

Required/Optional: true

Responses:

"204":


```

    Description: leaf ip updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/por t

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

- "200":**
 - Description:** OK
 - Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'

- "204":**
 - Description:** No Content
 - Content:** {}
- "400":**
 - Description:** Bad Request
 - Content:** {}
- "401":**
 - Description:** Unauthorized
 - Content:** {}
- "404":**
 - Description:** Not Found
 - Content:** {}
- "405":**
 - Description:** Method Not Allowed
 - Content:** {}
- "409":**
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_port_put

Parameters:

- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'

Required/Optional: true**Responses:****"201":****Description:** leaf port created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** port**delete:****Tags:**- data
- delete**Operation ID:** data_cnbng-cp_profile_radius_server_server-ip_server-port_port_delete**Parameters:**- **Name:** server-ip**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union- **Name:** server-port**In:** path**Required/Optional:** true**Style:** simple

```
    Explode: false
    Schema:
      Type: string
      Format: int32

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_options

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_head

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'
  Required/Optional: true

Responses:
  "204":
    Description: leaf port updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: port
```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/type

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_type_get

Parameters:

- Name: server-ip
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: union
- Name: server-port
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string

- Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_type'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_put
```

Parameters:

```

- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true

```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
    Required/Optional: true

Responses:
  "201":
    Description: leaf type created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_type_delete

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

```
    Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_options

Parameters:
  - Name: server-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
```

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_head

Parameters:

- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
Default: report-all

enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_patch

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: union

- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

```

    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
      Required/Optional: true

Responses:
  "204":
    Description: leaf type updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/sec ret

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_secret_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
```



```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_secret_put

Parameters:
  - Name: server-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

```

    Schema:
      Type: string
      Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
      Required/Optional: true

Responses:
  "201":
    Description: leaf secret created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: secret
delete:

Tags:
- data
- delete
Operation ID: data_cnbng-cp_profile_radius_server_server-ip_server-port_secret_delete

Parameters:

```

```
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_options

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "200":
    Description: OK
    Content: {}
```

```

    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_head

  Parameters:
  - Name: server-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false

```

```
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_patch

Parameters:
  - Name: server-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
```

```

- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
        Required/Optional: true

  Responses:
    "204":
      Description: leaf secret updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: secret

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/priority

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_priority_get

Parameters:

- Name: server-ip

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put

```


Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_put

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_priority'

Required/Optional: true

Responses:

"201":
Description: leaf priority created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: priority
delete:

Tags:
- data
- delete

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_delete

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Responses:

"204":
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_options

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** server-port
In: path
Required/Optional: true
Style: simple

```
    Explode: false
    Schema:
      Type: string
      Format: int32

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_head

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
```

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_patch
```

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: union

- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'

Required/Optional: true

Responses:

"204":
Description: leaf priority updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: priority

/data/cnbng-cp:profile/radius/algorithm

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_algorithm_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Operation ID: data_cnbng_cp_profile_radius_algorithm_put

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'

Required/Optional: true

Responses:

"201":
 Description: leaf algorithm created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: algorithm

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_algorithm_delete

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_algorithm_options

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_algorithm_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_algorithm_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'
      Required/Optional: true

Responses:
  "204":
    Description: leaf algorithm updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: algorithm
```

/data/cnbng-cp:profile/radius/deadtime

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_deadtime_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Operation ID: data_cnbng_cp_profile_radius_deadtime_put

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'

Required/Optional: true

Responses:

"201":

Description: leaf deadtime created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: deadtime

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_deadtime_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_deadtime_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_deadtime_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_deadtime_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'
      Required/Optional: true

Responses:
  "204":
    Description: leaf deadtime updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deadtime
```

/data/cnbng-cp:profile/radius/detect-dead-server

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults


```
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
```

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server'
  Required/Optional: true

Responses:
  "201":
    Description: container detect-dead-server created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server-post'
        Required/Optional: true

Responses:
  "201":
    Description: container detect-dead-server created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}

```

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server'
          Required/Optional: true

  Responses:
    "204":
      Description: container detect-dead-server updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: detect-dead-server

```

/data/cnbng-cp:profile/radius/detect-dead-server/response-timeout:

```

get:

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_get

  Parameters:

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_put**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'

Required/Optional: true**Responses:****"201":****Description:** leaf response-timeout created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}

```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: response-timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_head

Parameters:
```


- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_patch

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server_response-timeout'
  Required/Optional: true

```

Responses:

```

"204":
  Description: leaf response-timeout updated
  Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}

```

```

"401":
  Description: Unauthorized
  Content: {}

```

```

"404":
  Description: Not Found
  Content: {}

```

```

"405":
  Description: Method Not Allowed
  Content: {}

```

```

"409":
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []

```

x-codegen-request-body-name: response-timeout

/data/cnbng-cp:profile/radius/max-retry

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_max_retry_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form

Explode: true

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
 - put

Operation ID: data_cnbng_cp_profile_radius_max_retry_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'

Required/Optional: true

Responses:

"201":

```
    Description: leaf max-retry created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max-retry
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_max_retry_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_max_retry_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
```

Operation ID: data_cnbng_cp_profile_radius_max_retry_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_max_retry_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'
      Required/Optional: true

Responses:
  "204":
    Description: leaf max-retry updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-retry
```

/data/cnbng-cp:profile/radius/timeout

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_timeout_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_radius_timeout_put

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'

Required/Optional: true

Responses:

"201":
 Description: leaf timeout created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: timeout

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_timeout_delete

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_timeout_options

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_timeout_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch
Operation ID: data_cnbng_cp_profile_radius_timeout_patch
Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'
 Required/Optional: true

Responses:
 "204":
 Description: leaf timeout updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found
 Content: {}
 "405":
 Description: Method Not Allowed
 Content: {}
 "409":
 Description: Conflict
 Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: timeout

/data/cnbng-cp:profile/radius/attribute

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_put
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'

Required/Optional: true

Responses:

"201":

Description: container attribute created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: attribute

Method: Post

Tags:

- data

- post

Operation ID: data_cnbng_cp_profile_radius_attribute_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng_cp_profile_radius_attribute-post'

Required/Optional: true

Responses:

"201":

Description: container attribute created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

```
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: attribute
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_attribute_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_attribute_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_attribute_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
```



```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
"200":
  Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'
      Required/Optional: true

Responses:
  "204":
    Description: container attribute updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: attribute

```

/data/cnbng-cp:profile/radius/attribute/called-station-id

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Operation ID: data_cnbng-cp_profile_radius_attribute_called_station_id_put**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id'

Required/Optional: true**Responses:****"201":****Description:** container called-station-id created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: called-station-id
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_post
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id-post'
      Required/Optional: true

Responses:
"201":
  Description: container called-station-id created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
```

```
- basicAuth: []
x-codegen-request-body-name: called-station-id
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_delete

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
```

```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_patch
Request Body:
  Content:
```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id'
        Required/Optional: true

  Responses:
    "204":
      Description: container called-station-id updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: called-station-id

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format

```

options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_options

  Responses:
    "200":
      Description: OK
      Content: {}
  security:
  - basicAuth: []

```


/data/cnbng-cp:profile/radius/attribute/called-station-id/format={ format-nas-port-type}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
      data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_put

    Parameters:
      - Name: format-nas-port-type
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: int32
      - Name: insert
        In: query
        Description: controlling the order when adding new list elements
        Required/Optional: false
        Style: form
        Explode: true
        Schema:
          Type: string
          Format: enumeration
          Default: first
          enum:
            - first
            - last
            - before
            - after
      - Name: point
        In: query
        Description: used to specify the insertion point
        Required/Optional: false
        Style: form
        Explode: true
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

    Required/Optional: true

    Responses:
      "201":

```

```

    Description: list format created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "204":
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_patch

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

    Required/Optional: true

Responses:
"204":
  Description: list format updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format={ format-nas-port-type}/nas-port-type

get:

```

Tags:
- data
- get
Operation ID:

```

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

"201":
Description: leaf nas-port-type created or replaced
Content: {}
"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: nas-port-type

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_delete

Parameters:

```
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_options

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_head

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
```

```
Explode: false
Schema:
  Type: string
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

"204":
Description: leaf nas-port-type updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format={ format-nas-port-type}/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}

```

```

    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_put

```

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

```

```

  Required/Optional: true

```

Responses:

```

"201":
  Description: leaf format-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized

```



```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- basicAuth: []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**

Type: string
Format: int32

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_patch

Parameters:

- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

```

    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

  Required/Optional: true

Responses:
  "204":
    Description: leaf format-name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format-name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_get

Parameters:

- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string

Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content:

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format-name'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_put

  Request Body:
    Content:
      application/yang-data+json:
        Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format-name'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf format-name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized

```

```
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged


```

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format-name'

    Required/Optional: true

Responses:
  "204":
    Description: leaf format-name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/value

```

get:

Tags:
- data
- get

```

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_value'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_put
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_value'
    Required/Optional: true

  Responses:
  "201":
    Description: leaf value created or replaced
    Content: {}

```

```
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_head
```

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_value'

Required/Optional: true

Responses:

"204":

Description: leaf value updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: value

/data/cnbng-cp:profile/radius/attribute/calling-station-id

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_put

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id'
```

Required/Optional: true

Responses:

"201":

Description: container calling-station-id created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: calling-station-id

Method: Post

Tags:

- data

- post

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id-post'
```

Required/Optional: true

Responses:

"201":

Description: container calling-station-id created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: calling-station-id
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id'
        Required/Optional: true

  Responses:
    "204":
      Description: container calling-station-id updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: calling-station-id

```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format:

```

options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_options

```

Responses:
 "200":
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_put

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

```

Content:
  application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'
```

Required/Optional: true

Responses:

"201":

Description: list format created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: format

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_delete
```

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

"204":

Description: No Content


```
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_options

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
"200":
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_head

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:**"200":****Description:** OK**Content:** {}**security:**

```
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format-nas-port-type'

Required/Optional: true

Responses:
"204":
  Description: list format updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling_station_id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:
"201":
  Description: leaf nas-port-type created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: nas-port-type
```

```
delete:
```

```
Tags:
```

```
- data
- delete
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_delete
```

```
Parameters:
```

```
- Name: format-nas-port-type
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

```
Schema:
```

```
  Type: string
```

```
  Format: int32
```

```
Responses:
```

```
"204":
```

```
  Description: No Content
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
options:
```

```
Tags:
```

```
- data
- options
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_options
```

```
Parameters:
```

```
- Name: format-nas-port-type
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

```
Schema:
```

```
  Type: string
```

```
  Format: int32
```

```
Responses:
```

```
"200":
```

```
  Description: OK
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form


```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

```

```

"204":
  Description: leaf nas-port-type updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_get

Parameters:

- Name: format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_put

  Parameters:
    - Name: format-nas-port-type
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

    Required/Optional: true

  Responses:

```

```
"201":
  Description: leaf format-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
```

- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_options

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_patch

Parameters:- **Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

Required/Optional: true**Responses:****"204":****Description:** leaf format-name updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** format-name

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format-name

get:**Tags:**

- data

- get

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - basicAuth: []

put:

Tags:
 - data
 - put

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_put

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

Required/Optional: true

Responses:

```
"201":
  Description: leaf format-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: format-name
```

delete:**Tags:**

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_delete
```

Responses:

```
"204":
  Description: No Content
  Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_options
```

Responses:

```
"200":
  Description: OK
  Content: {}
```

security:

```
- basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

Required/Optional: true

Responses:

"204":

Description: leaf format-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

```
security:  
- basicAuth: []  
x-codegen-request-body-name: format-name
```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/value

get:

Tags:

```
- data  
- get
```

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_get

Parameters:

```
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: string  
- Name: filter  
  In: query  
  Description: xpath expression to filter data nodes in response  
  Required/Optional: false  
  Style: form
```

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_value'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put
```

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'

Required/Optional: true

Responses:

"201":

Description: leaf value created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: value

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}

security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_patch

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'
Required/Optional: true

Responses:
 "204":
 Description: leaf value updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}
 "404":
 Description: Not Found

```
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
```

/data/cnbng-cp:profile/radius/attribute/nas-identifier

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_get
```

Parameters:

```
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier'
      Required/Optional: true

Responses:
"201":
  Description: leaf nas-identifier created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
```

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_patch

Request Body:

Content:
 application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier'

Required/Optional: true

Responses:

"204":
Description: leaf nas-identifier updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_put
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format'
  Required/Optional: true

Responses:
  "201":
    Description: container nas-identifier-format created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier-format
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_post
Request Body:
  Content:

```

```
application/yang-data+json:
  Schema:
    Reference:
      '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post'
    Required/Optional: true

Responses:
  "201":
    Description: container nas-identifier-format created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier-format
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_delete

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_options

Responses:
  "200":
```

Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_head

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

```
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format'
      Required/Optional: true

Responses:
  "204":
    Description: container nas-identifier-format updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
```

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier-format

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/form at

options:

```

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/form at={format-nas-port-type}

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```



```

    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

    Required/Optional: true

Responses:
  "201":
    Description: list format created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:

```

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type'

Required/Optional: true

Responses:

"204":
 Description: list format updated
 Content: {}
"400":
 Description: Bad Request

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/form at={format-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig

- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put

```

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format_nas-port-type_nas-port-type'
```

```
Required/Optional: true
```

Responses:

```

"201":
  Description: leaf nas-port-type created or replaced
  Content: {}
"204":
  Description: No Content

```

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_delete

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_patch

Parameters:**- Name:** format-nas-port-type

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf nas-port-type updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format-at={format-nas-port-type}/format-name

get:

```

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_get

```

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_put

Parameters:

- **Name:** format-nas-port-type

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:
  "201":
    Description: leaf format-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_delete

Parameters:
  - Name: format-nas-port-type
    In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:
 "204":
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []
options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_options

Parameters:
- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_head

Parameters:
- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```


Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:

"204":

Description: leaf format-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/form at-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

Required/Optional: true

Responses:
"201":
  Description: leaf format-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_delete

Responses:
"204":
  Description: No Content
  Content: {}

```

security:
- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

```

    Schema:
      Type: string
      Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format-name'

    Required/Optional: true

Responses:
  "204":
    Description: leaf format-name updated
    Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":

```



```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id'
    Required/Optional: true

Responses:
  "201":
    Description: container nas-port-id created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
Method: Post

Tags:
- data
```

```
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id-post'
      Required/Optional: true

Responses:
  "201":
    Description: container nas-port-id created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_delete

Responses:
  "204":
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

```

Responses:
  "200":
    Description: OK
    Content: {}

```

```

security:
- basicAuth: []

```

patch:

Tags:

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_patch

Request Body:

```

Content:
  application/yang-data+json:

```

```

  Schema:

```

```

  Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id'

```

```

Required/Optional: true

```

Responses:

```

"204":
  Description: container nas-port-id updated
  Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}

```

```

"401":
  Description: Unauthorized
  Content: {}

```

```

"404":
  Description: Not Found
  Content: {}

```

```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format

```
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}

```
get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```
Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng-cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

  Required/Optional: true

Responses:
  "201":
    Description: list format created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

```


Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Responses:****"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Responses:****"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

Required/Optional: true

Responses:

"204":

Description: list format updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- Name: format-nas-port-type
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: int32
- Name: content
 - In: query
 - Description: controlling descendant nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:
 - Type: string
 - Format: enumeration
 - Default: config
 - enum:
 - config
 - nonconfig
 - all
- Name: depth
 - In: query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

"204":
Description: No Content
Content: {}

```

    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

      Required/Optional: true

Responses:
  "201":
    Description: leaf nas-port-type created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request

```

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: int32
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

Responses:
  "204":
    Description: leaf nas-port-type updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/format-name

```

get:

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_get

  Parameters:
  - Name: format-nas-port-type
    In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

  Required/Optional: true

Responses:
  "201":
    Description: leaf format-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_delete

Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

Schema:

Type: string
Format: int32

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_options

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: int32

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: int32

- **Name:** content

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

Required/Optional: true**Responses:****"204":****Description:** leaf format-name updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":**

Description: Conflict
Content: {}
security:
- **basicAuth:** []
x-codegen-request-body-name: format-name

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format-name

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_get

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:

```

```

- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format-name'
      Required/Optional: true

Responses:
  "201":
    Description: leaf format-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_delete

  Responses:
    "204":
      Description: No Content
      Content: {}
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options

```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config

- nonconfig

- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_patch
Request Body:
Content:
  application/yang-data+json:
  Schema:
  Reference:
  '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
  Required/Optional: true

Responses:
  "204":
    Description: leaf format-name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found

```

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_get

```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

```
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'
```

```
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_put
  Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'
    Required/Optional: true

  Responses:
    "201":
      Description: leaf value created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
  delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_delete

  Responses:
    "204":
      Description: No Content
      Content: {}
  security:

```



```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_patch

Request Body:

Content:
 application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'

Required/Optional: true

Responses:

"204":
Description: leaf value updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
```

/data/cnbng-cp:profile/radius/attribute/nas-port

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port'
      Required/Optional: true

Responses:
  "201":
    Description: container nas-port created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_post
Request Body:
Content:

```

```
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-post'
      Required/Optional: true

Responses:
  "201":
    Description: container nas-port created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_delete

Responses:
  "204":
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_options

Responses:
  "200":
```

Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_head

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_patch

Request Body:

Content:
 application/yang-data+json:

Schema: **Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port'

Required/Optional: true

Responses:

"204":
 Description: container nas-port updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":


```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port

```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

```

Parameters:

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

```

    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

Required/Optional: true

Responses:
  "201":
    Description: list format-e-list created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e-list
delete:

Tags:
- data

```

- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_delete

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_options

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_head

Parameters:

- **Name:** format-e-list-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_patch

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

Required/Optional: true

Responses:

"204":

Description: list format-e-list updated

Content: {}

"400":

Description: Bad Request

Content: {}

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e-list

```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

"204":

```

    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_put

```

Parameters:

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

```

```

Required/Optional: true

```

Responses:

```

"201":
  Description: leaf nas-port-type created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_delete

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_options

Parameters:
- Name: format-e-list-nas-port-type

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-e-list-nas-port-type

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

```
"200":
  Description: OK
  Content: {}
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

Operation ID:

```
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_patch
```

Parameters:

```
- Name: format-e-list-nas-port-type
  In: path
```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf nas-port-type updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/format-e

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_get

Parameters:

- **Name:** format-e-list-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_put

Parameters:

- **Name:** format-e-list-nas-port-type
- In:** path


```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

Required/Optional: true

Responses:
  "201":
    Description: leaf format-e created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: format-e
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

Parameters:
  - Name: format-e-list-nas-port-type
    In: path
    Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: int32

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_options

```

```

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_head

```

```

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_patch

  Parameters:
  - Name: format-e-list-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf format-e updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed

```

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-e

```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
Default: report-all

enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_put**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e'

Required/Optional: true**Responses:****"201":****Description:** leaf format-e created or replaced**Content:** {}**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: format-e**delete:****Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_delete**Responses:****"204":****Description:** No Content**Content:** {}**security:**

- basicAuth: []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_options

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e'
 Required/Optional: true

Responses:
 "204":
 Description: leaf format-e updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized
 Content: {}

```

"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e

```

/data/cnbng-cp:profile/radius/attribute/nas-port/value

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_value'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":

```

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_put
Request Body:
  Content:
  application/yang-data+json:
  Schema:
  Reference:
  '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_value'
  Required/Optional: true

Responses:
  "201":
    Description: leaf value created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_delete

Responses:
  "204":
    Description: No Content

```

```
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_patch

Request Body:

Content:
application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_value'
Required/Optional: true

Responses:

"204":
Description: leaf value updated
Content: {}
"400":
Description: Bad Request

```
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
```

/data/cnbng-cp:profile/radius/attribute/nas-ip

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}


```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

Required/Optional: true

Responses:
"201":
  Description: leaf nas-ip created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_delete
```

Responses:**"204":****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_options**Responses:****"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- Name: depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

Required/Optional: true

Responses:
  "204":
```

```

    Description: leaf nas-ip updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip

```

/data/cnbng-cp:profile/radius/accounting

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_get

```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
```

```
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'
      Required/Optional: true

Responses:
  "201":
    Description: container accounting created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: accounting
Method: Post
```

```
Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting-post'

  Required/Optional: true

Responses:
"201":
  Description: container accounting created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
```

```
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_options
```

Responses:

```
"200":
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Operation ID: data_cnbng_cp_profile_radius_accounting_head
```

Parameters:

```
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```



```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'
      Required/Optional: true

Responses:
  "204":
    Description: container accounting updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
```

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting

```

/data/cnbng-cp:profile/radius/accounting/algorithm

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_get

```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_algorithm'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_put
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_algorithm'
        Required/Optional: true

  Responses:
    "201":
      Description: leaf algorithm created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: algorithm
  delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_delete

  Responses:
    "204":
      Description: No Content
      Content: {}
  security:

```

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_patch

Request Body:

Content:
 application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_algorithm'

Required/Optional: true

Responses:

"204":
Description: leaf algorithm updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: algorithm

```

/data/cnbng-cp:profile/radius/accounting/deadtime

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_deadtime'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed


```
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_deadtime'
        Required/Optional: true

Responses:
  "201":
    Description: leaf deadtime created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: deadtime
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_delete

Responses:
```

```
"204":
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_options

Responses:
"200":
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_deadtime'
      Required/Optional: true

Responses:
  "204":
    Description: leaf deadtime updated
    Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deadtime

```

/data/cnbng-cp:profile/radius/accounting/detect-dead-server

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":

```

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_detect-dead-server'
      Required/Optional: true

Responses:
  "201":
    Description: container detect-dead-server created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
Method: Post

Tags:
- data

```

```
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_detect-dead-server-post'
      Required/Optional: true

Responses:
  "201":
    Description: container detect-dead-server created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_delete

Responses:
  "204":
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```

Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form


```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_detect-dead-server'
      Required/Optional: true

Responses:
  "204":
    Description: container detect-dead-server updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}

```

```

"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server

```

/data/cnbng-cp:profile/radius/accounting/detect-dead-server/response-timeout

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_get

Parameters:

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- Name: depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- Name: fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_put
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf response-timeout created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: response-timeout
delete:

    Tags:
      - data
      - delete
    Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_delete

  Responses:
    "204":
      Description: No Content

```

```

    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

    Required/Optional: true

Responses:
  "204":
    Description: leaf response-timeout updated

```

```
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: response-timeout
```

/data/cnbng-cp:profile/radius/accounting/max-retry

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_max-retry'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}

```



```
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_max-retry'
    Required/Optional: true

Responses:
"201":
  Description: leaf max-retry created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-retry
delete:

Tags:
```

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_options

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_patch

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_max-retry'
Required/Optional: true

Responses:

"204":
Description: leaf max-retry updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: max-retry

/data/cnbng-cp:profile/radius/accounting/timeout

get:**Tags:**

- data
 - get

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_get

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:** **application/yang-data+json:** **Schema:** **Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_timeout'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}

```

    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_timeout'
      Required/Optional: true

Responses:
    "201":
      Description: leaf timeout created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []

```

x-codegen-request-body-name: timeout

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_patch
Request Body:
  Content:
    application/yang-data+json:
```



```
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_timeout'
      Required/Optional: true

  Responses:
    "204":
      Description: leaf timeout updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
```

/data/cnbng-cp:profile/radius/accounting/attribute

```
get:

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_get

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
```

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute'

"204":**Description:** No Content

```
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute'
      Required/Optional: true

Responses:
  "201":
    Description: container attribute created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
```

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_post
Request Body:
    Content:
    application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute-post'
    Required/Optional: true

Responses:
"201":
    Description: container attribute created
    Content: {}
"204":
    Description: No Content
    Content: {}
"400":
    Description: Bad Request
    Content: {}
"401":
    Description: Unauthorized
    Content: {}
"404":
    Description: Not Found
    Content: {}
"405":
    Description: Method Not Allowed
    Content: {}
"409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_delete

Responses:
"204":

```

Description: No Content
Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_options

Responses:
"200":
Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_head

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:
Type: string
Format: string

- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:
Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

Schema:
Type: string
Format: enumeration
Default: report-all
enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_patch

Request Body:

Content:
application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute'

Required/Optional: true

Responses:

"204":

Description: container attribute updated

Content: {}

"400":

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found


```
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_put

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id'
    Required/Optional: true

Responses:
  "201":
    Description: container called-station-id created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: called-station-id
Method: Post

Tags:
- data
```

- post

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id-post'

Required/Optional: true

Responses:

"201":

Description: container called-station-id created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: called-station-id

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_options

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_head**Parameters:**

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

In: query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id'

Required/Optional: true

Responses:

"204":

Description: container called-station-id updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

```
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: called-station-id
```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format

options:

```
Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}

get:

```
Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

- Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

```
put:
```

```

Tags:
- data
- put

```

Operation ID:

```
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_put
```

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert

```

In: query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: first

enum:

- first
- last
- before
- after

- **Name:** point

In: query

Description: used to specify the insertion point

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

Required/Optional: true

Responses:

"201":

Description: list format created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict


```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format
delete:
```

```
Tags:
- data
- delete
```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_delete

Parameters:

```
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
```

Responses:

```
"204":
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

options:

```
Tags:
- data
- options
```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_options

Parameters:

```
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
```

Responses:

```
"200":
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

Required/Optional: true

```

Responses:

- "204":
 - Description:** list format updated
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: format

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_put

  Parameters:
    - Name: format-nas-port-type
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

```

Responses:

"201":
 Description: leaf nas-port-type created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: nas-port-type

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all


```
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
```

- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

"204":

Description: leaf nas-port-type updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: nas-port-type

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_get

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_put

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:

"201":

Description: leaf format-name created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: format-name

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:

"204":

Description: leaf format-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":


```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

Required/Optional: true

Responses:
"201":
  Description: leaf format-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

Tags:

```

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_delete

Responses:**"204":****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_options

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_head

Parameters:

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_patch
Request Body:
Content:
  application/yang-data+json:
    Schema:

```

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'
```

Required/Optional: true

Responses:

"204":

Description: leaf format-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: format-name

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/value

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig

```

- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

```

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf value created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":

```



```
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
    Type: string
    Format: enumeration
```

```
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:**"200":****Description:** OK**Content:** {}**security:**

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_patch
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

Required/Optional: true

Responses:
"204":
  Description: leaf value updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_get

Parameters:
- Name: content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_put**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

Required/Optional: true**Responses:****"201":****Description:** container calling-station-id created or replaced**Content:** {}**"204":**

```

    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: calling-station-id
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_post

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id-post'

Required/Optional: true

Responses:
  "201":
    Description: container calling-station-id created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":

```

```
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: calling-station-id
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
```

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:** {}**security:**


```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_patch
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

Required/Optional: true

Responses:
"204":
  Description: container calling-station-id updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: calling-station-id

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format

```

options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_options

Responses:
"200":

```

Description: OK
Content: {}
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station -id/format={format-nas-port-type}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

```

    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_put

```

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'
```

Required/Optional: true

Responses:

"201":

Description: list format created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: format

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

"204":

Description: No Content

Content: {}
security:
 - **basicAuth:** []
options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Responses:

"200":
Description: OK
Content: {}

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32
 - **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string

Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content: {}

```

    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_patch

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

    Required/Optional: true

  Responses:
    "204":
      Description: list format updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format

```


/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:
"201":
  Description: leaf nas-port-type created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:

```

```

- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_delete

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_options

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

```

"204":
  Description: leaf nas-port-type updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station -id/format={format-nas-port-type}/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
```



```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

    Required/Optional: true

Responses:

```

```

"201":
  Description: leaf format-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data

```

- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_options

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_patch

Parameters:- **Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

Required/Optional: true**Responses:****"204":****Description:** leaf format-name updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** format-name

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format-name

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_put

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

Required/Optional: true

Responses:

"201":
 Description: leaf format-name created or replaced
 Content: {}

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: format-name

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_delete

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_options

Responses:

"200":
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

Required/Optional: true

Responses:

"204":

Description: leaf format-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

```
security:  
- basicAuth: []  
x-codegen-request-body-name: format-name
```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station -id/value

get:

Tags:

```
- data  
- get
```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_get

Parameters:

```
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: string  
- Name: filter  
  In: query  
  Description: xpath expression to filter data nodes in response  
  Required/Optional: false  
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

  "204":
    Description: No Content
    Content: {}

  "400":
    Description: Bad Request
    Content: {}

  "401":
    Description: Unauthorized
    Content: {}

  "404":
    Description: Not Found
    Content: {}

  "405":
    Description: Method Not Allowed
    Content: {}

  "409":
    Description: Conflict
    Content: {}

security:
  - basicAuth: []

put:

Tags:
  - data

```

```

- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

    Required/Optional: true

Responses:
  "201":
    Description: leaf value created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:

```

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_options

Responses:**"200":****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_head

Parameters:

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

In: query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_patch

Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

Required/Optional: true

Responses:
 "204":
 Description: leaf value updated
 Content: {}
 "400":
 Description: Bad Request
 Content: {}
 "401":
 Description: Unauthorized

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier:

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```



```
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

```
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'
```

```
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
```

```

    "409":
      Description: Conflict
      Content: {}
    security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_put
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier'
            Required/Optional: true

    Responses:
      "201":
        Description: leaf nas-identifier created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}
    security:
    - basicAuth: []
    x-codegen-request-body-name: nas-identifier
  delete:

    Tags:
    - data
    - delete
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_delete

    Responses:

```

```
"204":
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_options

Responses:
"200":
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_patch

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier'
Required/Optional: true

```

Responses:

```

"204":
  Description: leaf nas-identifier updated

```

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier- format

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized

```

```

    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_put
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

  Required/Optional: true

Responses:
  "201":
    Description: container nas-identifier-format created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier-format

```

Method: Post

Tags:

- data
- post

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format-post'

Required/Optional: true

Responses:

"201":

Description: container nas-identifier-format created

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: nas-identifier-format

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []
options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

```

    Type: string
    Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

    Required/Optional: true

Responses:
  "204":
    Description: container nas-identifier-format updated
    Content: {}
  "400":

```

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier-format

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
- In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: int32
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'
Required/Optional: true

Responses:
"201":
  Description: list format created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}

```

```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:
```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

```
"204":
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

```

    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_head

```

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'
```

Required/Optional: true

Responses:

"204":

Description: list format updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: format

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/nas-port-type

get:**Tags:**

- data

- get

Operation ID:

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_get
```

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put
```

Parameters:

- **Name:** format-nas-port-type

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Request Body:****Content:****application/yang-data+json:**

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

Required/Optional: true

Responses:

"201":

Description: leaf nas-port-type created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: nas-port-type

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_delete
```

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

"204":

Description: No Content

Content: {}
security:
 - **basicAuth:** []
options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Responses:

"200":
Description: OK
Content: {}

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32
 - **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string

Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":
Description: OK
Content: {}

```

    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_patch

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type'

    Required/Optional: true

  Responses:
  "204":
    Description: leaf nas-port-type updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type

```


/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_get

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

```

```

Tags:
- data
- put

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_put

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

```

      Required/Optional: true

```

Responses:

```

"201":
  Description: leaf format-name created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []
x-codegen-request-body-name: format-name

```

delete:

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_delete

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:

Tags:

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_options

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name'

Required/Optional: true

Responses:

```

"204":
  Description: leaf format-name updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'
```

```

"204":
  Description: No Content
  Content: {}
"400":

```



```
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_put
  Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

  Required/Optional: true

Responses:
  "201":
    Description: leaf format-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_delete

  Responses:
    "204":
      Description: No Content
      Content: {}
      security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_options

  Responses:
    "200":
      Description: OK
      Content: {}
      security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig

```

```
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
```

```

- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

    Required/Optional: true

Responses:
  "204":
    Description: leaf format-name updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:
"200":

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'
    Required/Optional: true

  Responses:
    "201":
      Description: container nas-port-id created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}

```

```
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_post
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id-post'
      Required/Optional: true

Responses:
"201":
  Description: container nas-port-id created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
delete:
```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- basicAuth: []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_options

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer


```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id'
```

Required/Optional: true

Responses:

"204":
Description: container nas-port-id updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
- **basicAuth:** []
x-codegen-request-body-name: nas-port-id

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_options

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat={format-nas-port-type}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_put

```

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** first
 - enum:**
 - first
 - last
 - before
 - after
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:
application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

Required/Optional: true

Responses:

"201":

Description: list format created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

```

    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_delete

```

```

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_options

```

```

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple

```

Explode: false
Schema:
 Type: string
 Format: int32

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false


```

Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

Required/Optional: true

Responses:
  "204":
    Description: list format updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat={format-nas-port-type}/nas-port-type

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false

```

Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

  Required/Optional: true

Responses:
  "201":
    Description: leaf nas-port-type created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

Type: string
Format: int32

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

"204":
 Description: leaf nas-port-type updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat={format-nas-port-type}/format-name

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":

```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

    Required/Optional: true

Responses:
  "201":
    Description: leaf format-name created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}

```

```
    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-name
  delete:
```

Tags:

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_delete
```

Parameters:

```
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
```

Responses:

```
"204":
  Description: No Content
  Content: {}
```

```
security:
  - basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_options
```

Parameters:

```
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
```

Responses:

```
"200":
  Description: OK
  Content: {}
```

security:
 - **basicAuth:** []
head:

Tags:

- data
 - head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

```

Required/Optional: true

Responses:

"204":

Description: leaf format-name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: format-name

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-format-name'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf format-name created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}

```



```
    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-name
  delete:

    Tags:
      - data
      - delete
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_delete

    Responses:
      "204":
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
    options:

    Tags:
      - data
      - options
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_options

    Responses:
      "200":
        Description: OK
        Content: {}
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_head

    Parameters:
      - Name: content
        In: query
        Description: controlling descendant nodes in response
        Required/Optional: false
        Style: form
        Explode: true
        Schema:
          Type: string
          Format: enumeration
          Default: config
          enum:
            - config
```

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

```

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_patch
Request Body:
Content:
  application/yang-data+json:
Schema:
Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

Required/Optional: true

Responses:
"204":
  Description: leaf format-name updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_put

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
      Required/Optional: true

Responses:
  "201":
    Description: leaf value created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}

```

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_head

Parameters:
- Name: content
  In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_value'

Required/Optional: true

Responses:

"204":

Description: leaf value updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: value

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port

get:

Tags:

- data

- get

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_put

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'

Required/Optional: true

Responses:

"201":
Description: container nas-port created or replaced

```

    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-post'
      Required/Optional: true

Responses:
  "201":
    Description: container nas-port created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}

```

```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
  enum:
```

```
- config
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_patch

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port'

Required/Optional: true

Responses:

"204":

Description: container nas-port updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: nas-port

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format -e-list

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_options

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format -e-list={format-e-list-nas-port-type}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

Parameters:

- **Name:** format-e-list-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict

```



```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

Required/Optional: true

```

Responses:

"201":
 Description: list format-e-list created or replaced
 Content: {}
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: format-e-list

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_delete

Parameters:

- **Name:** format-e-list-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:

"204":
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_options

Parameters:

- **Name:** format-e-list-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_head

Parameters:

- **Name:** format-e-list-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all

```
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
```

- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_patch

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

Required/Optional: true

Responses:

"204":

Description: list format-e-list updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: format-e-list

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format -e-list={format-e-list-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-e-list-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_crbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_put

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

"201":

Description: leaf nas-port-type created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: nas-port-type

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_delete

Parameters:

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_options

Parameters:

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-e-list-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

"204":

Description: leaf nas-port-type updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format -e-list={format-e-list-nas-port-type}/format-e

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_get

Parameters:

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
```

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_put

```

Parameters:

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

```

```

  Required/Optional: true

```

Responses:

```

"201":
  Description: leaf format-e created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":

```

```

    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-e
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

Parameters:

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- "204":
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_options

Parameters:

- **Name:** format-e-list-nas-port-type
- In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_head

Parameters:

- **Name:** format-e-list-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer

Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_patch

Parameters:

- **Name:** format-e-list-nas-port-type
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

  Required/Optional: true

Responses:
  "204":
    Description: leaf format-e updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: format-e

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format -e

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_get

Parameters:

- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'

"204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}
 "401":
Description: Unauthorized
Content: {}
 "404":
Description: Not Found
Content: {}
 "405":
Description: Method Not Allowed
Content: {}
 "409":
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_put

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'

Required/Optional: true

Responses:

"201":
Description: leaf format-e created or replaced
Content: {}
 "204":
Description: No Content
Content: {}
 "400":
Description: Bad Request
Content: {}

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_head

Parameters:
- Name: content
  In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:
 - basicAuth: []

patch:

Tags:

- data
 - patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_patch

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-format-e'

Required/Optional: true

Responses:

"204":
 Description: leaf format-e updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:
 - basicAuth: []
x-codegen-request-body-name: format-e

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/value:

get:

Tags:
 - data

- get

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:

- data
 - put

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_put

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'

Required/Optional: true

Responses:

"201":
Description: leaf value created or replaced

```
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_patch

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_value'

Required/Optional: true

Responses:

"204":
Description: leaf value updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: value

/data/cnbng-cp:profile/radius/accounting/attribute/nas-ip

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-ip'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'
```

Required/Optional: true

Responses:

"201":

Description: leaf nas-ip created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: nas-ip

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_delete

Responses:

"204":

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_options

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-ip'

Required/Optional: true

Responses:

"204":

Description: leaf nas-ip updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: nas-ip

```

/data/cnbng-cp:profile/radius/server-group

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_group_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_get

Parameters:
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig

```

```

- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name'

"204":

```

    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_put

Parameters:
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
        Required/Optional: true

Responses:
  "201":
    Description: list server-group created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: server-group
delete:

Tags:
  - data
  - delete
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_delete

Parameters:
  - Name: server-group-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

Schema:

Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_options

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_head

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:
 - basicAuth: []

patch:

Tags:

- data
 - patch

Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_patch

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_server-group_server-group-group-name'
Required/Optional: true

Responses:

"204":
 Description: list server-group updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:


```
- basicAuth: []
x-codegen-request-body-name: server-group
```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name e}/group-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_get

Parameters:

```
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}

```

```

    "409":
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_put

    Parameters:
      - Name: server-group-group-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_server-group_server-group-group-name_group-name'

      Required/Optional: true

    Responses:
      "201":
        Description: leaf group-name created or replaced
        Content: {}
      "204":
        Description: No Content
        Content: {}
      "400":
        Description: Bad Request
        Content: {}
      "401":
        Description: Unauthorized
        Content: {}
      "404":
        Description: Not Found
        Content: {}
      "405":
        Description: Method Not Allowed
        Content: {}
      "409":
        Description: Conflict
        Content: {}

```

```

    security:
      - basicAuth: []
    x-codegen-request-body-name: group-name
  delete:

    Tags:
      - data
      - delete
    Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_delete

    Parameters:
      - Name: server-group-group-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

    Responses:
      "204":
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_options

    Parameters:
      - Name: server-group-group-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

    Responses:
      "200":
        Description: OK
        Content: {}
    security:
      - basicAuth: []
  head:

    Tags:

```

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_head

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_patch

  Parameters:
  - Name: server-group-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_server-group_server-group-group-name_group-name'

    Required/Optional: true

  Responses:
    "204":
      Description: leaf group-name updated
      Content: {}

```

```

"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: group-name

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_options

Parameters:

- **Name:** server-group-group-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_get

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** auth
 - enum:**
 - auth
 - acct
- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_put

Parameters:

- **Name:** server-group-group-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** server-type

In: path

Required/Optional: true

Style: simple

```
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: auth
  enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port'
```

Required/Optional: true

Responses:

"201":
Description: list server created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: server

delete:

Tags:

- data
 - delete

Operation ID:

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_delete
```

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_options

Parameters:
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: enumeration
    Default: auth
    enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_head
```

Parameters:

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: enumeration
    Default: auth
    enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_patch

```

Parameters:

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true

```



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: auth
  enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'

  Required/Optional: true

Responses:
  "204":
    Description: list server updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/type

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_get

Parameters:

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```
Schema:
  Type: string
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_put

Parameters:

- **Name:** server-group-group-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'

  Required/Optional: true

Responses:
  "201":
    Description: leaf type created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":

```

```

    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: type
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_delete

```

Parameters:

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple

```

Explode: false
Schema:
Type: string
Format: int32

Responses:
"204":
Description: No Content
Content: {}
security:
 - **basicAuth:** []
options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_options

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: auth
enum:
 - auth
 - acct
- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple

Explode: false
Schema:
 Type: string
 Format: int32

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_head

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 Default: auth
 enum:
 - auth
 - acct
- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple


```
    Explode: false
    Schema:
      Type: string
      Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_patch

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
Default: auth
enum:
 - auth
 - acct

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** server-port

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
Content:
  application/yang-data+json:
  Schema:
  Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type'

Required/Optional: true

Responses:
"204":
  Description: leaf type updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/ip

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_get

Parameters:

- **Name:** server-group-group-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** server-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** auth
 - enum:**
 - auth
 - acct
- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'

"204":**Description:** No Content

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_put

```

Parameters:

- **Name:** server-group-group-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** server-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** auth
 - enum:**
 - auth
 - acct
- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'

      Required/Optional: true

Responses:
  "201":
    Description: leaf ip created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_delete

```

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** auth
 - enum:**
 - auth
 - acct
- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_options

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** auth
 - enum:**
 - auth
 - acct
- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32

Responses:

- "200":
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_head

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** auth
 - enum:**
 - auth
 - acct
- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_patch

Parameters:

- **Name:** server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** auth
 - enum:**
 - auth
 - acct
- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

```
'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip'
```

Required/Optional: true

Responses:

"204":
Description: leaf ip updated

```

    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/port

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_get

Parameters:

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth

```

- enum:
 - auth
 - acct
- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_put

Parameters:

- **Name:** server-group-group-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** server-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

Default: auth

enum:

- auth
- acct

- **Name:** server-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** server-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port'

Required/Optional: true

Responses:

"201":

Description: leaf port created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: port

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_delete

Parameters:

- **Name:** server-group-group-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** server-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

```

    Default: auth
    enum:
      - auth
      - acct
  - Name: server-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32

```

Responses:

```

"204":
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_options

```

Parameters:

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration

```

```

    Default: auth
    enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_head

Parameters:
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration

```

```
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_patch

Parameters:

- **Name:** server-group-group-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** server-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: enumeration
  Default: auth
  enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'
```

```
Required/Optional: true
```

Responses:

```

"204":
  Description: leaf port updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

```
security:
```

```
- basicAuth: []  
x-codegen-request-body-name: port
```

/data/cnbng-cp:profile/coa

get:

Tags:

```
- data  
- get
```

Operation ID: data_cnbng_cp_profile_coa_get

Parameters:

```
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: string  
- Name: filter  
  In: query  
  Description: xpath expression to filter data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true
```

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_coa'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_coa_put
Request Body:
```



```
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_coa'
    Required/Optional: true

Responses:
  "201":
    Description: container coa created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: coa
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_coa_post
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_coa-post'
    Required/Optional: true

Responses:
  "201":
    Description: container coa created
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
```

```
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: coa
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_coa_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_coa_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_coa_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

```
Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_coa_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa'
        Required/Optional: true

Responses:
  "204":
    Description: container coa updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: coa
```

/data/cnbng-cp:profile/coa/server-key

```
get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_coa_server_key_get
```

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID: data_cnbng_cp_profile_coa_server_key_put

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
  Required/Optional: true

```

Responses:

```

"201":
  Description: leaf server-key created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}

```

```
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-key
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_server_key_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_coa_server_key_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_coa_server_key_head

Parameters:
- Name: content
  In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit


```
- report-all-tagged
```

Responses:

```
"200":
```

```
  Description: OK
```

```
  Content: {}
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Operation ID: data_cnbng_cp_profile_coa_server_key_patch
```

Request Body:

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
```

```
Required/Optional: true
```

Responses:

```
"204":
```

```
  Description: leaf server-key updated
```

```
  Content: {}
```

```
"400":
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
"401":
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
"404":
```

```
  Description: Not Found
```

```
  Content: {}
```

```
"405":
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
"409":
```

```
  Description: Conflict
```

```
  Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: server-key
```

/data/cnbng-cp:profile/coa/client

options:**Tags:**

```
- data
- options
```

```
Operation ID: data_cnbng_cp_profile_coa_client_options
```

Responses:**"200":****Description:** OK**Content:** {}**security:**- **basicAuth:** []

/data/cnbng-cp:profile/coa/client={client-ip}

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_get**Parameters:**- **Name:** client-ip**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_put

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_coa_client_client-ip'

Required/Optional: true

```

Responses:

- "201":**
 - Description:** list client created or replaced
 - Content:** {}
- "204":**
 - Description:** No Content
 - Content:** {}
- "400":**
 - Description:** Bad Request
 - Content:** {}
- "401":**
 - Description:** Unauthorized
 - Content:** {}
- "404":**
 - Description:** Not Found
 - Content:** {}
- "405":**
 - Description:** Method Not Allowed
 - Content:** {}
- "409":**
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: client

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_delete

Parameters:

- **Name:** client-ip
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** union

Responses:

- "204":**
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_options

Parameters:

- **Name:** client-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_head

Parameters:

- **Name:** client-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_patch

Parameters:
```

```

- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip'

  Required/Optional: true

Responses:
  "204":
    Description: list client updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: client

```

/data/cnbng-cp:profile/coa/client={client-ip}/ip

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_get

Parameters:
- Name: client-ip
  In: path

```


Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng-cp_profile_coa_client_client-ip_ip_put

Parameters:

- **Name:** client-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: union
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'

  Required/Optional: true

Responses:
  "201":
    Description: leaf ip created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_client_client-ip_ip_delete

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

Responses:
```

```
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_options

  Parameters:
  - Name: client-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_head

  Parameters:
  - Name: client-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
```

```
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_patch

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_coa_client_client-ip_ip'

Required/Optional: true

Responses:
"204":
  Description: leaf ip updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip

```

/data/cnbng-cp:profile/coa/client={client-ip}/server-key

```
get:
```

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_get

Parameters:

- **Name:** client-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_server-key'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_put

```



```
Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_server-key'
      Required/Optional: true

Responses:
"201":
  Description: leaf server-key created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-key
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_delete

Parameters:
- Name: client-ip
  In: path
```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_options

  Parameters:
  - Name: client-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_head

  Parameters:
  - Name: client-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: content
```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_patch**Parameters:**

- **Name:** client-ip
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** union

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_server-key'

Required/Optional: true**Responses:****"204":****Description:** leaf server-key updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}

```
security:  
- basicAuth: []  
x-codegen-request-body-name: server-key
```

/data/cnbng-cp:user-plane

options:

```
Tags:  
- data  
- options  
Operation ID: data_cnbng_cp_user_plane_options  
  
Responses:  
"200":  
  Description: OK  
  Content: {}  
security:  
- basicAuth: []
```

/data/cnbng-cp:user-plane={user-plane-name}

get:

```
Tags:  
- data  
- get  
Operation ID: data_cnbng_cp_user_plane_user_plane_name_get  
  
Parameters:  
- Name: user-plane-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig
```

```

- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name'

  "204":

```

```
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user_plane_user_plane_name_put

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name'
  Required/Optional: true

Responses:
  "201":
    Description: list user-plane created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: user-plane
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_user_plane_user_plane_name_delete

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```



```
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_plane_user_plane_name_options

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_user_plane_user_plane_name_head

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

```
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_user_plane_user_plane_name_patch

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_user-plane_user-plane-name'
    Required/Optional: true

Responses:
"204":
  Description: list user-plane updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: user-plane
```

/data/cnbng-cp:user-plane={user-plane-name}/name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_user_plane_user_plane_name_name_get

Parameters:

- **Name:** user-plane-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_name'
"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}
"405":
 Description: Method Not Allowed
 Content: {}
"409":
 Description: Conflict
 Content: {}
security:
 - **basicAuth:** []
put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_user_plane_user_plane_name_name_put

Parameters:

- **Name:** user-plane-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_name'

Required/Optional: true

Responses:

"201":

Description: leaf name created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: name

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_user_plane_user_plane_name_name_delete

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_user_plane_user_plane_name_name_options

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_user_plane_user_plane_name_name_head

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

- Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_user_plane_user_plane_name_name_patch

Parameters:

- **Name:** user-plane-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_name'

Required/Optional: true

Responses:

"204":

Description: leaf name updated

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: name

/data/cnbng-cp:user-plane={user-plane-name}/peer-address

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_get

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_peer-address'

"204":**Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}

```

    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_put

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_peer-address'
      Required/Optional: true

Responses:
"201":
  Description: container peer-address created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []

```

```
x-codegen-request-body-name: peer-address
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_post

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_peer-address-post'
    Required/Optional: true

Responses:
"201":
  Description: container peer-address created
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-address
delete:

Tags:
```

- data
- delete

Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_delete

Parameters:

- **Name:** user-plane-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"204":
Description: No Content
Content: {}

security:
 - **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_options

Parameters:

- **Name:** user-plane-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

"200":
Description: OK
Content: {}

security:
 - **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_head

Parameters:

- **Name:** user-plane-name
- In:** path
- Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_patch

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_peer-address'
Required/Optional: true

Responses:

"204":
Description: container peer-address updated
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":


```

    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: peer-address

```

/data/cnbng-cp:user-plane={user-plane-name}/peer-address/ipv4

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_ipv4_get

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_peer-address_ipv4'

"204":
 Description: No Content
 Content: {}
"400":
 Description: Bad Request
 Content: {}
"401":
 Description: Unauthorized
 Content: {}
"404":
 Description: Not Found
 Content: {}

```
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_ipv4_put

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_peer-address_ipv4'
      Required/Optional: true

Responses:
"201":
  Description: leaf ipv4 created or replaced
  Content: {}
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv4
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_ipv4_delete

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_ipv4_options

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
```

- head

Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_ipv4_head

Parameters:

- **Name:** user-plane-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_user_plane_user_plane_name_peer_address_ipv4_patch

Parameters:

- **Name:** user-plane-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_peer-address_ipv4'

Required/Optional: true

Responses:

"204":

Description: leaf ipv4 updated

Content: {}

"400":

Description: Bad Request

Content: {}

```
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4
```

/data/cnbng-cp:user-plane={user-plane-name}/offline

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_user_plane_user_plane_name_offline_get

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_offline'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request


```
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user_plane_user_plane_name_offline_put

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_offline'
      Required/Optional: true

Responses:
  "201":
    Description: leaf offline created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
```

```
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: offline
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_user_plane_user_plane_name_offline_delete

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_plane_user_plane_name_offline_options

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
```

Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_user_plane_user_plane_name_offline_head

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
Default: report-all

enum:
- report-all
- trim
- explicit
- report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_user_plane_user_plane_name_offline_patch

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_user-plane_user-plane-name_offline'
Required/Optional: true

```
Responses:
  "204":
    Description: leaf offline updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: offline
```

/data/cnbng-cp:user-plane={user-plane-name}/port-id

```
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_options

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:user-plane={user-plane-name}/port-id={port-id-id}

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_get

Parameters:

- **Name:** user-plane-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** port-id-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed

```

    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_put

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-id-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```



```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id'
      Required/Optional: true

Responses:
  "201":
    Description: list port-id created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-id
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_delete

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-id-id
  In: path
  Required/Optional: true

```

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "204":
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_options

  Parameters:
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: port-id-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    "200":
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_head

  Parameters:
  - Name: user-plane-name
    In: path
```

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: port-id-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:**Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_patch**Parameters:****- Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** port-id-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:**

Reference:

```
'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id'
```

```
Required/Optional: true
```

Responses:

```
"204":
```

```
Description: list port-id updated
```

```
Content: {}
```

```
"400":
```

```
Description: Bad Request
```

```
Content: {}
```

```
"401":
```

```
Description: Unauthorized
```

```
Content: {}
```

```
"404":
```

```
Description: Not Found
```

```
Content: {}
```

```
"405":
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
"409":
```

```
Description: Conflict
```

```
Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: port-id
```

/data/cnbng-cp:user-plane={user-plane-name}/port-id={port-id-id}/id

get:**Tags:**

```
- data  
- get
```

```
Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_id_get
```

Parameters:

```
- Name: user-plane-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

```
- Name: port-id-id
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

- Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_id'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_id_put

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** port-id-id
In: path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_id'
        Required/Optional: true

  Responses:
    "201":
      Description: leaf id created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: id
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_id_delete

  Parameters:
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```



```

    Type: string
    Format: string
- Name: port-id-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_id_options

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-id-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
```

- head

Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_id_head

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** port-id-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_id_patch

Parameters:

- **Name:** user-plane-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** port-id-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_id'
        Required/Optional: true

  Responses:
    "204":
      Description: leaf id updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: id

```

/data/cnbng-cp:user-plane={user-plane-name}/port-id={port-id-id}/s subscriber-profile

get:

```

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_get

  Parameters:
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

```
    Type: string
    Format: string
- Name: port-id-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
```

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_put

Parameters:
 - **Name:** user-plane-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: port-id-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf subscriber-profile created or replaced
      Content: {}
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: subscriber-profile
delete:

  Tags:

```

- data
- delete

Operation ID:

data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_delete

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** port-id-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

"204":

Description: No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_options

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** port-id-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

Format: string

Responses:

"200":

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_head

Parameters:

- **Name:** user-plane-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** port-id-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_patch

Parameters:**- Name:** user-plane-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: port-id-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

    Required/Optional: true

Responses:
  "204":
    Description: leaf subscriber-profile updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber-profile

```

/data/cnbng-cp:user-plane={user-plane-name}/subscriber-profile

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_user_plane_user_plane_name_subscriber_profile_get

Parameters:

- **Name:** user-plane-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_subscriber-profile'
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user_plane_user_plane_name_subscriber_profile_put

```

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_subscriber-profile'
Required/Optional: true

Responses:

"201":
Description: leaf subscriber-profile created or replaced
Content: {}
"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: subscriber-profile

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_user_plane_user_plane_name_subscriber_profile_delete

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_plane_user_plane_name_subscriber_profile_options

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_user_plane_user_plane_name_subscriber_profile_head

Parameters:
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":
 Description: OK
 Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
 - patch

Operation ID: data_cnbng_cp_user_plane_user_plane_name_subscriber_profile_patch

Parameters:

- **Name:** user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_user_plane_user_plane_name_subscriber_profile'
Required/Optional: true

Responses:

"204":
 Description: leaf subscriber-profile updated
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: subscriber-profile
```

Components

```
schemas:
  data:
    Type: object
    Properties:
      ietf-restconf:data:
        Type: object
        Properties: {}
        Description: This resource represents the combined configuration and state
          data resources that can be accessed by a client and cannot be created
          or deleted by the client. See RESTCONF RFC 8040 for further information.
        x-yang:
          Type: datastore
  data-post:
    Type: object
    Properties:
      cnbng-cp:profile:
        Reference: '#/components/schemas/datapost_cnbngcpprofile'
      cnbng-cp:user-plane:
        Type: array
        Description: (list)
        Items:
          Reference: '#/components/schemas/datapost_cnbngcpuserplane'
        x-yang:
          Type: list
  data-put-patch:
    Type: object
    Properties:
      ietf-restconf:data:
        Reference: '#/components/schemas/dataputpatch_ietfrestconfdata'
  data_cnbng-cp_profile:
    Type: object
    Properties:
      cnbng-cp:profile:
        Reference: '#/components/schemas/datapost_cnbngcpprofile'
  data_cnbng-cp_profile-post:
    Type: object
    Properties:
      cnbng-cp:dhcp:
        Type: array
        Description: (list)
        Items:
          Reference: '#/components/schemas/datapost_cnbngcpprofile_dhcp'
        x-yang:
          Type: list
```

```
cnbng-cp:pppoe:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_pppoe'
  x-yang:
    Type: list
cnbng-cp:aaa:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa'
  x-yang:
    Type: list
cnbng-cp:server-group:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_servergroup'
  x-yang:
    Type: list
cnbng-cp:attribute-format:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_attributeformat'
  x-yang:
    Type: list
cnbng-cp:subscriber:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_subscriber'
  x-yang:
    Type: list
cnbng-cp:feature-template:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_featuretemplate'
  x-yang:
    Type: list
cnbng-cp:l2tp:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_l2tp'
  x-yang:
    Type: list
cnbng-cp:radius:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius'
```

```

    cnbng-cp:coa:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_coa'
data_cnbng-cp_profile_aaa_aaa-name:
  Type: object
  Properties:
    cnbng-cp:aaa:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa'
      x-yang:
        Type: list
data_cnbng-cp_profile_aaa_aaa-name_accounting:
  Type: object
  Properties:
    cnbng-cp:accounting:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
  Type: object
  Properties:
    cnbng-cp:method-order:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: union
      x-yang:
        Type: leaf-list

data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:

  Type: object
  Properties:
    cnbng-cp:method-order:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: union
      x-yang:
        Type: leaf-list
data_cnbng-cp_profile_aaa_aaa-name_authentication:
  Type: object
  Properties:
    cnbng-cp:authentication:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
  Type: object
  Properties:
    cnbng-cp:method-order:
      Type: array
      Items:

```

```

    Type: string
    Description: (leaf-list)
    format: union
  x-yang:
    Type: leaf-list

```

data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:

```

Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: union
    x-yang:
      Type: leaf-list

```

data_cnbng-cp_profile_aaa_aaa-name_authorization:

```

Type: object
Properties:
  cnbng-cp:authorization:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization'

```

data_cnbng-cp_profile_aaa_aaa-name_authorization-post:

```

Type: object
Properties:
  cnbng-cp:type:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_type'
  cnbng-cp:username:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_username'

```

```

  cnbng-cp:password:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_aaa_aaa-name_authorization_password:

```

Type: object
Properties:
  cnbng-cp:password:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_aaa_aaa-name_authorization_type:

```

Type: object
Properties:
  cnbng-cp:type:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_type'

```

data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:

```

Type: object
Properties:
  cnbng-cp:subscriber:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
Type: object
Properties:
  cnbng-cp:subscriber:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: union
    x-yang:
      Type: leaf-list

data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:

Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: union
    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
Type: object
Properties:
  cnbng-cp:username:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_username'

data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post:
Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:format:
    Type: string
    Description: (leaf)
    format: leafref

```

```

x-yang:
  Type: leaf
cnbng-cp:identifier:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: addr
  enum:
  - addr
  - circuit-id-tag
  - client-mac-address
  - client-mac-address-custom1
  - client-mac-address-custom2
  - client-mac-address-ietf
  - client-mac-address-raw
  - dhcp-client-id
  - dhcp-client-id-spl
  - dhcp-user-class
  - dhcp-vendor-class
  - dhcpv4-client-id-spl
  - dhcpv4-vendor-class
  - dhcpv6-client-id-ent-ident
  - dhcpv6-interface-id
  - dhcpv6-vendor-class-string
  - inner-vlan-id
  - outer-vlan-id
  - physical-adapter
  - physical-chassis
  - physical-port
  - physical-slot
  - physical-subslot
  - port-type
  - pppoe-session-id
  - remote-id-tag
  - service-name
  - username
  - user-plane
  x-yang:
  Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format:
Type: object
Properties:
  cnbng-cp:format:
  Type: string
  Description: (leaf)
  format: leafref
  x-yang:
  Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier:
Type: object
Properties:
  cnbng-cp:identifier:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: addr
  enum:

```

- addr
- circuit-id-tag
- client-mac-address
- client-mac-address-custom1
- client-mac-address-custom2
- client-mac-address-ietf
- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

x-yang:**Type:** leaf**data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value:****Type:** object**Properties:****cnbng-cp:value:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**data_cnbng-cp_profile_aaa_aaa-name_name:****Type:** object**Properties:****cnbng-cp:name:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**data_cnbng-cp_profile_attribute-format_attribute-format-name:****Type:** object**Properties:****cnbng-cp:attribute-format:****Type:** array**Description:** (list)**Items:****Reference:** '#/components/schemas/datapost_cnbngcppprofile_attributeformat'

x-yang:
Type: list

data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:

Type: object
Properties:
cnbng-cp:format-order:
Type: array
Items:
Type: string
Description: (leaf-list)
format: union
x-yang:
Type: leaf-list

data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:

Type: object
Properties:
cnbng-cp:format-string:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_attribute-format_attribute-format-name_name:

Type: object
Properties:
cnbng-cp:name:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_coa:

Type: object
Properties:
cnbng-cp:coa:
Reference: '#/components/schemas/datapost_cnbngcpprofile_coa'

data_cnbng-cp_profile_coa-post:

Type: object
Properties:
cnbng-cp:server-key:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf
cnbng-cp:client:
Type: array
Description: (list)

```

    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
      x-yang:
        Type: list
data_cnbng-cp_profile_coa_client_client-ip:
  Type: object
  Properties:
    cnbng-cp:client:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
        x-yang:
          Type: list
data_cnbng-cp_profile_coa_client_client-ip_ip:
  Type: object
  Properties:
    cnbng-cp:ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
data_cnbng-cp_profile_coa_client_client-ip_server-key:
  Type: object
  Properties:
    cnbng-cp:server-key:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_coa_server-key:
  Type: object
  Properties:
    cnbng-cp:server-key:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name:
  Type: object
  Properties:
    cnbng-cp:dhcp:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_dhcp'
        x-yang:
          Type: list

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:

Type: object

Properties:

cnbng-cp:ipv4:

Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:

Type: object

Properties:

cnbng-cp:mode:

Type: string

Description: (leaf)

format: enumeration

Default: server

enum:

- server

- proxy

x-yang:

Type: leaf

cnbng-cp:server:

Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'

cnbng-cp:class:

Type: array

Description: (list)

Items:

Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'

x-yang:

Type: list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:

Type: object

Properties:

cnbng-cp:class:

Type: array

Description: (list)

Items:

Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'

x-yang:

Type: list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:

Type: object

Properties:

cnbng-cp:class-name:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:

Type: object

Properties:

```

cnbng-cp:matches:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches'

```

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:

```

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches_match'
      x-yang:
        Type: list
  cnbng-cp:match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
      - any
      - all
    x-yang:
      Type: leaf

```

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type:

```

```

Type: object
Properties:
  cnbng-cp:match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
      - any
      - all
    x-yang:
      Type: leaf

```

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key:

```

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches_match'
      x-yang:
        Type: list

```

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id:

```

Type: object
Properties:
 cnbng-cp:ascii:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id:

Type: object
Properties:
 cnbng-cp:hex:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key:

Type: object
Properties:
 cnbng-cp:key:
 Type: string
 Description: (leaf)
 format: enumeration
 Default: dhcpv4-circuit-id
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 x-yang:
 Type: leaf

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server:

Type: object
Properties:
 cnbng-cp:server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post:

Type: object
Properties:
 cnbng-cp:pool-name:
 Type: string
 Description: (leaf)

```

    format: string
    x-yang:
      Type: leaf
cnbng-cp:dns-servers:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
cnbng-cp:ntp-servers:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
cnbng-cp:netbios-name-server:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
cnbng-cp:domain-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
cnbng-cp:boot-filename:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
cnbng-cp:next-server:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
cnbng-cp:netbios-node-type:
  Reference:
'#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
cnbng-cp:lease:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
cnbng-cp:option-codes:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:

Type: object
Properties:
 cnbng-cp:boot-filename:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:

Type: object
Properties:
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:

Type: object
Properties:
 cnbng-cp:domain-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease:

Type: object
Properties:
 cnbng-cp:lease:
 Reference: '#/components/schemas/datapost_cnbngcprofile_ipv4_server_lease'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post:

Type: object
Properties:
 cnbng-cp:days:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

cnbng-cp:hours:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
cnbng-cp:minutes:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days:

```

Type: object
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours:

```

Type: object
Properties:
  cnbng-cp:hours:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes:

```

Type: object
Properties:
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id:

```

Type: object
Properties:
  cnbng-cp:netbios-name-server:
    Type: array
    Items:

```


Type: string
Description: (leaf-list)
format: string
x-yang:
Type: leaf-list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type:

Type: object
Properties:
cnbng-cp:netbios-node-type:
Reference:

'#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post:

Type: object
Properties:
cnbng-cp:broadcast-node:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf
cnbng-cp:hybrid-node:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf
cnbng-cp:mixed-node:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf
cnbng-cp:peer-to-peer-node:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf
cnbng-cp:hexadecimal:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node:

Type: object
Properties:

```

cnbng-cp:broadcast-node:
  Type: string
  Description: (leaf)
  format: "[null]"
  x-yang:
    Type: leaf

```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal:
```

```

Type: object
Properties:
  cnbng-cp:hexadecimal:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node:
```

```

Type: object
Properties:
  cnbng-cp:hybrid-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node:
```

```

Type: object
Properties:
  cnbng-cp:mixed-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node:
```

```

Type: object
Properties:
  cnbng-cp:peer-to-peer-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server:
```

Type: object
Properties:
 cnbng-cp:next-server:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id:

Type: object
Properties:
 cnbng-cp:ntp-servers:
Type: array
Items:
Type: string
Description: (leaf-list)
format: string
x-yang:
Type: leaf-list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes:

Type: object
Properties:
 cnbng-cp:option-codes:
Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post:

Type: object
Properties:
 cnbng-cp:option-code:
Type: array
Description: (list)
Items:
Reference:
 '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode'
x-yang:
Type: list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code:

Type: object
Properties:
 cnbng-cp:option-code:
Type: array
Description: (list)
Items:
Reference:
 '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode'
x-yang:

```

        Type: list
    ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string
: type: object
Properties:
  cnbng-cp:ascii-string:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert
: type: object
Properties:
  cnbng-cp:force-insert:
    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf
  ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string
: type: object
Properties:
  cnbng-cp:hex-string:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id
: type: object
Properties:
  cnbng-cp:ip-address:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code
: type: object
Properties:
  cnbng-cp:option-code:
    Type: integer

```

Description: (leaf)
format: uint32
x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:

Type: object
Properties:
 cnbng-cp:pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode:

Type: object
Properties:
 cnbng-cp:mode:
 Type: string
 Description: (leaf)
 format: enumeration
 Default: server
 enum:
 - server
 - proxy
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server:

Type: object
Properties:
 cnbng-cp:server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post:

Type: object
Properties:
 cnbng-cp:pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 cnbng-cp:ntp-servers:
 Type: array

```

    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  cnbng-cp:netbios-name-server:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  cnbng-cp:domain-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:boot-filename:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:next-server:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:netbios-node-type:
    Reference:
      '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
  cnbng-cp:lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
  cnbng-cp:option-codes:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
  Type: object
  Properties:
    cnbng-cp:boot-filename:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:

```

```
Type: object
Properties:
  cnbng-cp:dns-servers:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
Type: object
Properties:
  cnbng-cp:domain-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
Type: object
Properties:
  cnbng-cp:lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
Type: object
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:hours:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
Type: object
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
```

```

        format: uint32
        x-yang:
          Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
  Type: object
  Properties:
    cnbng-cp:hours:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:
  Type: object
  Properties:
    cnbng-cp:netbios-name-server:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
  Type: object
  Properties:
    cnbng-cp:netbios-node-type:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:
  Type: object
  Properties:
    cnbng-cp:broadcast-node:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
    cnbng-cp:hybrid-node:
      Type: string

```



```

    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  cnbng-cp:mixed-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  cnbng-cp:peer-to-peer-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  cnbng-cp:hexadecimal:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node:

```

Type: object
Properties:
  cnbng-cp:broadcast-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal:

```

Type: object
Properties:
  cnbng-cp:hexadecimal:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node:

```

Type: object
Properties:
  cnbng-cp:hybrid-node:
    Type: string
    Description: (leaf)
    format: "[null]"

```

```

    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node:

  Type: object
  Properties:
    cnbng-cp:mixed-node:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node:

  Type: object
  Properties:
    cnbng-cp:peer-to-peer-node:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server:

  Type: object
  Properties:
    cnbng-cp:next-server:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id:

  Type: object
  Properties:
    cnbng-cp:ntp-servers:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes:

  Type: object
  Properties:
    cnbng-cp:option-codes:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post:

```

```

Type: object
Properties:
  cnbng-cp:option-code:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode'
    x-yang:
      Type: list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code:

Type: object
Properties:
  cnbng-cp:option-code:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode'
    x-yang:
      Type: list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ascii-string:

Type: object
Properties:
  cnbng-cp:ascii-string:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert:

Type: object
Properties:
  cnbng-cp:force-insert:
    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string:

Type: object
Properties:
  cnbng-cp:hex-string:
    Type: string
    Description: (leaf)

```

```

    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id

```

Type: object
Properties:
  cnbng-cp:ip-address:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_option-code

```

Type: object
Properties:
  cnbng-cp:option-code:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name:

```

Type: object
Properties:
  cnbng-cp:pool-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:

```

Type: object
Properties:
  cnbng-cp:ipv6:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6'

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:

```

Type: object
Properties:
  cnbng-cp:mode:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: server
    enum:
      - server
      - proxy
    x-yang:

```

```

        Type: leaf
    cnbng-cp:server:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'
    cnbng-cp:class:
        Type: array
        Description: (list)
        Items:
            Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_class'
        x-yang:
            Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
    Type: object
    Properties:
        cnbng-cp:class:
            Type: array
            Description: (list)
            Items:
                Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_class'
            x-yang:
                Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:
    Type: object
    Properties:
        cnbng-cp:class-name:
            Type: string
            Description: (leaf)
            format: string
            x-yang:
                Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:
    Type: object
    Properties:
        cnbng-cp:matches:
            Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:
    Type: object
    Properties:
        cnbng-cp:match:
            Type: array
            Description: (list)
            Items:
                Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches_match'
            x-yang:
                Type: list
        cnbng-cp:match-type:
            Type: string
            Description: (leaf)

```

```

format: enumeration
Default: any
enum:
- any
- all
x-yang:
  Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:

```

Type: object
Properties:
  cnbng-cp:match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
- any
- all
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches_match'
    x-yang:
      Type: list

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id:

```

Type: object
Properties:
  cnbng-cp:ascii:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id:

```

Type: object
Properties:
  cnbng-cp:hex:
    Type: array

```

Items:
Type: string
Description: (leaf-list)
format: string
x-yang:
Type: leaf-list

data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key:

Type: object
Properties:
cnbng-cp:key:
Type: string
Description: (leaf)
format: enumeration
Default: dhcpv6-interface-id
enum:
- dhcpv6-interface-id
- dhcpv6-remote-id
- dhcpv6-vendor-class
- dhcpv6-user-class
x-yang:
Type: leaf

data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server:

Type: object
Properties:
cnbng-cp:server:
Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'

data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post:

Type: object
Properties:
cnbng-cp:iana-pool-name:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf
cnbng-cp:iapd-pool-name:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf
cnbng-cp:dns-servers:
Type: array
Items:
Type: string
Description: (leaf-list)
format: string
x-yang:

```

    Type: leaf-list
cnbng-cp:domain-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
cnbng-cp:preference:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
    Type: leaf
cnbng-cp:aftr-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
cnbng-cp:rapid-commit:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
    Type: leaf
cnbng-cp:lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name:

```

Type: object
Properties:
  cnbng-cp:aftr-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id:

```

Type: object
Properties:
  cnbng-cp:dns-servers:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
    Type: leaf-list

```


data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name:

Type: object
Properties:
 cnbng-cp:domain-name:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name:

Type: object
Properties:
 cnbng-cp:iana-pool-name:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name:

Type: object
Properties:
 cnbng-cp:iapd-pool-name:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease:

Type: object
Properties:
 cnbng-cp:lease:
Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post:

Type: object
Properties:
 cnbng-cp:days:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf
 cnbng-cp:hours:
Type: integer
Description: (leaf)

```

    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days:

```

Type: object
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours:

```

Type: object
Properties:
  cnbng-cp:hours:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes:

```

Type: object
Properties:
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference:

```

Type: object
Properties:
  cnbng-cp:preference:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server_rapid-commit:

Type: object
Properties:
 cnbng-cp:rapid-commit:
 Type: string
 Description: (leaf)
 format: "[null]"
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode:

Type: object
Properties:
 cnbng-cp:mode:
 Type: string
 Description: (leaf)
 format: enumeration
 Default: server
 enum:
 - server
 - proxy
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:

Type: object
Properties:
 cnbng-cp:server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:

Type: object
Properties:
 cnbng-cp:iana-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:iapd-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

```

cnbng-cp:domain-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
cnbng-cp:preference:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
cnbng-cp:aftr-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
cnbng-cp:rapid-commit:
  Type: string
  Description: (leaf)
  format: "[null]"
  x-yang:
    Type: leaf
cnbng-cp:lease:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
  Type: object
  Properties:
    cnbng-cp:aftr-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:
  Type: object
  Properties:
    cnbng-cp:dns-servers:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
  Type: object
  Properties:
    cnbng-cp:domain-name:

```

```

    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
  Type: object
  Properties:
    cnbng-cp:iana-pool-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
  Type: object
  Properties:
    cnbng-cp:iapd-pool-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
  Type: object
  Properties:
    cnbng-cp:lease:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
  Type: object
  Properties:
    cnbng-cp:days:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:hours:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:minutes:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
  Type: object

```

```
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
  Type: object
  Properties:
    cnbng-cp:hours:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
  Type: object
  Properties:
    cnbng-cp:preference:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
  Type: object
  Properties:
    cnbng-cp:rapid-commit:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
```

```

    Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name:
  Type: object
  Properties:
    cnbng-cp:feature-template:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_featuretemplate'
      x-yang:
        Type: list
data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:
  Type: object
  Properties:
    cnbng-cp:http-policy:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
  Type: object
  Properties:
    cnbng-cp:ipv4:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:ingress-acl:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:egress-acl:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:disable-unreachables:
      Type: string
      Description: (leaf)
      format: "[null]"

```

```

    x-yang:
      Type: leaf
  cnbng-cp:verify-unicast-source:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv4_1_verifyunicastsource'

```

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables:

```

Type: object
Properties:
  cnbng-cp:disable-unreachables:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl:

```

Type: object
Properties:
  cnbng-cp:egress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl:

```

Type: object
Properties:
  cnbng-cp:ingress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu:

```

Type: object
Properties:
  cnbng-cp:mtu:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source:

```

Type: object
Properties:
  cnbng-cp:verify-unicast-source:

```


Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv4_1_verifyunicastsources'

data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post:

Type: object
Properties:
 cnbng-cp:reachable-via-rx:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf

data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx:

Type: object
Properties:
 cnbng-cp:reachable-via-rx:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf

data_cnbng_cp_profile_feature-template_feature-template-name_ipv6:

Type: object
Properties:
 cnbng-cp:ipv6:
Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv4_1'

data_cnbng_cp_profile_feature-template_feature-template-name_ipv6-post:

Type: object
Properties:
 cnbng-cp:mtu:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf
 cnbng-cp:ingress-acl:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf
 cnbng-cp:egress-acl:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf
 cnbng-cp:disable-unreachables:
Type: string

Description: (leaf)
format: "[null]"
x-yang:
Type: leaf
cnbng-cp:verify-unicast-source:
Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv4_1_verifyunicastsource'

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables:

Type: object
Properties:
cnbng-cp:disable-unreachables:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl:

Type: object
Properties:
cnbng-cp:egress-acl:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl:

Type: object
Properties:
cnbng-cp:ingress-acl:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu:

Type: object
Properties:
cnbng-cp:mtu:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:

Type: object

```

Properties:
  cnbng-cp:verify-unicast-source:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1_verifyunicastsource'

```

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post:

```

Type: object
Properties:
  cnbng-cp:reachable-via-rx:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx:

```

Type: object
Properties:
  cnbng-cp:reachable-via-rx:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_name:

```

Type: object
Properties:
  cnbng-cp:name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp:

```

Type: object
Properties:
  cnbng-cp:ppp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp'

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post:

```

Type: object
Properties:
  cnbng-cp:authentication:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: enumeration
      Default: pap
      enum:
        - pap
        - chap

```

```

    x-yang:
      Type: leaf-list
cnbng-cp:chap:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'
cnbng-cp:service-type:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: outbound
  enum:
    - outbound
  x-yang:
    Type: leaf
cnbng-cp:ipcp:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'
cnbng-cp:ipv6cp:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipv6cp'
cnbng-cp:lcp:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
cnbng-cp:max-bad-auth:
  Type: integer
  Description: (leaf)
  format: byte
  x-yang:
    Type: leaf
cnbng-cp:max-configure:
  Type: integer
  Description: (leaf)
  format: byte
  x-yang:
    Type: leaf
cnbng-cp:max-failure:
  Type: integer
  Description: (leaf)
  format: byte
  x-yang:
    Type: leaf
cnbng-cp:pap:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_pap'
cnbng-cp:timeout:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout'
cnbng-cp:keepalive:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_keepalive'

```

data_cnbng_cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id:

```

Type: object
Properties:
  cnbng-cp:authentication:
    Type: array
    Items:
      Type: string

```

```

        Description: (leaf-list)
        format: enumeration
        Default: pap
        enum:
        - pap
        - chap
        x-yang:
        Type: leaf-list
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap:
Type: object
Properties:
  cnbng-cp:chap:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post:
Type: object
Properties:
  cnbng-cp:hostname:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
  cnbng-cp:password:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:
Type: object
Properties:
  cnbng-cp:hostname:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:
Type: object
Properties:
  cnbng-cp:password:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:

```

Type: object
Properties:
 cnbng-cp:ipcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:

Type: object
Properties:
 cnbng-cp:dns:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'
 cnbng-cp:peer-address-pool:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:renegotiation:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'
 cnbng-cp:wins:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:

Type: object
Properties:
 cnbng-cp:dns:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:

Type: object
Properties:
 cnbng-cp:primary-address:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:secondary-address:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:

Type: object
Properties:
 cnbng-cp:primary-address:
 Type: string
 Description: (leaf)

```

    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address:

```

Type: object
Properties:
  cnbng-cp:secondary-address:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool:

```

Type: object
Properties:
  cnbng-cp:peer-address-pool:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation:

```

Type: object
Properties:
  cnbng-cp:renegotiation:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post:

```

Type: object
Properties:
  cnbng-cp:ignore:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore:

```

Type: object
Properties:
  cnbng-cp:ignore:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:

```

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins:

Type: object

Properties:

cnbng-cp:wins:

Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post:

Type: object

Properties:

cnbng-cp:primary-address:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

cnbng-cp:secondary-address:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address:

Type: object

Properties:

cnbng-cp:primary-address:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address:

Type: object

Properties:

cnbng-cp:secondary-address:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp:

Type: object

Properties:

cnbng-cp:ipv6cp:

Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipv6cp'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post:

Type: object
Properties:
 cnbng-cp:renegotiation:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation:

Type: object
Properties:
 cnbng-cp:renegotiation:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post:

Type: object
Properties:
 cnbng-cp:ignore:
 Type: string
 Description: (leaf)
 format: "[null]"
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore:

Type: object
Properties:
 cnbng-cp:ignore:
 Type: string
 Description: (leaf)
 format: "[null]"
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive:

Type: object
Properties:
 cnbng-cp:keepalive:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_keepalive'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post:

Type: object
Properties:
 cnbng-cp:disable:
 Type: string
 Description: (leaf)
 format: "[null]"

```

    x-yang:
      Type: leaf
  cnbng-cp:interval:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cnbng-cp:retry:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable:

Type: object
Properties:
  cnbng-cp:disable:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval:

Type: object
Properties:
  cnbng-cp:interval:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry:

Type: object
Properties:
  cnbng-cp:retry:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:
Type: object
Properties:
  cnbng-cp:lcp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:

```

Type: object
Properties:
 cnbng-cp:delay:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'
 cnbng-cp:renegotiation:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:

Type: object
Properties:
 cnbng-cp:delay:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:

Type: object
Properties:
 cnbng-cp:seconds:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 cnbng-cp:milliseconds:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:

Type: object
Properties:
 cnbng-cp:milliseconds:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:

Type: object
Properties:
 cnbng-cp:seconds:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation:

Type: object

Properties:

cnbng-cp:renegotiation:

Reference: '#/components/schemas/datapost_cnbngcppprofile_ppp_ipcp_renegotiation'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post:

Type: object

Properties:

cnbng-cp:ignore:

Type: string

Description: (leaf)

format: "[null]"

x-yang:

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore:

Type: object

Properties:

cnbng-cp:ignore:

Type: string

Description: (leaf)

format: "[null]"

x-yang:

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth:

Type: object

Properties:

cnbng-cp:max-bad-auth:

Type: integer

Description: (leaf)

format: byte

x-yang:

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure:

Type: object

Properties:

cnbng-cp:max-configure:

Type: integer

Description: (leaf)

format: byte

x-yang:

Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure:

Type: object
Properties:
 cnbng-cp:max-failure:
Type: integer
Description: (leaf)
format: byte
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap:

Type: object
Properties:
 cnbng-cp:pap:
Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_pap'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post:

Type: object
Properties:
 cnbng-cp:accept-null-password:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password:

Type: object
Properties:
 cnbng-cp:accept-null-password:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type:

Type: object
Properties:
 cnbng-cp:service-type:
Type: string
Description: (leaf)
format: enumeration
Default: outbound
enum:
 - outbound
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout:

Type: object

Properties:**cnbng-cp:timeout:****Reference:** '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout'**data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post:****Type:** object**Properties:****cnbng-cp:absolute:****Reference:** '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout_absolute'**cnbng-cp:authentication:****Type:** integer**Description:** (leaf)**format:** byte**x-yang:****Type:** leaf**cnbng-cp:retry:****Type:** integer**Description:** (leaf)**format:** byte**x-yang:****Type:** leaf**data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute:****Type:** object**Properties:****cnbng-cp:absolute:****Reference:** '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout_absolute'**data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post:****Type:** object**Properties:****cnbng-cp:minutes:****Type:** integer**Description:** (leaf)**format:** uint32**x-yang:****Type:** leaf**data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes:****Type:** object**Properties:****cnbng-cp:minutes:****Type:** integer**Description:** (leaf)**format:** uint32**x-yang:****Type:** leaf**data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication:**

Type: object
Properties:
 cnbng-cp:authentication:
Type: integer
Description: (leaf)
format: byte
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry:

Type: object
Properties:
 cnbng-cp:retry:
Type: integer
Description: (leaf)
format: byte
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_qos:

Type: object
Properties:
 cnbng-cp:qos:
Reference: '#/components/schemas/datapost_cnbngcpprofile_qos'

data_cnbng-cp_profile_feature-template_feature-template-name_qos-post:

Type: object
Properties:
 cnbng-cp:in-policy:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf
 cnbng-cp:out-policy:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf
 cnbng-cp:merge-level:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy:

Type: object
Properties:
 cnbng-cp:in-policy:

Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level:

Type: object
Properties:
cnbng-cp:merge-level:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy:

Type: object
Properties:
cnbng-cp:out-policy:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting:

Type: object
Properties:
cnbng-cp:service-accounting:
Reference: '#/components/schemas/datapost_cnbngcpprofile_serviceaccounting'

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post:

Type: object
Properties:
cnbng-cp:enable:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf
cnbng-cp:aaa-profile:
Type: string
Description: (leaf)
format: leafref
x-yang:
Type: leaf
cnbng-cp:periodic-interval:
Type: integer

Description: (leaf)
format: uint32
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile:

Type: object
Properties:
cnbng-cp:aaa-profile:
Type: string
Description: (leaf)
format: leafref
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable:

Type: object
Properties:
cnbng-cp:enable:
Type: string
Description: (leaf)
format: "[null]"
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval:

Type: object
Properties:
cnbng-cp:periodic-interval:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting:

Type: object
Properties:
cnbng-cp:session-accounting:
Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionaccounting'

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post:

Type: object
Properties:
cnbng-cp:enable:
Type: string
Description: (leaf)
format: "[null]"

```

    x-yang:
      Type: leaf
  cnbng-cp:aaa-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
  cnbng-cp:periodic-interval:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:dual-stack-delay:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile:

```

Type: object
Properties:
  cnbng-cp:aaa-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay:

```

Type: object
Properties:
  cnbng-cp:dual-stack-delay:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable:

```

Type: object
Properties:
  cnbng-cp:enable:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval:

Type: object
Properties:
 cnbng-cp:periodic-interval:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name:

Type: object
Properties:
 cnbng-cp:vrf-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_l2tp_l2tp-name:

Type: object
Properties:
 cnbng-cp:l2tp:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_l2tp'
 x-yang:
 Type: list

data_cnbng-cp_profile_l2tp_l2tp-name_authentication:

Type: object
Properties:
 cnbng-cp:authentication:
 Type: string
 Description: (leaf)
 format: "[null]"
 x-yang:
 Type: leaf

data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control:

Type: object
Properties:
 cnbng-cp:congestion-control:
 Type: string
 Description: (leaf)
 format: "[null]"
 x-yang:
 Type: leaf

data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name:

Type: object
Properties:
 cnbng-cp:domain:

```

    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_domain'
    x-yang:
      Type: list
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id:
  Type: object
  Properties:
    cnbng-cp:tun-assign-id:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding:
  Type: object
  Properties:
    cnbng-cp:dsl-info-forwarding:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp:
  Type: object
  Properties:
    cnbng-cp:encrypt-avp:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation:
  Type: object
  Properties:
    cnbng-cp:force-lcp-renegotiation:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf

```

```
data_cnbng-cp_profile_12tp_12tp-name_hello-interval:
  Type: object
  Properties:
    cnbng-cp:hello-interval:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_hostname:
  Type: object
  Properties:
    cnbng-cp:hostname:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_ip-tos:
  Type: object
  Properties:
    cnbng-cp:ip-tos:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_iptos'
data_cnbng-cp_profile_12tp_12tp-name_ip-tos-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:reflect:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_ip-tos_reflect:
  Type: object
  Properties:
    cnbng-cp:reflect:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_ip-tos_value:
  Type: object
  Properties:
    cnbng-cp:value:
```

```

    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4:
  Type: object
  Properties:
    cnbng-cp:ipv4:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
  Type: object
  Properties:
    cnbng-cp:df-bit:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: set
      enum:
        - set
        - reflect
      x-yang:
        Type: leaf
    cnbng-cp:source:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:destination:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2_destination'
        x-yang:
          Type: list
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:
  Type: object
  Properties:
    cnbng-cp:destination:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2_destination'
        x-yang:
          Type: list
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip:
  Type: object
  Properties:

```

```

cnbng-cp:dest-ip:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight:

```

Type: object
Properties:
  cnbng-cp:weight:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit:

```

Type: object
Properties:
  cnbng-cp:df-bit:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: set
    enum:
      - set
      - reflect
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source:

```

Type: object
Properties:
  cnbng-cp:source:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_l2tp_l2tp-name_mode:

```

Type: object
Properties:
  cnbng-cp:mode:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: lac
    enum:
      - lac
      - lns
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_l2tp_l2tp-name_mtu:

```

Type: object
Properties:
  cnbng-cp:mtu:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_password:
Type: object
Properties:
  cnbng-cp:password:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_receive-window:
Type: object
Properties:
  cnbng-cp:receive-window:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit:
Type: object
Properties:
  cnbng-cp:retransmit:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
Type: object
Properties:
  cnbng-cp:initial:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
  cnbng-cp:timeout:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

  cnbng-cp:retries:
    Type: integer
    Description: (leaf)
    format: uint16

```



```

    x-yang:
      Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
  Type: object
  Properties:
    cnbng-cp:initial:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

    cnbng-cp:retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries:
  Type: object
  Properties:
    cnbng-cp:retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post:
  Type: object
  Properties:
    cnbng-cp:max:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    cnbng-cp:min:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max:
  Type: object
  Properties:

```

```

    cnbng-cp:max:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_timeout_min:
  Type: object
  Properties:
    cnbng-cp:min:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit_retries:
  Type: object
  Properties:
    cnbng-cp:retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout-post:
  Type: object
  Properties:
    cnbng-cp:max:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    cnbng-cp:min:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_max:
  Type: object
  Properties:
    cnbng-cp:max:
      Type: integer
      Description: (leaf)
      format: byte

```

```

    x-yang:
      Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_min:
  Type: object
  Properties:
    cnbng-cp:min:
      Type: integer
      Description: (leaf)
      format: byte
    x-yang:
      Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_rx-connect-speed:
  Type: object
  Properties:
    cnbng-cp:rx-connect-speed:
      Type: integer
      Description: (leaf)
      format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tcp:
  Type: object
  Properties:
    cnbng-cp:tcp:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_tcp'
data_cnbng-cp_profile_12tp_12tp-name_tcp-post:
  Type: object
  Properties:
    cnbng-cp:adjust-mss:
      Type: integer
      Description: (leaf)
      format: uint16
    x-yang:
      Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tcp_adjust-mss:
  Type: object
  Properties:
    cnbng-cp:adjust-mss:
      Type: integer
      Description: (leaf)
      format: uint16
    x-yang:
      Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_terminate-from_terminate-from-hostname:
  Type: object
  Properties:
    cnbng-cp:terminate-from:
      Type: array
      Description: (list)
      Items:

```

Reference: '#/components/schemas/datapost_cnbngcpprofile_terminatefrom'
x-yang:
Type: list

data_cnbng-cp_profile_12tp_12tp-name_terminate-from_terminate-from-hostname_hostname:

Type: object
Properties:
cnbng-cp:hostname:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_12tp_12tp-name_tunnel:

Type: object
Properties:
cnbng-cp:tunnel:
Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel'

data_cnbng-cp_profile_12tp_12tp-name_tunnel-load-balancing:

Type: object
Properties:
cnbng-cp:tunnel-load-balancing:
Type: string
Description: (leaf)
format: enumeration
Default: weighted
enum:
 - weighted
 - equal
x-yang:
Type: leaf

data_cnbng-cp_profile_12tp_12tp-name_tunnel-post:

Type: object
Properties:
cnbng-cp:session-limit:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf
cnbng-cp:timeout:
Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel_timeout'

data_cnbng-cp_profile_12tp_12tp-name_tunnel_session-limit:

Type: object
Properties:
cnbng-cp:session-limit:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf

```
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel_timeout'
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout-post:
  Type: object
  Properties:
    cnbng-cp:no-session:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout_no-session:
  Type: object
  Properties:
    cnbng-cp:no-session:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tx-connect-speed:
  Type: object
  Properties:
    cnbng-cp:tx-connect-speed:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_vrf:
  Type: object
  Properties:
    cnbng-cp:vrf:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name:
  Type: object
  Properties:
    cnbng-cp:pppoe:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_pppoe'
      x-yang:
        Type: list
```

```

data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:
  Type: object
  Properties:
    cnbng-cp:ac-cookie:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
  Type: object
  Properties:
    cnbng-cp:ac-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
  Type: object
  Properties:
    cnbng-cp:ctrl-pkt-priority:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
  Type: object
  Properties:
    cnbng-cp:max-payload:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_maxpayload'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
  Type: object
  Properties:
    cnbng-cp:deny:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
    cnbng-cp:minimum:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
    cnbng-cp:maximum:
      Type: integer
      Description: (leaf)
      format: uint16

```

```

    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
  Type: object
  Properties:
    cnbng-cp:deny:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
  Type: object
  Properties:
    cnbng-cp:maximum:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
  Type: object
  Properties:
    cnbng-cp:minimum:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:
  Type: object
  Properties:
    cnbng-cp:service-name:

```

```

    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
  Type: object
  Properties:
    cnbng-cp:service-selection-disable:
      Type: string
      Description: (leaf)
      format: boolean
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
  Type: object
  Properties:
    cnbng-cp:session-limit:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
  Type: object
  Properties:
    cnbng-cp:max:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
    cnbng-cp:mac:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
    cnbng-cp:circuit-id:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
    cnbng-cp:outer-vlan:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
  Type: object
  Properties:
    cnbng-cp:circuit-id:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:

```



```

    Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:
  Type: object
  Properties:
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
  Type: object
  Properties:
    cnbng-cp:mac:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
  Type: object
  Properties:
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
  Type: object
  Properties:
```

```

    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
  Type: object
  Properties:
    cnbng-cp:max:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:
  Type: object
  Properties:
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
  Type: object
  Properties:
    cnbng-cp:outer-vlan:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
  Type: object

```

```

Properties:
  cnbng-cp:value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
Type: object
Properties:
  cnbng-cp:threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
Type: object
Properties:
  cnbng-cp:value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
Type: object
Properties:
  cnbng-cp:timeout-completion:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius:
Type: object
Properties:
  cnbng-cp:radius:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius'
data_cnbng-cp_profile_radius-post:
Type: object
Properties:
  cnbng-cp:server:
    Type: array
    Description: (list)

```

```

    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server'
    x-yang:
      Type: list
  cnbng-cp:algorithm:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
    x-yang:
      Type: leaf
  cnbng-cp:deadtime:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  cnbng-cp:detect-dead-server:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

  cnbng-cp:max-retry:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  cnbng-cp:timeout:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  cnbng-cp:attribute:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
  cnbng-cp:accounting:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_accounting'
  cnbng-cp:server-group:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_servergroup'
    x-yang:
      Type: list
data_cnbng-cp_profile_radius_accounting:
  Type: object
  Properties:
    cnbng-cp:accounting:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_accounting'
data_cnbng-cp_profile_radius_accounting-post:

```

```
Type: object
Properties:
  cnbng-cp:algorithm:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
    x-yang:
      Type: leaf
  cnbng-cp:deadtime:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  cnbng-cp:detect-dead-server:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

  cnbng-cp:max-retry:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  cnbng-cp:timeout:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  cnbng-cp:attribute:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_accounting_algorithm:
Type: object
Properties:
  cnbng-cp:algorithm:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute:
Type: object
Properties:
  cnbng-cp:attribute:
```

```

    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_accounting_attribute-post:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:calling-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:nas-identifier:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:nas-identifier-format:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
    cnbng-cp:nas-port-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:nas-port:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

    cnbng-cp:nas-ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:

  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string

```

```

    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name:

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type:

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

```

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name:

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

```

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: string
    Description: (leaf)
    format: int32
  x-yang:

```

Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:

Type: object

Properties:

cnbng-cp:value:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id:

Type: object

Properties:

cnbng-cp:calling-station-id:

Reference:

'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post:

Type: object

Properties:

cnbng-cp:format:

Type: array

Description: (list)

Items:

Reference:

'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'

x-yang:

Type: list

cnbng-cp:format-name:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

cnbng-cp:value:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name:

Type: object

Properties:

cnbng-cp:format-name:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type:

Type: object

Properties:

cnbng-cp:format:

Type: array

Description: (list)

Items:

Reference:

'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'

x-yang:

Type: list

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name:

Type: object

Properties:

cnbng-cp:format-name:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:

Type: object

Properties:

cnbng-cp:nas-port-type:

Type: string

Description: (leaf)

format: int32

x-yang:

Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value:

Type: object

Properties:

cnbng-cp:value:

Type: string

Description: (leaf)

format: string

x-yang:

Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier:

Type: object

Properties:

cnbng-cp:nas-identifier:

Type: string

Description: (leaf)

format: string

x-yang:

```

    Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format:

    Type: object
    Properties:
      cnbng-cp:nas-identifier-format:
        Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post:

    Type: object
    Properties:
      cnbng-cp:format:
        Type: array
        Description: (list)
        Items:
          Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
          x-yang:
            Type: list
        cnbng-cp:format-name:
          Type: string
          Description: (leaf)
          format: string
          x-yang:
            Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name:

    Type: object
    Properties:
      cnbng-cp:format-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type:

    Type: object
    Properties:
      cnbng-cp:format:
        Type: array
        Description: (list)
        Items:
          Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
          x-yang:
            Type: list
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

```

Type: object
Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

~~data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format_nas-port-type_nas-port-type:~~

Type: object
Properties:
 cnbng-cp:nas-port-type:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-ip:

Type: object
Properties:
 cnbng-cp:nas-ip:
 Type: string
 Description: (leaf)
 format: union
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port:

Type: object
Properties:
 cnbng-cp:nas-port:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id:

Type: object
Properties:
 cnbng-cp:nas-port-id:
 Reference:

'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post:

Type: object
Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:

'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'

x-yang:
 Type: list
 cnbng-cp:format-name:

```

    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:

```

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

```

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:

```

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

```

```

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name:

```

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

```

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

```

```

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: string
    Description: (leaf)

```

```

        format: int32
        x-yang:
            Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value:
    Type: object
    Properties:
        cnbng-cp:value:
            Type: string
            Description: (leaf)
            format: string
            x-yang:
                Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post:
    Type: object
    Properties:
        cnbng-cp:format-e-list:
            Type: array
            Description: (list)
            Items:
                Reference:
                    '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
            x-yang:
                Type: list
        cnbng-cp:format-e:
            Type: string
            Description: (leaf)
            format: string
            x-yang:
                Type: leaf
        cnbng-cp:value:
            Type: integer
            Description: (leaf)
            format: uint32
            x-yang:
                Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
    Type: object
    Properties:
        cnbng-cp:format-e:
            Type: string
            Description: (leaf)
            format: string
            x-yang:
                Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
    Type: object
    Properties:
        cnbng-cp:format-e-list:
            Type: array
            Description: (list)

```

```

    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
      x-yang:
        Type: list

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_accounting_deadtime:
  Type: object
  Properties:
    cnbng-cp:deadtime:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_accounting_detect-dead-server:
  Type: object
  Properties:
    cnbng-cp:detect-dead-server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

data_cnbng-cp_profile_radius_accounting_detect-dead-server-post:
  Type: object

```

```
Properties:
  cnbng-cp:response-timeout:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout:

Type: object
Properties:
  cnbng-cp:response-timeout:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_accounting_max-retry:

Type: object
Properties:
  cnbng-cp:max-retry:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_accounting_timeout:

Type: object
Properties:
  cnbng-cp:timeout:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_algorithm:

Type: object
Properties:
  cnbng-cp:algorithm:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_attribute:

Type: object
Properties:
```

```

cnbng-cp:attribute:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_attribute-post:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:calling-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:nas-identifier:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:nas-identifier-format:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
    cnbng-cp:nas-port-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:nas-port:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

cnbng-cp:nas-ip:
  Type: string
  Description: (leaf)
  format: union
  x-yang:
    Type: leaf
data_cnbng-cp_profile_radius_attribute_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_attribute_called-station-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string

```



```

    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:

  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:

  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_called-station-id_value:

```

```

Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_attribute_calling-station-id:
Type: object
Properties:
  cnbng-cp:calling-station-id:
    Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_attribute_calling-station-id-post:
Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name:
Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type:

Type: object
Properties:
  cnbng-cp:format:

```

```

    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list

```

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name:

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:

```

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: string
    Description: (leaf)
  format: int32
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_radius_attribute_calling-station-id_value:

```

Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_radius_attribute_nas-identifier:

```

Type: object
Properties:
  cnbng-cp:nas-identifier:
    Type: string
    Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

data_cnbng-cp_profile_radius_attribute_nas-identifier-format:

```

Type: object
Properties:
  cnbng-cp:nas-identifier-format:
    Reference:
      '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'

```

```

data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
        x-yang:
          Type: list
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:

  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:

  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
        x-yang:
          Type: list
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:

```

```

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-ip:
Type: object
Properties:
  cnbng-cp:nas-ip:
    Type: string
    Description: (leaf)
    format: union
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port:
Type: object
Properties:
  cnbng-cp:nas-port:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

data_cnbng-cp_profile_radius_attribute_nas-port-id:
Type: object
Properties:
  cnbng-cp:nas-port-id:
    Reference:
    '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_attribute_nas-port-id-post:
Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
      '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:

```

```

    Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:

  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list

data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:

  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-id_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: string
      Description: (leaf)
      format: string
      x-yang:

```

```

    Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-post:
  Type: object
  Properties:
    cnbng-cp:format-e-list:
      Type: array
      Description: (list)
      Items:
        Reference:
'#/components/schemas/datapost_cnbngcppprofile_radius_attribute_nasport_formatelist'
      x-yang:
        Type: list
    cnbng-cp:format-e:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format-e-list:
      Type: array
      Description: (list)
      Items:
        Reference:
'#/components/schemas/datapost_cnbngcppprofile_radius_attribute_nasport_formatelist'
      x-yang:
        Type: list

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Type: string

```

Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

Type: object
Properties:
cnbng-cp:nas-port-type:
Type: string
Description: (leaf)
format: int32
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port_value:

Type: object
Properties:
cnbng-cp:value:
Type: integer
Description: (leaf)
format: uint32
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_deadtime:

Type: object
Properties:
cnbng-cp:deadtime:
Type: string
Description: (leaf)
format: int32
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_detect-dead-server:

Type: object
Properties:
cnbng-cp:detect-dead-server:
Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

data_cnbng-cp_profile_radius_detect-dead-server-post:

Type: object
Properties:
cnbng-cp:response-timeout:
Type: string
Description: (leaf)
format: int32
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:

Type: object
Properties:
cnbng-cp:response-timeout:


```

    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_max-retry:
  Type: object
  Properties:
    cnbng-cp:max-retry:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_server-group_server-group-group-name:
  Type: object
  Properties:
    cnbng-cp:server-group:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_servergroup'
      x-yang:
        Type: list
data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name:
  Type: object
  Properties:
    cnbng-cp:group-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port:
  Type: object
  Properties:
    cnbng-cp:server:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server_1'
      x-yang:
        Type: list
data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip:
  Type: object
  Properties:
    cnbng-cp:ip:

```

Type: string
Description: (leaf)
format: leafref
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port:

Type: object
Properties:
cnbng-cp:port:
Type: string
Description: (leaf)
format: leafref
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type:

Type: object
Properties:
cnbng-cp:type:
Type: string
Description: (leaf)
format: enumeration
Default: auth
enum:
 - auth
 - acct
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_server_server-ip_server-port:

Type: object
Properties:
cnbng-cp:server:
Type: array
Description: (list)
Items:
Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server'
x-yang:
Type: list

data_cnbng-cp_profile_radius_server_server-ip_server-port_ip:

Type: object
Properties:
cnbng-cp:ip:
Type: string
Description: (leaf)
format: union
x-yang:
Type: leaf

data_cnbng-cp_profile_radius_server_server-ip_server-port_port:

Type: object
Properties:

```
cnbng-cp:port:
  Type: string
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
  Type: object
  Properties:
    cnbng-cp:priority:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
  Type: object
  Properties:
    cnbng-cp:secret:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
  Type: object
  Properties:
    cnbng-cp:type:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: auth
      enum:
        - auth
        - acct
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_server-group_server-group-name:
  Type: object
  Properties:
    cnbng-cp:server-group:
      Type: array
      Description: (list)
```

```

    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_servergroup'
    x-yang:
      Type: list
  data_cnbng-cp_profile_server-group_server-group-name_name:
    Type: object
    Properties:
      cnbng-cp:name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
  data_cnbng-cp_profile_server-group_server-group-name_radius-group:
    Type: object
    Properties:
      cnbng-cp:radius-group:
        Type: string
        Description: (leaf)
        format: leafref
        x-yang:
          Type: leaf
  data_cnbng-cp_profile_subscriber_subscriber-name:
    Type: object
    Properties:
      cnbng-cp:subscriber:
        Type: array
        Description: (list)
        Items:
          Reference: '#/components/schemas/datapost_cnbngcpprofile_subscriber'
        x-yang:
          Type: list
  data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile:
    Type: object
    Properties:
      cnbng-cp:aaa:
        Type: array
        Description: (list)
        Items:
          Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
        x-yang:
          Type: list
  data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:
    Type: object
    Properties:
      cnbng-cp:aaa-option:
        Type: string
        Description: (leaf)

```

```

format: enumeration
Default: authenticate
enum:
- authenticate
- authorize
x-yang:
  Type: leaf

```

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile:

```

Type: object
Properties:
  cnbng-cp:profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id:

```

Type: object
Properties:
  cnbng-cp:activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list

```

data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class:

```

Type: object
Properties:
  cnbng-cp:apply-all-class:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name:

```

Type: object
Properties:
  cnbng-cp:class:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_class'
    x-yang:
      Type: list

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile:

```

Type: object
Properties:
  cnbng-cp:aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
    x-yang:
      Type: list

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

```

Type: object
Properties:
  cnbng-cp:aaa-option:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile:

```

Type: object
Properties:
  cnbng-cp:profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf

```

?

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

```

: type: object
Properties:
  cnbng-cp:activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name:

```

Type: object
Properties:

```

cnbng-cp: class-name:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches:

Type: object
Properties:
cnbng-cp: matches:
Reference: '#/components/schemas/datapost_cnbngcpprofile_matches'

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post:

Type: object
Properties:
cnbng-cp: match:
Type: array
Description: (list)
Items:
Reference: '#/components/schemas/datapost_cnbngcpprofile_matches_match'
x-yang:
Type: list
cnbng-cp: match-type:
Type: string
Description: (leaf)
format: enumeration
Default: any
enum:
- any
- all
x-yang:
Type: leaf

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type:

Type: object
Properties:
cnbng-cp: match-type:
Type: string
Description: (leaf)
format: enumeration
Default: any
enum:
- any
- all
x-yang:
Type: leaf

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key:

Type: object

Properties:**cnbng-cp:match:****Type:** array**Description:** (list)**Items:****Reference:** '#/components/schemas/datapost_cnbngcpprofile_matches_match'**x-yang:****Type:** list**data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id:****Type:** object**Properties:****cnbng-cp:ascii:****Type:** array**Items:****Type:** string**Description:** (leaf-list)**format:** string**x-yang:****Type:** leaf-list**data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key:****Type:** object**Properties:****cnbng-cp:key:****Type:** string**Description:** (leaf)**format:** enumeration**Default:** protocol**enum:**

- protocol
- username
- source-mac
- circuit-id
- remote-id

x-yang:**Type:** leaf**data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id:****Type:** object**Properties:****cnbng-cp:regex:****Type:** array**Items:****Type:** string**Description:** (leaf-list)**format:** string**x-yang:****Type:** leaf-list**data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id:**


```

Type: object
Properties:
  cnbng-cp:type:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: enumeration
      Default: dhcp
      enum:
        - dhcp
        - ppp
    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile:
Type: object
Properties:
  cnbng-cp:dhcp-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name:

Type: object
Properties:
  cnbng-cp:event:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_event'
    x-yang:
      Type: list
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile:

Type: object
Properties:
  cnbng-cp:aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_aaa_1'
    x-yang:
      Type: list
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

Type: object
Properties:
  cnbng-cp:aaa-option:

```

```

Type: string
Description: (leaf)
format: enumeration
Default: authenticate
enum:
- authenticate
- authorize
x-yang:
  Type: leaf

```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile:

```

Type: object
Properties:
  cnbng-cp:profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf

```

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id

```

: type: object
Properties:
  cnbng-cp:activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list

```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class:

```

Type: object
Properties:
  cnbng-cp:apply-all-class:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf

```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name:

```

Type: object
Properties:
  cnbng-cp:class:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_class_1'

```

x-yang:
Type: list

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile

Type: object
Properties:
cnbng-cp:aaa:
Type: array
Description: (list)
Items:
Reference: '#/components/schemas/datapost_cnbngcppprofile_aaa_1'
x-yang:
Type: list

?

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option

: type: object
Properties:
cnbng-cp:aaa-option:
Type: string
Description: (leaf)
format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
x-yang:
Type: leaf

?

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile

: type: object
Properties:
cnbng-cp:profile:
Type: string
Description: (leaf)
format: leafref
x-yang:
Type: leaf

?

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

: type: object
Properties:
cnbng-cp:activate-feature-templates:
Type: array
Items:
Type: string
Description: (leaf-list)
format: leafref
x-yang:
Type: leaf-list

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name:

Type: object
Properties:
cnbng-cp: class-name:
Type: string
Description: (leaf)
format: string
x-yang:
Type: leaf

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id

: type: object
Properties:
cnbng-cp: deactivate-feature-templates:
Type: array
Items:
Type: string
Description: (leaf-list)
format: leafref
x-yang:
Type: leaf-list

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches:

Type: object
Properties:
cnbng-cp: matches:
Reference: '#/components/schemas/datapost_cnbngcppprofile_matches'

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post:

Type: object
Properties:
cnbng-cp: match:
Type: array
Description: (list)
Items:
Reference: '#/components/schemas/datapost_cnbngcppprofile_matches_match'
x-yang:
Type: list
cnbng-cp: match-type:
Type: string
Description: (leaf)
format: enumeration
Default: any
enum:
- any
- all
x-yang:
Type: leaf

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type:

Type: object
Properties:
cnbng-cp:match-type:
Type: string
Description: (leaf)
format: enumeration
Default: any
enum:
 - any
 - all
x-yang:
Type: leaf

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key:

Type: object
Properties:
cnbng-cp:match:
Type: array
Description: (list)
Items:
Reference: '#/components/schemas/datapost_cnbngcpprofile_matches_match'
x-yang:
Type: list

?

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id

: type: object
Properties:
cnbng-cp:ascii:
Type: array
Items:
Type: string
Description: (leaf-list)
format: string
x-yang:
Type: leaf-list

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key:

Type: object
Properties:
cnbng-cp:key:
Type: string
Description: (leaf)
format: enumeration
Default: protocol
enum:
 - protocol
 - username
 - source-mac
 - circuit-id
 - remote-id

```

    x-yang:
      Type: leaf
  ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id

: type: object
Properties:
  cnbng-cp:regex:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id

: type: object
Properties:
  cnbng-cp:type:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: enumeration
      Default: dhcp
      enum:
        - dhcp
        - ppp
    x-yang:
      Type: leaf-list
  ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id

: type: object
Properties:
  cnbng-cp:deactivate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:

Type: object
Properties:
  cnbng-cp:event-name:
    Type: string
    Description: (leaf)
    format: enumeration

```

```

    Default: session-activate
    enum:
    - session-activate
    x-yang:
    Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:
Type: object
Properties:
  cnbng-cp:l2tp-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
    Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
Type: object
Properties:
  cnbng-cp:pppoe-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
    Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:
Type: object
Properties:
  cnbng-cp:session-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: ipv4
    enum:
    - ipv4
    - ipv6
    - ipv4v6
    x-yang:
    Type: leaf
data_cnbng-cp_user-plane_user-plane-name:
Type: object
Properties:
  cnbng-cp:user-plane:
    Type: array
    Description: (list)

```

```

    Items:
      Reference: '#/components/schemas/datapost_cnbngcpuserplane'
      x-yang:
        Type: list
data_cnbng-cp_user-plane_user-plane-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_user-plane_user-plane-name_offline:
  Type: object
  Properties:
    cnbng-cp:offline:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
data_cnbng-cp_user-plane_user-plane-name_peer-address:
  Type: object
  Properties:
    cnbng-cp:peer-address:
      Reference: '#/components/schemas/datapost_peeraddress'
data_cnbng-cp_user-plane_user-plane-name_peer-address-post:
  Type: object
  Properties:
    cnbng-cp:ipv4:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_user-plane_user-plane-name_peer-address_ipv4:
  Type: object
  Properties:
    cnbng-cp:ipv4:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id:
  Type: object
  Properties:
    cnbng-cp:port-id:
      Type: array
      Description: (list)

```



```

    Items:
      Reference: '#/components/schemas/datapost_portid'
    x-yang:
      Type: list
data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_id:
  Type: object
  Properties:
    cnbng-cp:id:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf

data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile:
  Type: object
  Properties:
    cnbng-cp:subscriber-profile:
      Type: string
      Description: (leaf)
      format: leafref
    x-yang:
      Type: leaf

data_cnbng-cp_user-plane_user-plane-name_subscriber-profile:
  Type: object
  Properties:
    cnbng-cp:subscriber-profile:
      Type: string
      Description: (leaf)
      format: leafref
    x-yang:
      Type: leaf

operations:
  Type: object
  Properties:
    ietf-restconf:operations:
      Type: object
      Properties: {}
      Description: This resource is a container that provides access to the
data-model-specific
      RPC operations supported by the server. See RESTCONF RFC 8040 for further
      information.
    x-yang:
      Type: operations

root:
  Type: object
  Properties:
    ietf-restconf:restconf:
      Reference: '#/components/schemas/root_ietfrestconfrestconf'
yang-library-version:
  Type: object

```

```

Properties:
  ietf-restconf:yang-library-version:
    Type: object
    Properties: {}
    Description: This leaf identifies the revision date of the 'ietf-yang-library'
      YANG module that is implemented by this server. See RESTCONF RFC 8040
      for further information.
    x-yang:
      Type: leaf
datapost_cnbngcppprofile_ipv4_server_netbiosnodetype:
Type: object
Properties:
  broadcast-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  hybrid-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  mixed-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  peer-to-peer-node:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  hexadecimal:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcppprofile_ipv4_server_lease:
Type: object
Properties:
  days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

```
hours:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
minutes:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
Description: (non-presence)
datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode:
  Type: object
  Properties:
    option-code:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    ascii-string:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    hex-string:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    ip-address:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
    force-insert:
      Type: string
      Description: (leaf)
      format: boolean
      x-yang:
        Type: leaf
datapost_cnbngcpprofile_ipv4_server_optioncodes:
  Type: object
  Properties:
```

```

    option-code:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcprofile_ipv4_server_optioncodes_optioncode'
      x-yang:
        Type: list
      Description: (non-presence)
  datapost_cnbngcprofile_ipv4_server:
    Type: object
    Properties:
      pool-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
      dns-servers:
        Type: array
        Items:
          Type: string
          Description: (leaf-list)
          format: string
        x-yang:
          Type: leaf-list
      ntp-servers:
        Type: array
        Items:
          Type: string
          Description: (leaf-list)
          format: string
        x-yang:
          Type: leaf-list
      netbios-name-server:
        Type: array
        Items:
          Type: string
          Description: (leaf-list)
          format: string
        x-yang:
          Type: leaf-list
      domain-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
      boot-filename:
        Type: string
        Description: (leaf)
        format: string

```

```

    x-yang:
      Type: leaf
  next-server:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  netbios-node-type:
    Reference:
      '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
  lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
  option-codes:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

Description: (non-presence)
datapost_cnbngcpprofile_ipv4_matches_match:
  Type: object
  Properties:
    key:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: dhcpv4-circuit-id
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class
    x-yang:
      Type: leaf
  ascii:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  hex:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
datapost_cnbngcpprofile_ipv4_matches:
  Type: object
  Properties:
    match:
      Type: array

```

```

    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches_match'
    x-yang:
      Type: list
  match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
    - any
    - all
    x-yang:
      Type: leaf
  Description: (presence)
datapost_cnbngcpprofile_ipv4_class:
  Type: object
  Properties:
    class-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    matches:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches'
    server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'
datapost_cnbngcpprofile_ipv4:
  Type: object
  Properties:
    mode:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: server
      enum:
      - server
      - proxy
      x-yang:
        Type: leaf
    server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'
    class:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'
      x-yang:
        Type: list
  Description: (non-presence)

```

```
datapost_cnbngcpprofile_ipv6_server:
  Type: object
  Properties:
    iana-pool-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    iapd-pool-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    dns-servers:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
    domain-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    preference:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    aftr-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    rapid-commit:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
    lease:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
      Description: (non-presence)
datapost_cnbngcpprofile_ipv6_matches_match:
```

```

Type: object
Properties:
  key:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: dhcpv6-interface-id
    enum:
    - dhcpv6-interface-id
    - dhcpv6-remote-id
    - dhcpv6-vendor-class
    - dhcpv6-user-class
    x-yang:
      Type: leaf
  ascii:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  hex:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
datapost_cnbngcpprofile_ipv6_matches:
Type: object
Properties:
  match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches_match'
    x-yang:
      Type: list
  match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
    - any
    - all
    x-yang:
      Type: leaf
    Description: (presence)
datapost_cnbngcpprofile_ipv6_class:
Type: object

```



```

Properties:
  class-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  matches:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv6_matches'
  server:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv6_server'
datapost_cnbngcppprofile_ipv6:
Type: object
Properties:
  mode:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: server
    enum:
    - server
    - proxy
  x-yang:
    Type: leaf
  server:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv6_server'
  class:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv6_class'
  x-yang:
    Type: list
  Description: (non-presence)
datapost_cnbngcppprofile_dhcp:
Type: object
Properties:
  name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  ipv4:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv4'
  ipv6:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv6'
datapost_cnbngcppprofile_maxpayload:
Type: object
Properties:
  deny:
    Type: string

```

```

    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  Minimum:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
  Maximum:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_sessionlimit_max:
Type: object
Properties:
  value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_sessionlimit:
Type: object
Properties:
  max:
    Reference: '#/components/schemas/datapost_cnbngcprofile_sessionlimit_max'
  mac:
    Reference: '#/components/schemas/datapost_cnbngcprofile_sessionlimit_max'
  circuit-id:
    Reference: '#/components/schemas/datapost_cnbngcprofile_sessionlimit_max'
  outer-vlan:
    Reference: '#/components/schemas/datapost_cnbngcprofile_sessionlimit_max'
  Description: (non-presence)
datapost_cnbngcprofile_pppoe:
Type: object
Properties:
  name:
    Type: string
    Description: (leaf)

```

```
    format: string
    x-yang:
      Type: leaf
mtu:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
ctrl-pkt-priority:
  Type: integer
  Description: (leaf)
  format: byte
  x-yang:
    Type: leaf
service-selection-disable:
  Type: string
  Description: (leaf)
  format: boolean
  x-yang:
    Type: leaf
max-payload:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_maxpayload'
service-name:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
ac-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
ac-cookie:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
session-limit:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit'
timeout-completion:
  Type: integer
  Description: (leaf)
  format: uint16
  x-yang:
    Type: leaf
```

```

datapost_cnbngcpprofile_authentication:
  Type: object
  Properties:
    method-order:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: union
      x-yang:
        Type: leaf-list
    Description: (non-presence)
datapost_cnbngcpprofile_authorization_type:
  Type: object
  Properties:
    subscriber:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
    Description: (non-presence)
datapost_cnbngcpprofile_authorization_username:
  Type: object
  Properties:
    value:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    format:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    identifier:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: addr
      enum:
      - addr
      - circuit-id-tag
      - client-mac-address
      - client-mac-address-custom1
      - client-mac-address-custom2
      - client-mac-address-ietf
      - client-mac-address-raw
      - dhcp-client-id
      - dhcp-client-id-spl
      - dhcp-user-class
      - dhcp-vendor-class
      - dhcpv4-client-id-spl
      - dhcpv4-vendor-class
      - dhcpv6-client-id-ent-ident
      - dhcpv6-interface-id
      - dhcpv6-vendor-class-string

```

```

- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane
x-yang:
  Type: leaf
Description: (non-presence)
datapost_cnbngcpprofile_authorization:
Type: object
Properties:
Type:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_type'
username:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_username'

password:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_aaa:
Type: object
Properties:
name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
authentication:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
authorization:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization'
accounting:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
datapost_cnbngcpprofile_servergroup:
Type: object
Properties:
name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:

```

```

    Type: leaf
radius-group:
  Type: string
  Description: (leaf)
  format: leafref
  x-yang:
    Type: leaf
datapost_cnbngcpprofile_attributeformat:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    format-string:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    format-order:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: union
      x-yang:
        Type: leaf-list
datapost_cnbngcpprofile_aaa_1:
  Type: object
  Properties:
    aaa-option:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
      x-yang:
        Type: leaf
    profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
datapost_cnbngcpprofile_matches_match:
  Type: object
  Properties:

```

```
key:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: protocol
  enum:
  - protocol
  - username
  - source-mac
  - circuit-id
  - remote-id
  x-yang:
    Type: leaf
Type:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: enumeration
    Default: dhcp
    enum:
    - dhcp
    - ppp
  x-yang:
    Type: leaf-list
ascii:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
regex:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
datapost_cnbngcpprofile_matches:
  Type: object
  Properties:
    match:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_matches_match'
      x-yang:
        Type: list
    match-type:
      Type: string
```

```

    Description: (leaf)
    format: enumeration
    Default: any
    enum:
    - any
    - all
    x-yang:
      Type: leaf
Description: (non-presence)
datapost_cnbngcppprofile_class:
Type: object
Properties:
  class-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  matches:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_matches'
activate-feature-templates:
Type: array
Items:
  Type: string
  Description: (leaf-list)
  format: leafref
x-yang:
  Type: leaf-list
aaa:
Type: array
Description: (list)
Items:
  Reference: '#/components/schemas/datapost_cnbngcppprofile_aaa_1'
x-yang:
  Type: list
datapost_cnbngcppprofile_class_1:
Type: object
Properties:
  class-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  matches:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_matches'
deactivate-feature-templates:
Type: array
Items:
  Type: string
  Description: (leaf-list)
  format: leafref

```



```
    x-yang:
      Type: leaf-list
  activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list
  aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
    x-yang:
      Type: list
datapost_cnbngcpprofile_event:
  Type: object
  Properties:
    event-name:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: session-activate
      enum:
        - session-activate
    x-yang:
      Type: leaf
  aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
    x-yang:
      Type: list
  deactivate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list
  activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list
```

```
    apply-all-class:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
  class:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_class_1'
    x-yang:
      Type: list
datapost_cnbngcpprofile_subscriber:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    dhcp-profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    pppoe-profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    session-type:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: ipv4
      enum:
        - ipv4
        - ipv6
        - ipv4v6
      x-yang:
        Type: leaf
    l2tp-profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
  aaa:
```

```

    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
    x-yang:
      Type: list
activate-feature-templates:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: leafref
  x-yang:
    Type: leaf-list
class:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_class'
  x-yang:
    Type: list
apply-all-class:
  Type: string
  Description: (leaf)
  format: "[null]"
  x-yang:
    Type: leaf
event:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_event'
  x-yang:
    Type: list
datapost_cnbngcpprofile_ipv4_1_verifyunicastsources:
  Type: object
  Properties:
    reachable-via-rx:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
      Description: (non-presence)
datapost_cnbngcpprofile_ipv4_1:
  Type: object
  Properties:
    mtu:
      Type: integer
      Description: (leaf)
      format: uint32

```

```

    x-yang:
      Type: leaf
  ingress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  egress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  disable-unreachables:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  verify-unicast-source:
    Reference: '#/components/schemas/datapost_cnbngcprofile_ipv4_1_verifyunicastsource'

Description: (non-presence)
datapost_cnbngcprofile_qos:
  Type: object
  Properties:
    in-policy:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    out-policy:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    merge-level:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_sessionaccounting:
  Type: object
  Properties:
    enable:
      Type: string
      Description: (leaf)

```

```

    format: "[null]"
    x-yang:
      Type: leaf
  aaa-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
  periodic-interval:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  dual-stack-delay:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcppprofile_serviceaccounting:
  Type: object
  Properties:
    enable:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
    aaa-profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    periodic-interval:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcppprofile_ppp_chap:
  Type: object
  Properties:
    hostname:
      Type: string
      Description: (leaf)
      format: string

```

```

    x-yang:
      Type: leaf
  password:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_ppp_ipcp_dns:
  Type: object
  Properties:
    primary-address:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    secondary-address:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_ppp_ipcp_renegotiation:
  Type: object
  Properties:
    ignore:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_ppp_ipcp:
  Type: object
  Properties:
    dns:
      Reference: '#/components/schemas/datapost_cnbngcprofile_ppp_ipcp_dns'
    peer-address-pool:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    renegotiation:
      Reference: '#/components/schemas/datapost_cnbngcprofile_ppp_ipcp_renegotiation'

  wins:
    Reference: '#/components/schemas/datapost_cnbngcprofile_ppp_ipcp_dns'
  Description: (non-presence)

```

```
datapost_cnbngcpprofile_ppp_ipv6cp:
  Type: object
  Properties:
    renegotiation:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

  Description: (non-presence)
datapost_cnbngcpprofile_ppp_lcp_delay:
  Type: object
  Properties:
    seconds:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    milliseconds:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp_lcp:
  Type: object
  Properties:
    delay:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'
    renegotiation:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

  Description: (non-presence)
datapost_cnbngcpprofile_ppp_pap:
  Type: object
  Properties:
    accept-null-password:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp_timeout_absolute:
  Type: object
  Properties:
    minutes:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
```

```
datapost_cnbngcpprofile_ppp_timeout:
  Type: object
  Properties:
    absolute:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout_absolute'
    authentication:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    retry:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp_keepalive:
  Type: object
  Properties:
    disable:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
    interval:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    retry:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp:
  Type: object
  Properties:
    authentication:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: enumeration
        Default: pap
      enum:
        - pap
```



```

    - chap
    x-yang:
      Type: leaf-list
  chap:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'
  service-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: outbound
    enum:
    - outbound
    x-yang:
      Type: leaf
  ipcp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'
  ipv6cp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipv6cp'
  lcp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
  max-bad-auth:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  max-configure:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  max-failure:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  pap:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_pap'
  timeout:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout'
  keepalive:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_keepalive'
  Description: (non-presence)
datapost_cnbngcpprofile_featuretemplate:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string

```

```

    x-yang:
      Type: leaf
  vrf-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  ipv4:
    Reference: '#/components/schemas/datapost_cnbngcprofile_ipv4_1'
  ipv6:
    Reference: '#/components/schemas/datapost_cnbngcprofile_ipv4_1'
  http-policy:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  qos:
    Reference: '#/components/schemas/datapost_cnbngcprofile_qos'
  session-accounting:
    Reference: '#/components/schemas/datapost_cnbngcprofile_sessionaccounting'
  service-accounting:
    Reference: '#/components/schemas/datapost_cnbngcprofile_serviceaccounting'
  ppp:
    Reference: '#/components/schemas/datapost_cnbngcprofile_ppp'
datapost_cnbngcprofile_tcp:
  Type: object
  Properties:
    adjust-mss:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_retransmit_initial_timeout:
  Type: object
  Properties:
    max:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    min:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf

```

```

Description: (non-presence)
datapost_cnbngcpprofile_retransmit_initial:
  Type: object
  Properties:
    timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

    retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_retransmit:
  Type: object
  Properties:
    initial:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
    timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

    retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_terminatefrom:
  Type: object
  Properties:
    hostname:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
datapost_cnbngcpprofile_domain:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    tun-assign-id:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
```

```

        Type: leaf
datapost_cnbngcprofile_iptos:
  Type: object
  Properties:
    value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    reflect:
      Type: string
      Description: (leaf)
      format: "[null]"
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_tunnel_timeout:
  Type: object
  Properties:
    no-session:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcprofile_tunnel:
  Type: object
  Properties:
    session-limit:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    timeout:
      Reference: '#/components/schemas/datapost_cnbngcprofile_tunnel_timeout'
  Description: (non-presence)
datapost_cnbngcprofile_ipv4_2_destination:
  Type: object
  Properties:
    dest-ip:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    weight:
      Type: integer
      Description: (leaf)

```

```
    format: uint16
    x-yang:
      Type: leaf
datapost_cnbngcppprofile_ipv4_2:
  Type: object
  Properties:
    df-bit:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: set
      enum:
        - set
        - reflect
      x-yang:
        Type: leaf
    source:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    destination:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv4_2_destination'
      x-yang:
        Type: list
  Description: (non-presence)
datapost_cnbngcppprofile_l2tp:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    mode:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: lac
      enum:
        - lac
        - lns
      x-yang:
        Type: leaf
    encrypt-avp:
      Type: string
      Description: (leaf)
```

```

    format: "[null]"
    x-yang:
      Type: leaf
  dsl-info-forwarding:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  hostname:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  mtu:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  hello-interval:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  tcp:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_tcp'
  retransmit:
    Reference: '#/components/schemas/datapost_cnbngcppprofile_retransmit'
  receive-window:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
  terminate-from:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcppprofile_terminatefrom'
    x-yang:
      Type: list
  domain:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcppprofile_domain'
    x-yang:
      Type: list

```

```
vrf:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
authentication:
  Type: string
  Description: (leaf)
  format: "[null]"
  x-yang:
    Type: leaf
ip-tos:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_iptos'
tunnel:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel'
ipv4:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2'
congestion-control:
  Type: string
  Description: (leaf)
  format: "[null]"
  x-yang:
    Type: leaf
tx-connect-speed:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
rx-connect-speed:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
tunnel-load-balancing:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: weighted
  enum:
    - weighted
    - equal
  x-yang:
    Type: leaf
password:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
```

```
force-lcp-renegotiation:
  Type: string
  Description: (leaf)
  format: "[null]"
  x-yang:
    Type: leaf
datapost_cnbngcpprofile_radius_server:
  Type: object
  Properties:
    ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
    port:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
  Type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: auth
    enum:
      - auth
      - acct
    x-yang:
      Type: leaf
  secret:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  priority:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
datapost_cnbngcpprofile_radius_detectdeadserver:
  Type: object
  Properties:
    response-timeout:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
```



```

Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute_calledstationid_format:
  Type: object
  Properties:
    nas-port-type:
      Type: string
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
    format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
datapost_cnbngcpprofile_radius_attribute_calledstationid:
  Type: object
  Properties:
    format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
    format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    value:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute_nasidentifierformat:
  Type: object
  Properties:
    format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
    format-name:

```

```

        Type: string
        Description: (leaf)
        format: string
        x-yang:
            Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute_nasport_formatelist:
Type: object
Properties:
    nas-port-type:
        Type: string
        Description: (leaf)
        format: int32
        x-yang:
            Type: leaf
    format-e:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
            Type: leaf
datapost_cnbngcpprofile_radius_attribute_nasport:
Type: object
Properties:
    format-e-list:
        Type: array
        Description: (list)
        Items:
            Reference:
                '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
        x-yang:
            Type: list
    format-e:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
            Type: leaf
    value:
        Type: integer
        Description: (leaf)
        format: uint32
        x-yang:
            Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute:
Type: object
Properties:
    called-station-id:
        Reference:
            '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    calling-station-id:

```

```

Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
nas-identifier:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
nas-identifier-format:
  Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
nas-port-id:
  Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
nas-port:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

nas-ip:
  Type: string
  Description: (leaf)
  format: union
  x-yang:
    Type: leaf
Description: (non-presence)
datapost_cnbngcpprofile_radius_accounting:
Type: object
Properties:
  algorithm:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: first-server
    enum:
    - first-server
    - round-robin
    x-yang:
      Type: leaf
  deadtime:
    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  detect-dead-server:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

max-retry:
  Type: string
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
timeout:

```

```

    Type: string
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  attribute:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
  Description: (non-presence)
datapost_cnbngcpprofile_radius_server_1:
  Type: object
  Properties:
    Type:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: auth
      enum:
        - auth
        - acct
      x-yang:
        Type: leaf
    ip:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    port:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
datapost_cnbngcpprofile_radius_servergroup:
  Type: object
  Properties:
    group-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    server:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server_1'
      x-yang:
        Type: list
datapost_cnbngcpprofile_radius:
  Type: object
  Properties:

```

```
server:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server'
  x-yang:
    Type: list
algorithm:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: first-server
  enum:
    - first-server
    - round-robin
  x-yang:
    Type: leaf
deadtime:
  Type: string
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
detect-dead-server:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

max-retry:
  Type: string
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
timeout:
  Type: string
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
attribute:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
accounting:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_accounting'
server-group:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_servergroup'
  x-yang:
    Type: list
  Description: (non-presence)
datapost_cnbngcpprofile_coa_client:
  Type: object
```

```

Properties:
  ip:
    Type: string
    Description: (leaf)
    format: union
    x-yang:
      Type: leaf
  server-key:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
datapost_cnbngcpprofile_coa:
Type: object
Properties:
  server-key:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  client:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
    x-yang:
      Type: list
  Description: (non-presence)
datapost_cnbngcpprofile:
Type: object
Properties:
  dhcp:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_dhcp'
    x-yang:
      Type: list
  pppoe:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_pppoe'
    x-yang:
      Type: list
  aaa:
    Type: array
    Description: (list)
    Items:

```

```

    Reference: '#/components/schemas/datapost_cnbngcprofile_aaa'
  x-yang:
    Type: list
  server-group:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_servergroup'
  x-yang:
    Type: list
  attribute-format:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_attributeformat'
  x-yang:
    Type: list
  subscriber:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_subscriber'
  x-yang:
    Type: list
  feature-template:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_featuretemplate'
  x-yang:
    Type: list
  l2tp:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_l2tp'
  x-yang:
    Type: list
  radius:
    Reference: '#/components/schemas/datapost_cnbngcprofile_radius'
  coa:
    Reference: '#/components/schemas/datapost_cnbngcprofile_coa'
  Description: (non-presence)
  datapost_peeraddress:
    Type: object
    Properties:
      ipv4:
        Type: string
        Description: (leaf)
        format: string
        x-yang:

```

```

    Type: leaf
Description: (non-presence)
datapost_portid:
Type: object
Properties:
  id:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  subscriber-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
datapost_cnbngcpuserplane:
Type: object
Properties:
  name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  peer-address:
    Reference: '#/components/schemas/datapost_peeraddress'
  offline:
    Type: string
    Description: (leaf)
    format: "[null]"
    x-yang:
      Type: leaf
  port-id:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_portid'
    x-yang:
      Type: list
  subscriber-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
dataputpatch_ietfrestconfdata:
Type: object
Properties:
  cnbng-cp:profile:

```



```

    Reference: '#/components/schemas/datapost_cnbngcpprofile'
cnbng-cp:user-plane:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpuserplane'
  x-yang:
    Type: list
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."
root_ietfrestconfrestconf:
  Type: object
  Properties:
    data:
      Type: object
      Properties: {}
    operations:
      Type: object
      Properties: {}
    yang-library-version:
      Type: string
  Description: This is the RESTCONF root resource for the RESTCONF datastore and
  operation resources. See RESTCONF RFC 8040 for further information.
responses:
  "200":
    Description: OK
    content: {}
  "201":
    Description: Created
    content: {}
  "204":
    Description: No Content
    content: {}
  "400":
    Description: Bad Request
    content: {}
  "401":
    Description: Unauthorized
    content: {}
  "404":
    Description: Not Found
    content: {}
  "405":
    Description: Method Not Allowed
    content: {}
  "409":
    Description: Conflict
    content: {}
parameters:
  content:
    name: content
    in: query

```

Description: controlling descendant nodes in response
Required: false
style: form
explode: true
schema:
 Type: string
 format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

depth:
 name: depth
 in: query
 Description: limit the depth of nodes in response
 Required: false
 style: form
 explode: true
 schema:
 Type: integer
 format: uint16

fields:
 name: fields
 in: query
 Description: optionally identify specific data nodes in response
 Required: false
 style: form
 explode: true
 schema:
 Type: string
 format: string

filter:
 name: filter
 in: query
 Description: xpath expression to filter data nodes in response
 Required: false
 style: form
 explode: true
 schema:
 Type: string
 format: string

with-defaults:
 name: with-defaults
 in: query
 Description: controlling default values in response
 Required: false
 style: form
 explode: true
 schema:
 Type: string
 format: enumeration

Default: report-all
enum:

- report-all
- trim
- explicit
- report-all-tagged

insert:

name: insert
in: query
Description: controlling the order when adding new list elements
Required: false
style: form
explode: true
schema:

Type: string
format: enumeration
Default: first
enum:

- first
- last
- before
- after

point:

name: point
in: query
Description: used to specify the insertion point
Required: false
style: form
explode: true
schema:

Type: string
format: string

aaa-aaa-option:

name: aaa-aaa-option
in: path
Required: true
style: simple
explode: false
schema:

Type: string
format: enumeration
Default: authenticate
enum:

- authenticate
- authorize

aaa-name:

name: aaa-name
in: path
Required: true
style: simple
explode: false
schema:

Type: string

```
    format: string
aaa-profile:
  name: aaa-profile
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: leafref
activate-feature-templates-id:
  name: activate-feature-templates-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: leafref
ascii-id:
  name: ascii-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
attribute-format-name:
  name: attribute-format-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
authentication-id:
  name: authentication-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: enumeration
    Default: pap
    enum:
      - pap
      - chap
class-class-name:
  name: class-class-name
```

```
    in: path
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: string
client-ip:
  name: client-ip
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: union
deactivate-feature-templates-id:
  name: deactivate-feature-templates-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: leafref
destination-dest-ip:
  name: destination-dest-ip
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
dhcp-name:
  name: dhcp-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
dns-servers-id:
  name: dns-servers-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
```

```
    format: string
domain-name:
  name: domain-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
event-event-name:
  name: event-event-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: enumeration
    Default: session-activate
    enum:
      - session-activate
feature-template-name:
  name: feature-template-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
format-e-list-nas-port-type:
  name: format-e-list-nas-port-type
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: int32
format-nas-port-type:
  name: format-nas-port-type
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: int32
format-order-id:
  name: format-order-id
  in: path
```

```
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: union
hex-id:
  name: hex-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
ip-address-id:
  name: ip-address-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
l2tp-name:
  name: l2tp-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
match-key:
  name: match-key
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
method-order-id:
  name: method-order-id
  in: path
  Required: true
```

```
    style: simple
    explode: false
    schema:
      Type: string
      format: union
netbios-name-server-id:
  name: netbios-name-server-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
ntp-servers-id:
  name: ntp-servers-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
option-code-option-code:
  name: option-code-option-code
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: integer
    format: uint32
port-id-id:
  name: port-id-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
pppoe-name:
  name: pppoe-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
regex-id:
```



```
    name: regex-id
    in: path
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: string
server-group-group-name:
  name: server-group-group-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
server-group-name:
  name: server-group-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
server-ip:
  name: server-ip
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: union
server-port:
  name: server-port
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: int32
server-type:
  name: server-type
  in: path
  Required: true
  style: simple
  explode: false
  schema:
```

```
    Type: string
    format: enumeration
    Default: auth
    enum:
    - auth
    - acct
service-name-id:
  name: service-name-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
subscriber-name:
  name: subscriber-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
terminate-from-hostname:
  name: terminate-from-hostname
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
type-id:
  name: type-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: enumeration
    Default: dhcp
    enum:
    - dhcp
    - ppp
user-plane-name:
  name: user-plane-name
  in: path
  Required: true
  style: simple
  explode: false
```

```

    schema:
      Type: string
      format: string
requestBodies:
data-post:
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data-post'
  Required: true
data-put-patch:
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint & Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data-put-patch'
  Required: true
data_cnbng-cp_profile:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile'
  Required: true
data_cnbng-cp_profile-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile-post'
  Required: true
data_cnbng-cp_profile_aaa_aaa-name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name'
  Required: true
data_cnbng-cp_profile_aaa_aaa-name_accounting:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'
  Required: true
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
  content:
    application/yang-data+json:
      schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting-post'
  Required: true

data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

  Required: true
data_cnbng-cp_profile_aaa_aaa-name_authentication:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'
  Required: true
data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication-post'
  Required: true

data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

  Required: true
data_cnbng-cp_profile_aaa_aaa-name_authorization:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization'

  Required: true
data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization-post'
  Required: true
data_cnbng-cp_profile_aaa_aaa-name_authorization_password:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'

```

```

    Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_type:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'
          Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post'
          Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'
          Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post'
          Required: true

  Required: true

  data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'
          Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'
          Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post'
          Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format:

```

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format'
          Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'

    Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value'
          Required: true
    data_cnbng-cp_profile_aaa_aaa-name_name:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_name'
    Required: true
    data_cnbng-cp_profile_attribute-format_attribute-format-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name'
          Required: true

    data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

    Required: true

    data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

    Required: true
    data_cnbng-cp_profile_attribute-format_attribute-format-name_name:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_name'
    Required: true
data_cnbng-cp_profile_coa:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa'
      Required: true
data_cnbng-cp_profile_coa-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa-post'
      Required: true
data_cnbng-cp_profile_coa_client_client-ip:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip'
      Required: true
data_cnbng-cp_profile_coa_client_client-ip_ip:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'
      Required: true
data_cnbng-cp_profile_coa_client_client-ip_server-key:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_server-key'
      Required: true
data_cnbng-cp_profile_coa_server-key:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
  content:
    application/yang-data+json:
      schema:

```

```

        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'
Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post'

Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name'

Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

Required: true

```


data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours:

content:

application/yang-data+json:

schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes:

content:

application/yang-data+json:

schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id:

content:

application/yang-data+json:

schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type:

content:

application/yang-data+json:

schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post:

content:

application/yang-data+json:

schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node:

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

    Required: true

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code'

Required: true

?

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ascii-string

: **content:**
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ascii-string'

Required: true

?

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_force-insert

: **content:**
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_force-insert'

```

    Required: true
    ?
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string

    : content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string'

    Required: true
    ?
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id

    : content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'

    Required: true
    ?
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code

    : content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code'

    Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

    Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode'

    Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'

    Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post:

```

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post'
          Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'
            Required: true

    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:

      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'
            Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'
            Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
            Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post'
            Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
            Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
      content:
        application/yang-data+json:
          schema:

```

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

      Required: true

```


data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes:

content:
application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post:

content:

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post'
      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ascii-string:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ascii-string'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_option-code:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_option-code'

    Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:

```

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

```

```
    Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name'

  Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

  Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

  Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post'

  Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

  Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'

  Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes:

  content:

```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode:

  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:

  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'

  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'
  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'
  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease'
  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post'
  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'
  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
content:
  application/yang-data+json:
    schema:
      Reference:

```



```

'/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
    content:
      application/yang-data+json:
        schema:
          Reference:
'/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
    content:
      application/yang-data+json:
        schema:
          Reference:
'/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
    content:
      application/yang-data+json:
        schema:
          Reference:
'/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'
  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_name:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_name'
  Required: true
  data_cnbng-cp_profile_feature-template_feature-template-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name'
  Required: true
  data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:
    content:
      application/yang-data+json:
        schema:
          Reference:
'/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'
  Required: true
  data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
    content:
      application/yang-data+json:
        schema:
          Reference:
'/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'
  Required: true
  data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:
    content:

```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

    Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'
    Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl:

  content:

```

```

    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

    Required: true
  data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'

    Required: true

  data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

    Required: true

  data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post'

    Required: true

  data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

    Required: true
  data_cnbng-cp_profile_feature-template_feature-template-name_name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_name'
    Required: true
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp:
    content:
      application/yang-data+json:
        schema:
          Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp'
  Required: true
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post'

    Required: true

  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

    Required: true

  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'

    Required: true

  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post'

    Required: true

  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

    Required: true

  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

```

```

Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post'

Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'

```

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post:

content:

application/yang-data+json:

schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post:
```

content:


```
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

    Required: true
```

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

  Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp'

  Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post'

  Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

  Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'

  Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

  Required: true

```

```
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'
```

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry:

content:

application/yang-data+json:

schema:

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_qos:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos'
      Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_qos-post:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'

```

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post:

content:

application/yang-data+json:

```

    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

    Required: true

data_cnbng-cp_profile_l2tp_l2tp-name:
  content:
    application/yang-data+json:
      schema:

```



```

        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name'
    Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_authentication:
    content:
        application/yang-data+json:
            schema:
                Reference:
                    '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'
            Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control:
    content:
        application/yang-data+json:
            schema:
                Reference:
                    '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control'
            Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name:
    content:
        application/yang-data+json:
            schema:
                Reference:
                    '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'
            Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name:
    content:
        application/yang-data+json:
            schema:
                Reference:
                    '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
            Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id:
    content:
        application/yang-data+json:
            schema:
                Reference:
                    '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'
            Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding:
    content:
        application/yang-data+json:
            schema:
                Reference:
                    '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
            Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp:
    content:
        application/yang-data+json:
            schema:
                Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
            Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation:
    content:
        application/yang-data+json:

```

```

    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
      Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_hostname:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'

    Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'
    Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post'

    Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
    Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value'
    Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_ipv4:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'
    Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
    content:
      application/yang-data+json:

```

```

    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post'

    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

    Required: true

  data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'

    Required: true

  data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

    Required: true

  data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit'

    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source'

    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_mode:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mode'

    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_mtu:
    content:
      application/yang-data+json:

```

```

    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'
    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_name:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'
        Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_password:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_password'

    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_receive-window:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'
        Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'

    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post'
        Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'
        Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post'
        Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries:
    content:
      application/yang-data+json:

```

```

    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'
      Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
            Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post'

      Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
            Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'
            Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
            Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout'
            Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post'
            Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max:

```

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_tcp:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post'

    Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss'
          Required: true

    data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

    Required: true

    data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname:

    content:
      application/yang-data+json:

```

```

    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_tunnel:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'
    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post'

    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit'
    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post'
    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'
    Required: true
  data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed'
    Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_vrf:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'

    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'

    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:

```



```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
          Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'
            Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'
            Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'
            Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_name:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'
            Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
            Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'
            Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'
            Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
      Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post'
      Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'
      Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'
      Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'
      Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post'
      Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
  content:
    application/yang-data+json:

```

```

        schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'
            Required: true
        data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
            content:
                application/yang-data+json:
                    schema:
                        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'
                        Required: true
        data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
            content:
                application/yang-data+json:
                    schema:
                        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'
                        Required: true
        data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
            content:
                application/yang-data+json:
                    schema:
                        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post'
                        Required: true
        data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:
            content:
                application/yang-data+json:
                    schema:
                        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
                        Required: true
        data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
            content:
                application/yang-data+json:
                    schema:
                        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'
                        Required: true
        data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
            content:
                application/yang-data+json:
                    schema:
                        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
                        Required: true
        data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
            content:
                application/yang-data+json:
                    schema:
                        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post'
                        Required: true
        data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'

    Required: true
data_cnbng-cp_profile_radius:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius'

    Required: true
data_cnbng-cp_profile_radius-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius-post'

    Required: true
data_cnbng-cp_profile_radius_accounting:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'

    Required: true
data_cnbng-cp_profile_radius_accounting-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting-post'

    Required: true
data_cnbng-cp_profile_radius_accounting_algorithm:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_algorithm'

    Required: true

```

```

data_cnbng-cp_profile_radius_accounting_attribute:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute'
        Required: true
  data_cnbng-cp_profile_radius_accounting_attribute-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute-post'
          Required: true
  data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
          Required: true
  data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post'
          Required: true

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'
        Required: true

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'
        Required: true

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name:
  content:
    application/yang-data+json:
      schema:

```

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type:
```

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'
```

```
  Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name:
```

```
  content:
    application/yang-data+json:
      schema:
```

```
    Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'
```

```
  Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:
```

```
  content:
    application/yang-data+json:
      schema:
```

```
    Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'
```

```
  Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value:
```

```
  content:
    application/yang-data+json:
      schema:
```

```
    Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'
```

```
  Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier:
```

```
  content:
    application/yang-data+json:
      schema:
```

```
    Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'
```

```
  Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format:
```

```
  content:
    application/yang-data+json:
      schema:
```

```
    Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'
```

```
  Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post:
```

```
  content:
    application/yang-data+json:
      schema:
```

```
    Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post'
```

Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-ip:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'

Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-port:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'

Required: true


```

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'
        Required: true
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post'
          Required: true
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'
          Required: true

  data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'
          Required: true

  data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'
          Required: true

  data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'
          Required: true
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value:
    content:
      application/yang-data+json:

```

```

        schema:
            Reference:
                '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
            Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post:
        content:
            application/yang-data+json:
                schema:
                    Reference:
                        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post'
                    Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
        content:
            application/yang-data+json:
                schema:
                    Reference:
                        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'
                    Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
        content:
            application/yang-data+json:
                schema:
                    Reference:
                        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
                    Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
        content:
            application/yang-data+json:
                schema:
                    Reference:
                        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
                    Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
        content:
            application/yang-data+json:
                schema:
                    Reference:
                        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'
                    Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
        content:
            application/yang-data+json:
                schema:
                    Reference:
                        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'
                    Required: true
    data_cnbng-cp_profile_radius_accounting_deadtime:

```

```

content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting_deadtime'

Required: true
data_cnbng-cp_profile_radius_accounting_detect-dead-server:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server'
      Required: true
data_cnbng-cp_profile_radius_accounting_detect-dead-server-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server-post'
      Required: true

data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

  Required: true
data_cnbng-cp_profile_radius_accounting_max-retry:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_max-retry'
      Required: true
data_cnbng-cp_profile_radius_accounting_timeout:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting_timeout'

  Required: true
data_cnbng-cp_profile_radius_algorithm:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'
  Required: true
data_cnbng-cp_profile_radius_attribute:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'

```

```

Required: true
data_cnbng-cp_profile_radius_attribute-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute-post'
      Required: true
data_cnbng-cp_profile_radius_attribute_called-station-id:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id'
      Required: true
data_cnbng-cp_profile_radius_attribute_called-station-id-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id-post'
      Required: true
data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format-name'
      Required: true

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'
      Required: true

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'
      Required: true

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:
  content:
    application/yang-data+json:
      schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

  Required: true
  data_cnbng-cp_profile_radius_attribute_called-station-id_value:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_value'
  Required: true
  data_cnbng-cp_profile_radius_attribute_calling-station-id:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id'
  Required: true
  data_cnbng-cp_profile_radius_attribute_calling-station-id-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id-post'
  Required: true
  data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

  Required: true

  data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'

  Required: true

  data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

  Required: true

  data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:

    content:

```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

      Required: true
    data_cnbng-cp_profile_radius_attribute_calling-station-id_value:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_value'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-identifier:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-identifier-format:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

    Required: true

data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

      Required: true
data_cnbng-cp_profile_radius_attribute_nas-ip:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

      Required: true
data_cnbng-cp_profile_radius_attribute_nas-port:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port'

      Required: true
data_cnbng-cp_profile_radius_attribute_nas-port-id:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id'
        Required: true
data_cnbng-cp_profile_radius_attribute_nas-port-id-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id-post'
        Required: true
data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
        Required: true

data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

    Required: true

data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

      Required: true

data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

      Required: true

data_cnbng-cp_profile_radius_attribute_nas-port-id_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'

      Required: true

data_cnbng-cp_profile_radius_attribute_nas-port-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-post'

      Required: true

data_cnbng-cp_profile_radius_attribute_nas-port_format-e:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'

      Required: true

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

```


Required: true

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

Required: true

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

Required: true

data_cnbng-cp_profile_radius_attribute_nas-port_value:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_value'

Required: true

data_cnbng-cp_profile_radius_deadtime:

content:

application/yang-data+json:

schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'

Required: true

data_cnbng-cp_profile_radius_detect-dead-server:

content:

application/yang-data+json:

schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server'

Required: true

data_cnbng-cp_profile_radius_detect-dead-server-post:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server-post'

Required: true

data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'

```

Required: true
data_cnbng-cp_profile_radius_max-retry:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'
  Required: true
data_cnbng-cp_profile_radius_server-group_server-group-group-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
  Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'
  Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'
  Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'
  Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'
  Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'

    Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port'
        Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_ip:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'
        Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_port:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'
        Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
        Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
        Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
        Required: true
data_cnbng-cp_profile_radius_timeout:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'

```

```

Required: true
data_cnbng-cp_profile_server-group_server-group-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name'
      Required: true
  data_cnbng-cp_profile_server-group_server-group-name_name:
    content:
      application/yang-data+json:
        schema:
          Reference:
          '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_name'
        Required: true
  data_cnbng-cp_profile_server-group_server-group-name_radius-group:
    content:
      application/yang-data+json:
        schema:
          Reference:
          '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_radius-group'
        Required: true
  data_cnbng-cp_profile_subscriber_subscriber-name:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile:

  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

  Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

  Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile:

  content:
    application/yang-data+json:
      schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

```

    Required: true
  ?
  data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id
  : content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

    Required: true

  data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

    Required: true

  data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'

    Required: true

  data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post'

    Required: true

  data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'

    Required: true

  data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key:
  content:
    application/yang-data+json:

```

```

    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name:

    content:
      application/yang-data+json:
        schema:

```

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'
```

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile:

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'
```

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile:

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

Required: true

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id

: content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'
```

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class:

content:

```
application/yang-data+json:
```

schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'
```

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name:


```

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

Required: true
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Required: true
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

Required: true
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

Required: true
?

```

```

data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id
: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id'
    Required: true

data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'
      Required: true

data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post'
      Required: true

data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'
      Required: true

data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'
      Required: true
?
data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id
: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

```

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'

Required: true

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id

: **content:**

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'

Required: true

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id

: **content:**

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

Required: true

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id

: **content:**

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:

content:

application/yang-data+json:

schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'

```

Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_name:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_name'
        Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'
        Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'
        Required: true
data_cnbng-cp_user-plane_user-plane-name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name'
        Required: true
data_cnbng-cp_user-plane_user-plane-name_name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_name'

Required: true
data_cnbng-cp_user-plane_user-plane-name_offline:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_offline'

Required: true
data_cnbng-cp_user-plane_user-plane-name_peer-address:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_peer-address'
        Required: true
data_cnbng-cp_user-plane_user-plane-name_peer-address-post:
  content:
    application/yang-data+json:
      schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_peer-address-post'
  Required: true
  data_cnbng-cp_user-plane_user-plane-name_peer-address_ipv4:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_peer-address_ipv4'
  Required: true
  data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id'
  Required: true
  data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_id:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_id'
  Required: true

data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

  Required: true
  data_cnbng-cp_user-plane_user-plane-name_subscriber-profile:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_user-plane_user-plane-name_subscriber-profile'
  Required: true
securitySchemes:
  basicAuth:
    Type: http
    scheme: basic

```

