



etcd

- [OpenAPI, on page 1](#)
- [Info, on page 1](#)
- [Servers, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)
- [Components, on page 78](#)

OpenAPI

OpenAPI Version: 3.0.1

Info

Title: cisco-smi-etcd

Servers

URL: /restconf

tags

- **Name:** root
Description: root resources
- **Name:** operations
Description: operations resources
- **Name:** data
Description: data resources
- **Name:** get
Description: get resources

- **Name:** head
Description: head resources
- **Name:** post
Description: post resources
- **Name:** patch
Description: patch resources
- **Name:** put
Description: put resources
- **Name:** options
Description: options resources
- **Name:** delete
Description: delete resources

Paths

/

get:

Tags:

- root
- get

Operation ID: root_get

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/root'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

```
  security:
  - basicAuth: []
head:

  Tags:
  - root
  - head
  Operation ID: root_head

  Responses:
    "200":
      Description: OK
      Content: {}
  security:
  - basicAuth: []
```

/operations

```
get:

  Tags:
  - operations
  - get
  Operation ID: operations_get

  Responses:
    "200":
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference: '#/components/schemas/operations'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
```

/yang-library-version

get:

Tags:

- yang-library-version
- get

Operation ID: yang_library_version_get

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/yang-library-version'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

head:

Tags:

- yang-library-version
- head

Operation ID: yang_library_version_head

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

/data

get:

Tags:

- data
- get

Operation ID: data_get**Responses:****"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data'**"204":****Description:** No Content**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

put:

Tags:

- data
- put

Operation ID: data_put**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data-put-patch'**Required/Optional:** true**Responses:****"201":****Description:** Created

```
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: data
Method: Post

Tags:
- data
- post
Operation ID: data_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data-post'
      Required/Optional: true

Responses:
  "201":
    Description: Created
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
```

```
- basicAuth: []
x-codegen-request-body-name: data
head:

Tags:
- data
- head
Operation ID: data_head

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data-put-patch'
      Required/Optional: true

Responses:
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: data
```

/data/cisco-smi-etcd:etcd

get:

Tags:

- data
- get

Operation ID: data_cisco_smi_etcd_etcd_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd'

"204":
 Description: No Content
 Content: {}

"400":
 Description: Bad Request
 Content: {}

"401":
 Description: Unauthorized
 Content: {}

"404":
 Description: Not Found
 Content: {}

"405":
 Description: Method Not Allowed
 Content: {}

"409":
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Operation ID: data_cisco_smi_etcd_etcd_put

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd'

Required/Optional: true

Responses:

"201":
Description: container etcd created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: etcd

Method: Post

Tags:

- data
 - post

Operation ID: data_cisco_smi_etcd_etcd_post

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cisco-smi-etcd_etcd-post'
Required/Optional: true

Responses:

"201":
Description: container etcd created
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized

```
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: etcd
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
```

```
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
```

Responses:

```
"200":
  Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd'
      Required/Optional: true

Responses:
"204":
  Description: container etcd updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: etcd

```

/data/cisco-smi-etcd:etcd/repository

```

get:

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_repository_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response

```

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

- "200":
 - Description:** OK
 - Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:** '#/components/schemas/data_cisco-smi-etcd_etcd_repository'
- "204":
 - Description:** No Content
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":
 - Description:** Unauthorized
 - Content:** {}
- "404":
 - Description:** Not Found
 - Content:** {}
- "405":
 - Description:** Method Not Allowed
 - Content:** {}
- "409":
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cisco_smi_etcd_etcd_repository_put

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:** '#/components/schemas/data_cisco-smi-etcd_etcd_repository'
- Required/Optional:** true

Responses:

- "201":
 - Description:** leaf repository created or replaced
 - Content:** {}
- "204":
 - Description:** No Content
 - Content:** {}
- "400":
 - Description:** Bad Request
 - Content:** {}
- "401":

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: repository
delete:

Tags:
- data
- delete
Operation ID: data_cisco_smi_etcd_etcd_repository_delete

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_repository_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_repository_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```


Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":

```

      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cisco_smi_etcd_etcd_repository_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_repository'
        Required/Optional: true

  Responses:
    "204":
      Description: leaf repository updated
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: repository

```

/data/cisco-smi-etcd:etcd/node-affinity

```

get:

  Tags:
  - data
  - get
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_get

  Parameters:
  - Name: content
    In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_node-affinity'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data

- put

Operation ID: data_cisco_smi_etcd_etcd_node_affinity_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_node-affinity'

Required/Optional: true

Responses:

"201":

Description: leaf node-affinity created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

```
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: node-affinity
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
```

Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":

```
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_node_affinity_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_node-affinity'
      Required/Optional: true

Responses:
"204":
  Description: leaf node-affinity updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: node-affinity
```

/data/cisco-smi-etcd:etcd/replicas

```
get:

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_replicas_get

Parameters:
- Name: content
  In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_replicas'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data

- put

Operation ID: data_cisco_smi_etcd_etcd_replicas_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_replicas'

Required/Optional: true

Responses:

"201":

Description: leaf replicas created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

```

    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: replicas
delete:

Tags:
- data
- delete
Operation ID: data_cisco_smi_etcd_etcd_replicas_delete

Responses:
  "204":
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_replicas_options

Responses:
  "200":
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_replicas_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:
 "200":

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_replicas_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_replicas'
      Required/Optional: true

Responses:
"204":
  Description: leaf replicas updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: replicas

```

/data/cisco-smi-etcd:etcd/volume

```

get:

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_volume_get

Parameters:
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_volume'

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:

- basicAuth: []

put:

Tags:

- data
 - put

Operation ID: data_cisco_smi_etcd_etcd_volume_put

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_volume'

Required/Optional: true

Responses:

"201":
Description: leaf volume created or replaced
Content: {}

"204":
Description: No Content
Content: {}

"400":
Description: Bad Request
Content: {}

"401":

```
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: volume
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_volume_delete

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_volume_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_volume_head

Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
```

```

Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```
"200":
```



```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_volume_patch
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_volume'
    Required/Optional: true

Responses:
"204":
  Description: leaf volume updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: volume

```

/data/cisco-smi-etcd:etcd/enable-daily-defragmentation

```

get:

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_get

Parameters:
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: config
 enum:
 - config
 - nonconfig
 - all

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 Default: report-all
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged

Responses:

"200":

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID: data_cisco-smi-etcd_etcd_enable-daily-defragmentation_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'

Required/Optional: true

Responses:

"201":

Description: leaf enable-daily-defragmentation created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

```

    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: enable-daily-defragmentation
delete:

Tags:
- data
- delete
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_delete

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_options

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false

```

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

Responses:

"200":
Description: OK
Content: {}
security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_patch

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'
Required/Optional: true

Responses:

"204":
Description: leaf enable-daily-defragmentation updated
Content: {}

"400":
Description: Bad Request
Content: {}

"401":
Description: Unauthorized
Content: {}

"404":
Description: Not Found
Content: {}

"405":
Description: Method Not Allowed
Content: {}

"409":
Description: Conflict
Content: {}

security:
- **basicAuth:** []
x-codegen-request-body-name: enable-daily-defragmentation

/data/cisco-smi-etcd:etcd/daily-defragmentation-start-time

get:

Tags:
- data
- get

Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    "200":
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID: data_cisco-smi-etcd_etcd_daily-defragmentation-start-time_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
    Required/Optional: true

  Responses:
    "201":
      Description: leaf daily-defragmentation-start-time created or replaced
      Content: {}
    "204":
      Description: No Content

```



```
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: daily-defragmentation-start-time
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_delete

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_options

  Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_head

  Parameters:
  - Name: content
```

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all

```

- trim
- explicit
- report-all-tagged

Responses:**"200":****Description:** OK**Content:** {}**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_patch**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'

Required/Optional: true**Responses:****"204":****Description:** leaf daily-defragmentation-start-time updated**Content:** {}**"400":****Description:** Bad Request**Content:** {}**"401":****Description:** Unauthorized**Content:** {}**"404":****Description:** Not Found**Content:** {}**"405":****Description:** Method Not Allowed**Content:** {}**"409":****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: daily-defragmentation-start-time

/data/cisco-smi-etcd:etcd/storage-label

get:**Tags:**

- data
- get

Operation ID: data_cisco_smi_etcd_etcd_storage_label_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: enumeration
Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content:
 application/yang-data+json:
 Schema:
Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_storage-label'
"204":
Description: No Content
Content: {}
"400":
Description: Bad Request
Content: {}
"401":
Description: Unauthorized
Content: {}
"404":
Description: Not Found
Content: {}
"405":
Description: Method Not Allowed
Content: {}
"409":
Description: Conflict
Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID: data_cisco_smi_etcd_etcd_storage_label_put

Request Body:

Content:
 application/yang-data+json:
 Schema:
Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_storage-label'
Required/Optional: true

Responses:

"201":
Description: leaf storage-label created or replaced
Content: {}

```
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: storage-label
delete:

Tags:
- data
- delete
Operation ID: data_cisco_smi_etcd_etcd_storage_label_delete

Responses:
"204":
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_storage_label_options

Responses:
"200":
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_storage_label_head
```

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_storage_label_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_storage-label'
      Required/Optional: true

Responses:
  "204":
    Description: leaf storage-label updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: storage-label

```

/data/cisco-smi-etcd:etcd/external-ip

```
options:
```


Tags:

- data
- options

Operation ID: data_cisco_smi_etcd_etcd_external_ip_options

Responses:

"200":

Description: OK

Content: {}

security:

- basicAuth: []

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-i p-port}

get:**Tags:**

- data
- get

Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_get

Parameters:

- **Name:** external-ip-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** external-ip-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer

Format: uint16

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig

- all
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - Default:** report-all
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:**"200":****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

```
"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_put
```

Parameters:

```
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```
/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-i p-port}
```

```

    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

    Required/Optional: true

Responses:
  "201":
    Description: list external-ip created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: external-ip
delete:

```

Tags:

- data
- delete

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_delete

Parameters:

- **Name:** external-ip-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint16

Responses:

"204":

Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_options

Parameters:

- **Name:** external-ip-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

Type: integer
Format: uint16

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_head

Parameters:

- **Name:** external-ip-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** external-ip-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer

Format: uint16

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

```

    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_patch

Parameters:

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/ip

```

- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

    Required/Optional: true

Responses:
  "204":
    Description: list external-ip updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: external-ip

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/ip

get:

Tags:

- data
- get

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_get

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":

```

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_put

  Parameters:
  - Name: external-ip-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

    Required/Optional: true

  Responses:
  "201":
    Description: leaf ip created or replaced
    Content: {}
  "204":
    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found

```

```

    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip
delete:

Tags:
- data
- delete
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_delete

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16

Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_options

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true

```

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_head

Parameters:
  - Name: external-ip-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string

```

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content: {}

```

```

    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_patch

  Parameters:
  - Name: external-ip-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

  Required/Optional: true

  Responses:
  "204":
    Description: leaf ip updated
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/port

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: ip

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/port

get:

Tags:

- data
- get

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_get

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - Default:** config
 - enum:**
 - config
 - nonconfig
 - all
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form


```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'
```

```

"204":
  Description: No Content
  Content: {}
"400":
  Description: Bad Request
  Content: {}

```

```

    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
  data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_put

  Parameters:
    - Name: external-ip-ip
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: union
    - Name: external-ip-port
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: integer
        Format: uint16
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

    Required/Optional: true

  Responses:
    "201":
      Description: leaf port created or replaced
      Content: {}
    "204":

```

```

    Description: No Content
    Content: {}
  "400":
    Description: Bad Request
    Content: {}
  "401":
    Description: Unauthorized
    Content: {}
  "404":
    Description: Not Found
    Content: {}
  "405":
    Description: Method Not Allowed
    Content: {}
  "409":
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: port
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_delete

  Parameters:
  - Name: external-ip-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16

  Responses:
  "204":
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

```

Tags:

- data
- options

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_options

Parameters:

- **Name:** external-ip-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint16

Responses:

- "200":
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_head

Parameters:

- **Name:** external-ip-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

```
    Type: integer
    Format: uint16
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

Default: report-all
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Responses:

"200":
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_patch

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint16

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

Required/Optional: true

Responses:

"204":
Description: leaf port updated
Content: {}

"400":
Description: Bad Request
Content: {}

```

"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/label

get:

```

Tags:
- data
- get
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_get

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

Responses:

```

"200":
  Description: OK
  Content:

```



```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

    "204":
      Description: No Content
      Content: {}
    "400":
      Description: Bad Request
      Content: {}
    "401":
      Description: Unauthorized
      Content: {}
    "404":
      Description: Not Found
      Content: {}
    "405":
      Description: Method Not Allowed
      Content: {}
    "409":
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_put

  Parameters:
  - Name: external-ip-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16
  Request Body:
  Content:
    application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'
```

Required/Optional: true

Responses:

"201":

Description: leaf label created or replaced

Content: {}

"204":

Description: No Content

Content: {}

"400":

Description: Bad Request

Content: {}

"401":

Description: Unauthorized

Content: {}

"404":

Description: Not Found

Content: {}

"405":

Description: Method Not Allowed

Content: {}

"409":

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: label

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_delete
```

Parameters:

- **Name:** external-ip-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** external-ip-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer
Format: uint16

Responses:**"204":**

Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_options

Parameters:

- **Name:** external-ip-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** external-ip-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer

Format: uint16

Responses:**"200":**

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_head

Parameters:

- **Name:** external-ip-ip

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  "200":
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_patch

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
Request Body:
Content:
  application/yang-data+json:
    Schema:

```

```

Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

Required/Optional: true

Responses:
"204":
  Description: leaf label updated
  Content: {}
"400":
  Description: Bad Request
  Content: {}
"401":
  Description: Unauthorized
  Content: {}
"404":
  Description: Not Found
  Content: {}
"405":
  Description: Method Not Allowed
  Content: {}
"409":
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: label

```

Components

```

schemas:
data:
  Type: object
  Properties:
    ietf-restconf:data:
      Type: object
      Properties: {}
      Description: This resource represents the combined configuration and state
        data resources that can be accessed by a client and cannot be created
        or deleted by the client. See RESTCONF RFC 8040 for further information.
    x-yang:
      Type: datastore
  data-post:
    Type: object
    Properties:
      cisco-smi-etcd:etcd:
        Reference: '#/components/schemas/datapost_ciscosmietcdetcd'
  data-put-patch:
    Type: object

```

```

Properties:
  ietf-restconf:data:
    Reference: '#/components/schemas/dataputpatch_ietfrestconfdata'
data_cisco-smi-etcd_etcd:
Type: object
Properties:
  cisco-smi-etcd:etcd:
    Reference: '#/components/schemas/datapost_ciscosmietcdetcd'
data_cisco-smi-etcd_etcd-post:
Type: object
Properties:
  cisco-smi-etcd:repository:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
  cisco-smi-etcd:node-affinity:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cisco-smi-etcd:replicas:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cisco-smi-etcd:volume:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cisco-smi-etcd:enable-daily-defragmentation:
    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf
  cisco-smi-etcd:daily-defragmentation-start-time:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cisco-smi-etcd:storage-label:
    Type: string
    Description: (leaf)
    format: string

```

```

    x-yang:
      Type: leaf
  cisco-smi-etcd:external-ip:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_ciscosmi-etcd-external-ip'
    x-yang:
      Type: list
data_cisco-smi-etcd_etcd_daily-defragmentation-start-time:
  Type: object
  Properties:
    cisco-smi-etcd:daily-defragmentation-start-time:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_enable-daily-defragmentation:
  Type: object
  Properties:
    cisco-smi-etcd:enable-daily-defragmentation:
      Type: string
      Description: (leaf)
      format: boolean
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port:
  Type: object
  Properties:
    cisco-smi-etcd:external-ip:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_ciscosmi-etcd-external-ip'
      x-yang:
        Type: list
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip:
  Type: object
  Properties:
    cisco-smi-etcd:ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label:
  Type: object
  Properties:

```



```

    cisco-smi-etcd:label:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port:
  Type: object
  Properties:
    cisco-smi-etcd:port:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_node-affinity:
  Type: object
  Properties:
    cisco-smi-etcd:node-affinity:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_replicas:
  Type: object
  Properties:
    cisco-smi-etcd:replicas:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_repository:
  Type: object
  Properties:
    cisco-smi-etcd:repository:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_storage-label:
  Type: object
  Properties:
    cisco-smi-etcd:storage-label:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

```

```

data_cisco-smi-etcd_etcd_volume:
  Type: object
  Properties:
    cisco-smi-etcd:volume:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
operations:
  Type: object
  Properties:
    ietf-restconf:operations:
      Type: object
      Properties: {}
      Description: This resource is a container that provides access to the
data-model-specific
      RPC operations supported by the server. See RESTCONF RFC 8040 for further
      information.
      x-yang:
        Type: operations
root:
  Type: object
  Properties:
    ietf-restconf:restconf:
      Reference: '#/components/schemas/root_ietfrestconfrestconf'
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Properties: {}
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
      YANG module that is implemented by this server. See RESTCONF RFC 8040
      for further information.
      x-yang:
        Type: leaf
datapost_ciscosmi-etcd-etcd_externalip:
  Type: object
  Properties:
    ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
    port:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf

```

```
label:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
datapost_ciscosmietcdetcd:
  Type: object
  Properties:
    repository:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    node-affinity:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    replicas:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    volume:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    enable-daily-defragmentation:
      Type: string
      Description: (leaf)
      format: boolean
      x-yang:
        Type: leaf
    daily-defragmentation-start-time:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    storage-label:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
```

```

    external-ip:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_ciscosmietchdetcd_externalip'
      x-yang:
        Type: list
      Description: (non-presence)
  dataputpatch_ietfrestconfdata:
    Type: object
    Properties:
      cisco-smi-etcd:etcd:
        Reference: '#/components/schemas/datapost_ciscosmietchdetcd'
  root_ietfrestconfrestconf:
    Type: object
    Properties:
      data:
        Type: object
        Properties: {}
      operations:
        Type: object
        Properties: {}
      yang-library-version:
        Type: string
    Description: This is the RESTCONF root resource for the RESTCONF datastore and
      operation resources. See RESTCONF RFC 8040 for further information.
  responses:
    "200":
      Description: OK
      content: {}
    "201":
      Description: Created
      content: {}
    "204":
      Description: No Content
      content: {}
    "400":
      Description: Bad Request
      content: {}
    "401":
      Description: Unauthorized
      content: {}
    "404":
      Description: Not Found
      content: {}
    "405":
      Description: Method Not Allowed
      content: {}
    "409":
      Description: Conflict
      content: {}
  parameters:
    content:

```

```
name: content
in: query
Description: controlling descendant nodes in response
Required: false
style: form
explode: true
schema:
  Type: string
  format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
depth:
  name: depth
  in: query
  Description: limit the depth of nodes in response
  Required: false
  style: form
  explode: true
  schema:
    Type: integer
    format: uint16
fields:
  name: fields
  in: query
  Description: optionally identify specific data nodes in response
  Required: false
  style: form
  explode: true
  schema:
    Type: string
    format: string
filter:
  name: filter
  in: query
  Description: xpath expression to filter data nodes in response
  Required: false
  style: form
  explode: true
  schema:
    Type: string
    format: string
with-defaults:
  name: with-defaults
  in: query
  Description: controlling default values in response
  Required: false
  style: form
  explode: true
  schema:
```

```

    Type: string
    format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
insert:
  name: insert
  in: query
  Description: controlling the order when adding new list elements
  Required: false
  style: form
  explode: true
  schema:
    Type: string
    format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
point:
  name: point
  in: query
  Description: used to specify the insertion point
  Required: false
  style: form
  explode: true
  schema:
    Type: string
    format: string
external-ip-ip:
  name: external-ip-ip
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: union
external-ip-port:
  name: external-ip-port
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: integer
    format: uint16
requestBodies:

```

```

data-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data-post'
      Required: true
data-put-patch:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data-put-patch'
      Required: true
data_cisco-smi-etcd_etcd:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd'
      Required: true
data_cisco-smi-etcd_etcd-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd-post'
      Required: true
data_cisco-smi-etcd_etcd_daily-defragmentation-start-time:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
      Required: true
data_cisco-smi-etcd_etcd_enable-daily-defragmentation:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'
      Required: true
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'
      Required: true
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

```

```

Required: true

data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

  Required: true

data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

  Required: true

data_cisco-smi-etcd_etcd_node-affinity:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_node-affinity'
  Required: true

data_cisco-smi-etcd_etcd_replicas:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_replicas'
  Required: true

data_cisco-smi-etcd_etcd_repository:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_repository'
  Required: true

data_cisco-smi-etcd_etcd_storage-label:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_storage-label'
  Required: true

data_cisco-smi-etcd_etcd_volume:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_volume'
  Required: true

securitySchemes:
  basicAuth:
    Type: http
    scheme: basic

```